

Package ‘paws.compute’

May 31, 2026

Title 'Amazon Web Services' Compute Services

Version 0.10.0

Description Interface to 'Amazon Web Services' compute services, including 'Elastic Compute Cloud' ('EC2'), 'Lambda' functions-as-a-service, containers, batch processing, and more <<https://aws.amazon.com/>>.

License Apache License (>= 2.0)

URL <https://github.com/paws-r/paws>,
<https://paws-r.r-universe.dev/paws.compute>,
<https://www.paws-r-sdk.com>

BugReports <https://github.com/paws-r/paws/issues>

Imports paws.common (>= 0.8.0)

Suggests testthat

Encoding UTF-8

Config/roxygen2/version 8.0.0

Collate 'apprunner_service.R' 'apprunner_interfaces.R'
'apprunner_operations.R' 'batch_service.R' 'batch_interfaces.R'
'batch_operations.R' 'braket_service.R' 'braket_interfaces.R'
'braket_operations.R' 'computeoptimizer_service.R'
'computeoptimizer_interfaces.R' 'computeoptimizer_operations.R'
'ec2_service.R' 'ec2_interfaces.R' 'ec2_operations.R'
'ec2instanceconnect_service.R'
'ec2instanceconnect_interfaces.R'
'ec2instanceconnect_operations.R' 'ecr_service.R'
'ecr_interfaces.R' 'ecr_operations.R' 'ecrpublic_service.R'
'ecrpublic_interfaces.R' 'ecrpublic_operations.R'
'ecs_service.R' 'ecs_interfaces.R' 'ecs_operations.R'
'eks_service.R' 'eks_interfaces.R' 'eks_operations.R'
'elasticbeanstalk_service.R' 'elasticbeanstalk_interfaces.R'
'elasticbeanstalk_operations.R' 'emrcontainers_service.R'
'emrcontainers_interfaces.R' 'emrcontainers_operations.R'
'emrserverless_service.R' 'emrserverless_interfaces.R'

'emrserverless_operations.R' 'imagebuilder_service.R'
 'imagebuilder_interfaces.R' 'imagebuilder_operations.R'
 'lambda_service.R' 'lambda_interfaces.R' 'lambda_operations.R'
 'lightsail_service.R' 'lightsail_interfaces.R'
 'lightsail_operations.R' 'proton_service.R'
 'proton_interfaces.R' 'proton_operations.R'
 'reexports_paws.common.R'
 'serverlessapplicationrepository_service.R'
 'serverlessapplicationrepository_interfaces.R'
 'serverlessapplicationrepository_operations.R'

NeedsCompilation no

Author David Kretch [aut],
 Adam Banker [aut],
 Dyfan Jones [cre],
 Amazon.com, Inc. [cph]

Maintainer Dyfan Jones <dyfan.r.jones@gmail.com>

Repository CRAN

Date/Publication 2026-05-31 05:11:14 UTC

Contents

apprunner	3
batch	6
braket	9
computeoptimizer	12
ec2	15
ec2instanceconnect	34
ecr	36
ecrpublic	40
ecs	43
eks	47
elasticbeanstalk	50
emrcontainers	54
emrserverless	57
imagebuilder	60
lambda	64
lightsail	69
proton	75
serverlessapplicationrepository	81

Index **84**

apprunner

AWS App Runner

Description

App Runner

App Runner is an application service that provides a fast, simple, and cost-effective way to go directly from an existing container image or source code to a running service in the Amazon Web Services Cloud in seconds. You don't need to learn new technologies, decide which compute service to use, or understand how to provision and configure Amazon Web Services resources.

App Runner connects directly to your container registry or source code repository. It provides an automatic delivery pipeline with fully managed operations, high performance, scalability, and security.

For more information about App Runner, see the [App Runner Developer Guide](#). For release information, see the [App Runner Release Notes](#).

To install the Software Development Kits (SDKs), Integrated Development Environment (IDE) Toolkits, and command line tools that you can use to access the API, see [Tools for Amazon Web Services](#).

Endpoints

For a list of Region-specific endpoints that App Runner supports, see [App Runner endpoints and quotas](#) in the *Amazon Web Services General Reference*.

Usage

```
apprunner(
  config = list(),
  credentials = list(),
  endpoint = NULL,
  region = NULL
)
```

Arguments

- `config` Optional configuration of credentials, endpoint, and/or region.
- **credentials:**
 - **creds:**
 - * **access_key_id:** AWS access key ID
 - * **secret_access_key:** AWS secret access key
 - * **session_token:** AWS temporary session token
 - **profile:** The name of a profile to use. If not given, then the default profile is used.
 - **anonymous:** Set anonymous credentials.
 - **endpoint:** The complete URL to use for the constructed client.

	<ul style="list-style-type: none"> • region: The AWS Region used in instantiating the client. • close_connection: Immediately close all HTTP connections. • timeout: The time in seconds till a timeout exception is thrown when attempting to make a connection. The default is 60 seconds. • s3_force_path_style: Set this to true to force the request to use path-style addressing, i.e. <code>http://s3.amazonaws.com/BUCKET/KEY</code>. • sts_regional_endpoint: Set sts regional endpoint resolver to regional or legacy https://docs.aws.amazon.com/sdkref/latest/guide/feature-sts-regionalized-endpoint.html
credentials	<p>Optional credentials shorthand for the config parameter</p> <ul style="list-style-type: none"> • creds: <ul style="list-style-type: none"> – access_key_id: AWS access key ID – secret_access_key: AWS secret access key – session_token: AWS temporary session token • profile: The name of a profile to use. If not given, then the default profile is used. • anonymous: Set anonymous credentials.
endpoint	Optional shorthand for complete URL to use for the constructed client.
region	Optional shorthand for AWS Region used in instantiating the client.

Value

A client for the service. You can call the service's operations using syntax like `svc$operation(...)`, where `svc` is the name you've assigned to the client. The available operations are listed in the Operations section.

Service syntax

```
svc <- apprunner(
  config = list(
    credentials = list(
      creds = list(
        access_key_id = "string",
        secret_access_key = "string",
        session_token = "string"
      ),
      profile = "string",
      anonymous = "logical"
    ),
    endpoint = "string",
    region = "string",
    close_connection = "logical",
    timeout = "numeric",
    s3_force_path_style = "logical",
    sts_regional_endpoint = "string"
  ),
```

```

credentials = list(
  creds = list(
    access_key_id = "string",
    secret_access_key = "string",
    session_token = "string"
  ),
  profile = "string",
  anonymous = "logical"
),
endpoint = "string",
region = "string"
)

```

Operations

associate_custom_domain	Associate your own domain name with the App Runner subdomain URL of your application.
create_auto_scaling_configuration	Create an App Runner automatic scaling configuration resource.
create_connection	Create an App Runner connection resource.
create_observability_configuration	Create an App Runner observability configuration resource.
create_service	Create an App Runner service.
create_vpc_connector	Create an App Runner VPC connector resource.
create_vpc_ingress_connection	Create an App Runner VPC Ingress Connection resource.
delete_auto_scaling_configuration	Delete an App Runner automatic scaling configuration resource.
delete_connection	Delete an App Runner connection.
delete_observability_configuration	Delete an App Runner observability configuration resource.
delete_service	Delete an App Runner service.
delete_vpc_connector	Delete an App Runner VPC connector resource.
delete_vpc_ingress_connection	Delete an App Runner VPC Ingress Connection resource that's associated with an App Runner service.
describe_auto_scaling_configuration	Return a full description of an App Runner automatic scaling configuration resource.
describe_custom_domains	Return a description of custom domain names that are associated with an App Runner service.
describe_observability_configuration	Return a full description of an App Runner observability configuration resource.
describe_service	Return a full description of an App Runner service.
describe_vpc_connector	Return a description of an App Runner VPC connector resource.
describe_vpc_ingress_connection	Return a full description of an App Runner VPC Ingress Connection resource.
disassociate_custom_domain	Disassociate a custom domain name from an App Runner service.
list_auto_scaling_configurations	Returns a list of active App Runner automatic scaling configurations in your Amazon Web Services account.
list_connections	Returns a list of App Runner connections that are associated with your Amazon Web Services account.
list_observability_configurations	Returns a list of active App Runner observability configurations in your Amazon Web Services account.
list_operations	Return a list of operations that occurred on an App Runner service.
list_services	Returns a list of running App Runner services in your Amazon Web Services account.
list_services_for_auto_scaling_configuration	Returns a list of the associated App Runner services using an auto scaling configuration.
list_tags_for_resource	List tags that are associated with for an App Runner resource.
list_vpc_connectors	Returns a list of App Runner VPC connectors in your Amazon Web Services account.
list_vpc_ingress_connections	Return a list of App Runner VPC Ingress Connections in your Amazon Web Services account.
pause_service	Pause an active App Runner service.
resume_service	Resume an active App Runner service.
start_deployment	Initiate a manual deployment of the latest commit in a source code repository to an App Runner service.
tag_resource	Add tags to, or update the tag values of, an App Runner resource.

untag_resource	Remove tags from an App Runner resource
update_default_auto_scaling_configuration	Update an auto scaling configuration to be the default
update_service	Update an App Runner service
update_vpc_ingress_connection	Update an existing App Runner VPC Ingress Connection resource

Examples

```
## Not run:
svc <- apprunner()
svc$associate_custom_domain(
  Foo = 123
)

## End(Not run)
```

batch

AWS Batch

Description

Batch

Using Batch, you can run batch computing workloads on the Amazon Web Services Cloud. Batch computing is a common means for developers, scientists, and engineers to access large amounts of compute resources. Batch uses the advantages of the batch computing to remove the undifferentiated heavy lifting of configuring and managing required infrastructure. At the same time, it also adopts a familiar batch computing software approach. You can use Batch to efficiently provision resources, and work toward eliminating capacity constraints, reducing your overall compute costs, and delivering results more quickly.

As a fully managed service, Batch can run batch computing workloads of any scale. Batch automatically provisions compute resources and optimizes workload distribution based on the quantity and scale of your specific workloads. With Batch, there's no need to install or manage batch computing software. This means that you can focus on analyzing results and solving your specific problems instead.

Usage

```
batch(config = list(), credentials = list(), endpoint = NULL, region = NULL)
```

Arguments

`config` Optional configuration of credentials, endpoint, and/or region.

- **credentials:**
 - **creds:**

	<ul style="list-style-type: none"> * access_key_id: AWS access key ID * secret_access_key: AWS secret access key * session_token: AWS temporary session token – profile: The name of a profile to use. If not given, then the default profile is used. – anonymous: Set anonymous credentials. • endpoint: The complete URL to use for the constructed client. • region: The AWS Region used in instantiating the client. • close_connection: Immediately close all HTTP connections. • timeout: The time in seconds till a timeout exception is thrown when attempting to make a connection. The default is 60 seconds. • s3_force_path_style: Set this to true to force the request to use path-style addressing, i.e. <code>http://s3.amazonaws.com/BUCKET/KEY</code>. • sts_regional_endpoint: Set sts regional endpoint resolver to regional or legacy https://docs.aws.amazon.com/sdkref/latest/guide/feature-sts-regionalized-endpoint.html
credentials	Optional credentials shorthand for the config parameter <ul style="list-style-type: none"> • creds: <ul style="list-style-type: none"> – access_key_id: AWS access key ID – secret_access_key: AWS secret access key – session_token: AWS temporary session token • profile: The name of a profile to use. If not given, then the default profile is used. • anonymous: Set anonymous credentials.
endpoint	Optional shorthand for complete URL to use for the constructed client.
region	Optional shorthand for AWS Region used in instantiating the client.

Value

A client for the service. You can call the service's operations using syntax like `svc$operation(...)`, where `svc` is the name you've assigned to the client. The available operations are listed in the Operations section.

Service syntax

```
svc <- batch(
  config = list(
    credentials = list(
      creds = list(
        access_key_id = "string",
        secret_access_key = "string",
        session_token = "string"
      ),
      profile = "string",
      anonymous = "logical"
```

```

    ),
    endpoint = "string",
    region = "string",
    close_connection = "logical",
    timeout = "numeric",
    s3_force_path_style = "logical",
    sts_regional_endpoint = "string"
  ),
  credentials = list(
    creds = list(
      access_key_id = "string",
      secret_access_key = "string",
      session_token = "string"
    ),
    profile = "string",
    anonymous = "logical"
  ),
  endpoint = "string",
  region = "string"
)

```

Operations

cancel_job	Cancels a job in an Batch job queue
create_compute_environment	Creates an Batch compute environment
create_consumable_resource	Creates an Batch consumable resource
create_job_queue	Creates an Batch job queue
create_quota_share	Creates an Batch quota share
create_scheduling_policy	Creates an Batch scheduling policy
create_service_environment	Creates a service environment for running service jobs
delete_compute_environment	Deletes an Batch compute environment
delete_consumable_resource	Deletes the specified consumable resource
delete_job_queue	Deletes the specified job queue
delete_quota_share	Deletes the specified quota share
delete_scheduling_policy	Deletes the specified scheduling policy
delete_service_environment	Deletes a Service environment
deregister_job_definition	Deregisters an Batch job definition
describe_compute_environments	Describes one or more of your compute environments
describe_consumable_resource	Returns a description of the specified consumable resource
describe_job_definitions	Describes a list of job definitions
describe_job_queues	Describes one or more of your job queues
describe_jobs	Describes a list of Batch jobs
describe_quota_share	Returns a description of the specified quota share
describe_scheduling_policies	Describes one or more of your scheduling policies
describe_service_environments	Describes one or more of your service environments
describe_service_job	The details of a service job
get_job_queue_snapshot	Provides a snapshot of job queue state, including ordering of RUNNABLE jobs, as well
list_consumable_resources	Returns a list of Batch consumable resources

<code>list_jobs</code>	Returns a list of Batch jobs
<code>list_jobs_by_consumable_resource</code>	Returns a list of Batch jobs that require a specific consumable resource
<code>list_quota_shares</code>	Returns a list of Batch quota shares associated with a job queue
<code>list_scheduling_policies</code>	Returns a list of Batch scheduling policies
<code>list_service_jobs</code>	Returns a list of service jobs for a specified job queue
<code>list_tags_for_resource</code>	Lists the tags for an Batch resource
<code>register_job_definition</code>	Registers an Batch job definition
<code>submit_job</code>	Submits an Batch job from a job definition
<code>submit_service_job</code>	Submits a service job to a specified job queue to run on SageMaker AI
<code>tag_resource</code>	Associates the specified tags to a resource with the specified resourceArn
<code>terminate_job</code>	Terminates a job in a job queue
<code>terminate_service_job</code>	Terminates a service job in a job queue
<code>untag_resource</code>	Deletes specified tags from an Batch resource
<code>update_compute_environment</code>	Updates an Batch compute environment
<code>update_consumable_resource</code>	Updates a consumable resource
<code>update_job_queue</code>	Updates a job queue
<code>update_quota_share</code>	Updates a quota share
<code>update_scheduling_policy</code>	Updates a scheduling policy
<code>update_service_environment</code>	Updates a service environment
<code>update_service_job</code>	Updates the priority of a specified service job in an Batch job queue

Examples

```
## Not run:
svc <- batch()
# This example cancels a job with the specified job ID.
svc$cancel_job(
  jobId = "1d828f65-7a4d-42e8-996d-3b900ed59dc4",
  reason = "Cancelling job."
)

## End(Not run)
```

braket

Braket

Description

The Amazon Braket API Reference provides information about the operations and structures supported by Amazon Braket.

To learn about the permissions required to call an Amazon Braket API action, see [Actions, resources, and condition keys for Amazon Braket](#). [Amazon Braket Python SDK](#) and the [AWS Command Line Interface](#) can be used to make discovery and creation of API calls easier. For more information about Amazon Braket features, see [What is Amazon Braket?](#) and important [terms and concepts](#) in the *Amazon Braket Developer Guide*.

In this guide:

- `CommonParameters`
- `CommonErrors`

Available languages for AWS SDK:

- [.NET](#)
- [C++](#)
- [Go API reference](#)
- [Java](#)
- [JavaScript](#)
- [PHP](#)
- [Python \(Boto\)](#)
- [Ruby](#)

Code examples from the Amazon Braket Tutorials GitHub repository:

- [Amazon Braket Examples](#)

Usage

```
braket(config = list(), credentials = list(), endpoint = NULL, region = NULL)
```

Arguments

`config` Optional configuration of credentials, endpoint, and/or region.

- **credentials:**

- **creds:**

- * **access_key_id:** AWS access key ID
- * **secret_access_key:** AWS secret access key
- * **session_token:** AWS temporary session token

- **profile:** The name of a profile to use. If not given, then the default profile is used.

- **anonymous:** Set anonymous credentials.

- **endpoint:** The complete URL to use for the constructed client.

- **region:** The AWS Region used in instantiating the client.

- **close_connection:** Immediately close all HTTP connections.

- **timeout:** The time in seconds till a timeout exception is thrown when attempting to make a connection. The default is 60 seconds.

- **s3_force_path_style:** Set this to `true` to force the request to use path-style addressing, i.e. `http://s3.amazonaws.com/BUCKET/KEY`.

- **sts_regional_endpoint:** Set sts regional endpoint resolver to regional or legacy <https://docs.aws.amazon.com/sdkref/latest/guide/feature-sts-regionalized-endpoint.html>

`credentials` Optional credentials shorthand for the `config` parameter

- **creds:**
 - **access_key_id:** AWS access key ID
 - **secret_access_key:** AWS secret access key
 - **session_token:** AWS temporary session token
 - **profile:** The name of a profile to use. If not given, then the default profile is used.
 - **anonymous:** Set anonymous credentials.
- endpoint Optional shorthand for complete URL to use for the constructed client.
- region Optional shorthand for AWS Region used in instantiating the client.

Value

A client for the service. You can call the service's operations using syntax like `svc$operation(...)`, where `svc` is the name you've assigned to the client. The available operations are listed in the Operations section.

Service syntax

```
svc <- braket(
  config = list(
    credentials = list(
      creds = list(
        access_key_id = "string",
        secret_access_key = "string",
        session_token = "string"
      ),
      profile = "string",
      anonymous = "logical"
    ),
    endpoint = "string",
    region = "string",
    close_connection = "logical",
    timeout = "numeric",
    s3_force_path_style = "logical",
    sts_regional_endpoint = "string"
  ),
  credentials = list(
    creds = list(
      access_key_id = "string",
      secret_access_key = "string",
      session_token = "string"
    ),
    profile = "string",
    anonymous = "logical"
  ),
  endpoint = "string",
  region = "string"
)
```

Operations

cancel_job	Cancels an Amazon Braket hybrid job
cancel_quantum_task	Cancels the specified task
create_job	Creates an Amazon Braket hybrid job
create_quantum_task	Creates a quantum task
create_spending_limit	Creates a spending limit for a specified quantum device
delete_spending_limit	Deletes an existing spending limit
get_device	Retrieves the devices available in Amazon Braket
get_job	Retrieves the specified Amazon Braket hybrid job
get_quantum_task	Retrieves the specified quantum task
list_tags_for_resource	Shows the tags associated with this resource
search_devices	Searches for devices using the specified filters
search_jobs	Searches for Amazon Braket hybrid jobs that match the specified filter values
search_quantum_tasks	Searches for tasks that match the specified filter values
search_spending_limits	Searches and lists spending limits based on specified filters
tag_resource	Add a tag to the specified resource
untag_resource	Remove tags from a resource
update_spending_limit	Updates an existing spending limit

Examples

```
## Not run:
svc <- braket()
svc$cancel_job(
  Foo = 123
)

## End(Not run)
```

computeoptimizer

AWS Compute Optimizer

Description

Compute Optimizer is a service that analyzes the configuration and utilization metrics of your Amazon Web Services compute resources, such as Amazon EC2 instances, Amazon EC2 Auto Scaling groups, Lambda functions, Amazon EBS volumes, and Amazon ECS services on Fargate. It reports whether your resources are optimal, and generates optimization recommendations to reduce the cost and improve the performance of your workloads. Compute Optimizer also provides recent utilization metric data, in addition to projected utilization metric data for the recommendations, which you can use to evaluate which recommendation provides the best price-performance trade-off. The analysis of your usage patterns can help you decide when to move or resize your running resources, and still meet your performance and capacity requirements. For more information about Compute Optimizer, including the required permissions to use the service, see the [Compute Optimizer User Guide](#).

Usage

```
computeoptimizer(
  config = list(),
  credentials = list(),
  endpoint = NULL,
  region = NULL
)
```

Arguments

config	Optional configuration of credentials, endpoint, and/or region. <ul style="list-style-type: none"> • credentials: <ul style="list-style-type: none"> – creds: <ul style="list-style-type: none"> * access_key_id: AWS access key ID * secret_access_key: AWS secret access key * session_token: AWS temporary session token – profile: The name of a profile to use. If not given, then the default profile is used. – anonymous: Set anonymous credentials. • endpoint: The complete URL to use for the constructed client. • region: The AWS Region used in instantiating the client. • close_connection: Immediately close all HTTP connections. • timeout: The time in seconds till a timeout exception is thrown when attempting to make a connection. The default is 60 seconds. • s3_force_path_style: Set this to true to force the request to use path-style addressing, i.e. <code>http://s3.amazonaws.com/BUCKET/KEY</code>. • sts_regional_endpoint: Set sts regional endpoint resolver to regional or legacy https://docs.aws.amazon.com/sdkref/latest/guide/feature-sts-regionalized-endpoint.html
credentials	Optional credentials shorthand for the config parameter <ul style="list-style-type: none"> • creds: <ul style="list-style-type: none"> – access_key_id: AWS access key ID – secret_access_key: AWS secret access key – session_token: AWS temporary session token • profile: The name of a profile to use. If not given, then the default profile is used. • anonymous: Set anonymous credentials.
endpoint	Optional shorthand for complete URL to use for the constructed client.
region	Optional shorthand for AWS Region used in instantiating the client.

Value

A client for the service. You can call the service's operations using syntax like `svc$operation(...)`, where `svc` is the name you've assigned to the client. The available operations are listed in the Operations section.

Service syntax

```

svc <- computeoptimizer(
  config = list(
    credentials = list(
      creds = list(
        access_key_id = "string",
        secret_access_key = "string",
        session_token = "string"
      ),
      profile = "string",
      anonymous = "logical"
    ),
    endpoint = "string",
    region = "string",
    close_connection = "logical",
    timeout = "numeric",
    s3_force_path_style = "logical",
    sts_regional_endpoint = "string"
  ),
  credentials = list(
    creds = list(
      access_key_id = "string",
      secret_access_key = "string",
      session_token = "string"
    ),
    profile = "string",
    anonymous = "logical"
  ),
  endpoint = "string",
  region = "string"
)

```

Operations

[delete_recommendation_preferences](#)
[describe_recommendation_export_jobs](#)
[export_auto_scaling_group_recommendations](#)
[export_ebs_volume_recommendations](#)
[export_ec2_instance_recommendations](#)
[export_ecs_service_recommendations](#)
[export_idle_recommendations](#)
[export_lambda_function_recommendations](#)
[export_license_recommendations](#)
[export_rds_database_recommendations](#)
[get_auto_scaling_group_recommendations](#)
[get_ebs_volume_recommendations](#)
[get_ec2_instance_recommendations](#)

Deletes a recommendation preference, such as enhanced infrastructure
 Describes recommendation export jobs created in the last seven days
 Exports optimization recommendations for Auto Scaling groups
 Exports optimization recommendations for Amazon EBS volumes
 Exports optimization recommendations for Amazon EC2 instances
 Exports optimization recommendations for Amazon ECS services on
 Export optimization recommendations for your idle resources
 Exports optimization recommendations for Lambda functions
 Export optimization recommendations for your licenses
 Export optimization recommendations for your Amazon Aurora and
 Returns Auto Scaling group recommendations
 Returns Amazon Elastic Block Store (Amazon EBS) volume recomm
 Returns Amazon EC2 instance recommendations

get_ec2_recommendation_projected_metrics	Returns the projected utilization metrics of Amazon EC2 instance recommendations
get_ecs_service_recommendation_projected_metrics	Returns the projected metrics of Amazon ECS service recommendations
get_ecs_service_recommendations	Returns Amazon ECS service recommendations
get_effective_recommendation_preferences	Returns the recommendation preferences that are in effect for a given account
get_enrollment_status	Returns the enrollment (opt in) status of an account to the Compute Optimizer
get_enrollment_statuses_for_organization	Returns the Compute Optimizer enrollment (opt-in) status of organizations in the account
get_idle_recommendations	Returns idle resource recommendations
get_lambda_function_recommendations	Returns Lambda function recommendations
get_license_recommendations	Returns license recommendations for Amazon EC2 instances that run Amazon Linux
get_rds_database_recommendation_projected_metrics	Returns the projected metrics of Aurora and RDS database recommendations
get_rds_database_recommendations	Returns Amazon Aurora and RDS database recommendations
get_recommendation_preferences	Returns existing recommendation preferences, such as enhanced infrastructure
get_recommendation_summaries	Returns the optimization findings for an account
put_recommendation_preferences	Creates a new recommendation preference or updates an existing recommendation preference
update_enrollment_status	Updates the enrollment (opt in and opt out) status of an account to the Compute Optimizer

Examples

```
## Not run:
svc <- computeoptimizer()
svc$delete_recommendation_preferences(
  Foo = 123
)

## End(Not run)
```

Description

This is the *Amazon EC2 API Reference*. It provides descriptions, API request parameters, and the XML response for each of the Amazon EC2 Query API actions. Note that the Amazon EC2 API includes actions for Amazon EC2 plus additional services, such as Amazon EBS and Amazon VPC.

Learn more

- To learn about using the Query API, see [Using the API for Amazon EC2](#).
- To learn about the permissions required to call an Amazon EC2 API action, see [Actions, resources, and condition keys for Amazon EC2](#).
- To get the list of API actions by service and resource, see [Actions by service](#).
- To get the alphabetical list of API actions, see [Actions](#).
- To get descriptions of the API error codes, see [Error codes for the Amazon EC2 API](#).

Alternatively, use one of the following methods to access the Amazon EC2 API, instead of using the Query API directly:

- [Amazon Web Services CLI Command Reference - ec2 commands](#)
- [CloudFormation - Amazon EC2 resource type reference](#)
- [Amazon Web Services Tools for PowerShell Cmdlet Reference - Amazon EC2 cmdlets](#)
- [Amazon Web Services SDKs](#)

Usage

```
ec2(config = list(), credentials = list(), endpoint = NULL, region = NULL)
```

Arguments

config	<p>Optional configuration of credentials, endpoint, and/or region.</p> <ul style="list-style-type: none"> • credentials: <ul style="list-style-type: none"> – creds: <ul style="list-style-type: none"> * access_key_id: AWS access key ID * secret_access_key: AWS secret access key * session_token: AWS temporary session token – profile: The name of a profile to use. If not given, then the default profile is used. – anonymous: Set anonymous credentials. • endpoint: The complete URL to use for the constructed client. • region: The AWS Region used in instantiating the client. • close_connection: Immediately close all HTTP connections. • timeout: The time in seconds till a timeout exception is thrown when attempting to make a connection. The default is 60 seconds. • s3_force_path_style: Set this to true to force the request to use path-style addressing, i.e. <code>http://s3.amazonaws.com/BUCKET/KEY</code>. • sts_regional_endpoint: Set sts regional endpoint resolver to regional or legacy https://docs.aws.amazon.com/sdkref/latest/guide/feature-sts-regionalized-endpoint.html
credentials	<p>Optional credentials shorthand for the config parameter</p> <ul style="list-style-type: none"> • creds: <ul style="list-style-type: none"> – access_key_id: AWS access key ID – secret_access_key: AWS secret access key – session_token: AWS temporary session token • profile: The name of a profile to use. If not given, then the default profile is used. • anonymous: Set anonymous credentials.
endpoint	Optional shorthand for complete URL to use for the constructed client.
region	Optional shorthand for AWS Region used in instantiating the client.

Value

A client for the service. You can call the service's operations using syntax like `svc$operation(...)`, where `svc` is the name you've assigned to the client. The available operations are listed in the Operations section.

Service syntax

```
svc <- ec2(
  config = list(
    credentials = list(
      creds = list(
        access_key_id = "string",
        secret_access_key = "string",
        session_token = "string"
      ),
      profile = "string",
      anonymous = "logical"
    ),
    endpoint = "string",
    region = "string",
    close_connection = "logical",
    timeout = "numeric",
    s3_force_path_style = "logical",
    sts_regional_endpoint = "string"
  ),
  credentials = list(
    creds = list(
      access_key_id = "string",
      secret_access_key = "string",
      session_token = "string"
    ),
    profile = "string",
    anonymous = "logical"
  ),
  endpoint = "string",
  region = "string"
)
```

Operations

[accept_address_transfer](#)
[accept_capacity_reservation_billing_ownership](#)
[accept_reserved_instances_exchange_quote](#)
[accept_transit_gateway_client_vpn_attachment](#)
[accept_transit_gateway_multicast_domain_associations](#)
[accept_transit_gateway_peering_attachment](#)
[accept_transit_gateway_vpc_attachment](#)
[accept_vpc_endpoint_connections](#)

Accepts an Elastic IP address transfer
 Accepts a request to assign billing of the available capacity to a reserved instance
 Accepts the Convertible Reserved Instance exchange quote
 Accepts a Transit Gateway attachment request for a client VPN
 Accepts a request to associate subnets with a transit gateway multicast domain
 Accepts a transit gateway peering attachment request
 Accepts a request to attach a VPC to a transit gateway
 Accepts connection requests to your VPC endpoints

<code>accept_vpc_peering_connection</code>	Accept a VPC peering connection request
<code>advertise_byoip_cidr</code>	Advertises an IPv4 or IPv6 address range that is
<code>allocate_address</code>	Allocates an Elastic IP address to your Amazon
<code>allocate_hosts</code>	Allocates a Dedicated Host to your account
<code>allocate_ipam_pool_cidr</code>	Allocate a CIDR from an IPAM pool
<code>apply_security_groups_to_client_vpn_target_network</code>	Applies a security group to the association between
<code>assign_ipv6_addresses</code>	Assigns the specified IPv6 addresses to the speci
<code>assign_private_ip_addresses</code>	Assigns the specified secondary private IP address
<code>assign_private_nat_gateway_address</code>	Assigns private IPv4 addresses to a private NAT
<code>associate_address</code>	Associates an Elastic IP address, or carrier IP ad
<code>associate_capacity_reservation_billing_owner</code>	Initiates a request to assign billing of the unused
<code>associate_client_vpn_target_network</code>	Associates a target network with a Client VPN en
<code>associate_dhcp_options</code>	Associates a set of DHCP options (that you've pr
<code>associate_enclave_certificate_iam_role</code>	Associates an Identity and Access Management (I
<code>associate_iam_instance_profile</code>	Associates an IAM instance profile with a runnin
<code>associate_instance_event_window</code>	Associates one or more targets with an event win
<code>associate_ipam_byoasn</code>	Associates your Autonomous System Number (AS)
<code>associate_ipam_resource_discovery</code>	Associates an IPAM resource discovery with an
<code>associate_nat_gateway_address</code>	Associates Elastic IP addresses (EIPs) and privat
<code>associate_route_server</code>	Associates a route server with a VPC to enable d
<code>associate_route_table</code>	Associates a subnet in your VPC or an internet g
<code>associate_security_group_vpc</code>	Associates a security group with another VPC in
<code>associate_subnet_cidr_block</code>	Associates a CIDR block with your subnet
<code>associate_transit_gateway_multicast_domain</code>	Associates the specified subnets and transit gatew
<code>associate_transit_gateway_policy_table</code>	Associates the specified transit gateway attachme
<code>associate_transit_gateway_route_table</code>	Associates the specified attachment with the spec
<code>associate_trunk_interface</code>	Associates a branch network interface with a tru
<code>associate_vpc_cidr_block</code>	Associates a CIDR block with your VPC
<code>attach_classic_link_vpc</code>	This action is deprecated
<code>attach_internet_gateway</code>	Attaches an internet gateway or a virtual private
<code>attach_network_interface</code>	Attaches a network interface to an instance
<code>attach_verified_access_trust_provider</code>	Attaches the specified Amazon Web Services Ver
<code>attach_volume</code>	Attaches an Amazon EBS volume to a running o
<code>attach_vpn_gateway</code>	Attaches an available virtual private gateway to a
<code>authorize_client_vpn_ingress</code>	Adds an ingress authorization rule to a Client VE
<code>authorize_security_group_egress</code>	Adds the specified outbound (egress) rules to a s
<code>authorize_security_group_ingress</code>	Adds the specified inbound (ingress) rules to a s
<code>bundle_instance</code>	Bundles an Amazon instance store-backed Wind
<code>cancel_bundle_task</code>	Cancels a bundling operation for an instance stor
<code>cancel_capacity_reservation</code>	Cancels the specified Capacity Reservation, relea
<code>cancel_capacity_reservation_fleets</code>	Cancels one or more Capacity Reservation Fleets
<code>cancel_conversion_task</code>	Cancels an active conversion task
<code>cancel_declarative_policies_report</code>	Cancels the generation of an account status repor
<code>cancel_export_task</code>	Cancels an active export task
<code>cancel_image_launch_permission</code>	Removes your Amazon Web Services account fro
<code>cancel_import_task</code>	Cancels an in-process import virtual machine or
<code>cancel_reserved_instances_listing</code>	Cancels the specified Reserved Instance listing in
<code>cancel_spot_fleet_requests</code>	Cancels the specified Spot Fleet requests

cancel_spot_instance_requests	Cancels one or more Spot Instance requests
confirm_product_instance	Determines whether a product code is associated
copy_fpga_image	Copies the specified Amazon FPGA Image (AFI)
copy_image	Initiates an AMI copy operation
copy_snapshot	Creates an exact copy of an Amazon EBS snapshot
copy_volumes	Creates a crash-consistent, point-in-time copy of
create_capacity_manager_data_export	Creates a new data export configuration for EC2
create_capacity_reservation	Creates a new Capacity Reservation with the spe
create_capacity_reservation_by_splitting	Create a new Capacity Reservation by splitting th
create_capacity_reservation_fleet	Creates a Capacity Reservation Fleet
create_carrier_gateway	Creates a carrier gateway
create_client_vpn_endpoint	Creates a Client VPN endpoint
create_client_vpn_route	Adds a route to a network to a Client VPN endpo
create_coip_cidr	Creates a range of customer-owned IP addresses
create_coip_pool	Creates a pool of customer-owned IP (CoIP) add
create_customer_gateway	Provides information to Amazon Web Services a
create_default_subnet	Creates a default subnet with a size /20 IPv4 CID
create_default_vpc	Creates a default VPC with a size /16 IPv4 CIDR
create_delegate_mac_volume_ownership_task	Delegates ownership of the Amazon EBS root vo
create_dhcp_options	Creates a custom set of DHCP options
create_egress_only_internet_gateway	[IPv6 only] Creates an egress-only internet gatew
create_fleet	Creates an EC2 Fleet that contains the configurat
create_flow_logs	Creates one or more flow logs to capture informa
create_fpga_image	Creates an Amazon FPGA Image (AFI) from the
create_image	Creates an Amazon EBS-backed AMI from an A
create_image_usage_report	Creates a report that shows how your image is us
create_instance_connect_endpoint	Creates an EC2 Instance Connect Endpoint
create_instance_event_window	Creates an event window in which scheduled eve
create_instance_export_task	Exports a running or stopped instance to an Ama
create_internet_gateway	Creates an internet gateway for use with a VPC
create_interruptible_capacity_reservation_allocation	Creates an interruptible Capacity Reservation by
create_ipam	Create an IPAM
create_ipam_external_resource_verification_token	Create a verification token
create_ipam_policy	Creates an IPAM policy
create_ipam_pool	Create an IP address pool for Amazon VPC IP A
create_ipam_prefix_list_resolver	Creates an IPAM prefix list resolver
create_ipam_prefix_list_resolver_target	Creates an IPAM prefix list resolver target
create_ipam_resource_discovery	Creates an IPAM resource discovery
create_ipam_scope	Create an IPAM scope
create_key_pair	Creates an ED25519 or 2048-bit RSA key pair w
create_launch_template	Creates a launch template
create_launch_template_version	Creates a new version of a launch template
create_local_gateway_route	Creates a static route for the specified local gatew
create_local_gateway_route_table	Creates a local gateway route table
create_local_gateway_route_table_virtual_interface_group_association	Creates a local gateway route table virtual interfa
create_local_gateway_route_table_vpc_association	Associates the specified VPC with the specified I
create_local_gateway_virtual_interface	Create a virtual interface for a local gateway
create_local_gateway_virtual_interface_group	Create a local gateway virtual interface group

<code>create_mac_system_integrity_protection_modification_task</code>	Creates a System Integrity Protection (SIP) modification task
<code>create_managed_prefix_list</code>	Creates a managed prefix list
<code>create_nat_gateway</code>	Creates a NAT gateway in the specified subnet
<code>create_network_acl</code>	Creates a network ACL in a VPC
<code>create_network_acl_entry</code>	Creates an entry (a rule) in a network ACL with the specified ID
<code>create_network_insights_access_scope</code>	Creates a Network Access Scope
<code>create_network_insights_path</code>	Creates a path to analyze for reachability
<code>create_network_interface</code>	Creates a network interface in the specified subnet
<code>create_network_interface_permission</code>	Grants an Amazon Web Services-authorized account access to a network interface
<code>create_placement_group</code>	Creates a placement group in which to launch instances
<code>create_public_ipv4_pool</code>	Creates a public IPv4 address pool
<code>create_replace_root_volume_task</code>	Replaces the EBS-backed root volume for a running instance
<code>create_reserved_instances_listing</code>	Creates a listing for Amazon EC2 Standard Reserved Instances
<code>create_restore_image_task</code>	Starts a task that restores an AMI from an Amazon S3 bucket
<code>create_route</code>	Creates a route in a route table within a VPC
<code>create_route_server</code>	Creates a new route server to manage dynamic routing
<code>create_route_server_endpoint</code>	Creates a new endpoint for a route server in a specified VPC
<code>create_route_server_peer</code>	Creates a new BGP peer for a specified route server
<code>create_route_table</code>	Creates a route table for the specified VPC
<code>create_secondary_network</code>	Creates a secondary network
<code>create_secondary_subnet</code>	Creates a secondary subnet in a secondary network
<code>create_security_group</code>	Creates a security group
<code>create_snapshot</code>	Creates a snapshot of an EBS volume and stores it in Amazon S3
<code>create_snapshots</code>	Creates crash-consistent snapshots of multiple EBS volumes
<code>create_spot_datafeed_subscription</code>	Creates a data feed for Spot Instances, enabling you to track Spot Instance activity
<code>create_store_image_task</code>	Stores an AMI as a single object in an Amazon S3 bucket
<code>create_subnet</code>	Creates a subnet in the specified VPC
<code>create_subnet_cidr_reservation</code>	Creates a subnet CIDR reservation
<code>create_tags</code>	Adds or overwrites only the specified tags for the specified resource
<code>create_traffic_mirror_filter</code>	Creates a Traffic Mirror filter
<code>create_traffic_mirror_filter_rule</code>	Creates a Traffic Mirror filter rule
<code>create_traffic_mirror_session</code>	Creates a Traffic Mirror session
<code>create_traffic_mirror_target</code>	Creates a target for your Traffic Mirror session
<code>create_transit_gateway</code>	Creates a transit gateway
<code>create_transit_gateway_connect</code>	Creates a Connect attachment from a specified transit gateway
<code>create_transit_gateway_connect_peer</code>	Creates a Connect peer for a specified transit gateway
<code>create_transit_gateway_metering_policy</code>	Creates a metering policy for a transit gateway to track bandwidth usage
<code>create_transit_gateway_metering_policy_entry</code>	Creates an entry in a transit gateway metering policy
<code>create_transit_gateway_multicast_domain</code>	Creates a multicast domain using the specified transit gateway
<code>create_transit_gateway_peering_attachment</code>	Requests a transit gateway peering attachment between two transit gateways
<code>create_transit_gateway_policy_table</code>	Creates a transit gateway policy table
<code>create_transit_gateway_prefix_list_reference</code>	Creates a reference (route) to a prefix list in a specified VPC
<code>create_transit_gateway_route</code>	Creates a static route for the specified transit gateway
<code>create_transit_gateway_route_table</code>	Creates a route table for the specified transit gateway
<code>create_transit_gateway_route_table_announcement</code>	Advertises a new transit gateway route table
<code>create_transit_gateway_vpc_attachment</code>	Attaches the specified VPC to the specified transit gateway
<code>create_verified_access_endpoint</code>	Creates an Amazon Web Services Verified Access endpoint
<code>create_verified_access_group</code>	Creates an Amazon Web Services Verified Access group

create_verified_access_instance
 create_verified_access_trust_provider
 create_volume
 create_vpc
 create_vpc_block_public_access_exclusion
 create_vpc_encryption_control
 create_vpc_endpoint
 create_vpc_endpoint_connection_notification
 create_vpc_endpoint_service_configuration
 create_vpc_peering_connection
 create_vpn_concentrator
 create_vpn_connection
 create_vpn_connection_route
 create_vpn_gateway
 delete_capacity_manager_data_export
 delete_carrier_gateway
 delete_client_vpn_endpoint
 delete_client_vpn_route
 delete_coip_cidr
 delete_coip_pool
 delete_customer_gateway
 delete_dhcp_options
 delete_egress_only_internet_gateway
 delete_fleets
 delete_flow_logs
 delete_fpga_image
 delete_image_usage_report
 delete_instance_connect_endpoint
 delete_instance_event_window
 delete_internet_gateway
 delete_ipam
 delete_ipam_external_resource_verification_token
 delete_ipam_policy
 delete_ipam_pool
 delete_ipam_prefix_list_resolver
 delete_ipam_prefix_list_resolver_target
 delete_ipam_resource_discovery
 delete_ipam_scope
 delete_key_pair
 delete_launch_template
 delete_launch_template_versions
 delete_local_gateway_route
 delete_local_gateway_route_table
 delete_local_gateway_route_table_virtual_interface_group_association
 delete_local_gateway_route_table_vpc_association
 delete_local_gateway_virtual_interface
 delete_local_gateway_virtual_interface_group
 delete_managed_prefix_list

An Amazon Web Services Verified Access instance
 A trust provider is a third-party entity that creates a trust relationship with an Amazon Web Services account
 Creates an EBS volume that can be attached to an Amazon EC2 instance
 Creates a VPC with the specified CIDR blocks
 Create a VPC Block Public Access (BPA) exclusion
 Creates a VPC Encryption Control configuration
 Creates a VPC endpoint
 Creates a connection notification for a specified VPC endpoint
 Creates a VPC endpoint service to which service-based endpoints can be attached
 Requests a VPC peering connection between two VPCs
 Creates a VPN concentrator that aggregates multiple VPN connections
 Creates a VPN connection between an existing VPC and a VPN concentrator
 Creates a static route associated with a VPN connection
 Creates a virtual private gateway
 Deletes an existing Capacity Manager data export
 Deletes a carrier gateway
 Deletes the specified Client VPN endpoint
 Deletes a route from a Client VPN endpoint
 Deletes a range of customer-owned IP addresses
 Deletes a pool of customer-owned IP (CoIP) addresses
 Deletes the specified customer gateway
 Deletes the specified set of DHCP options
 Deletes an egress-only internet gateway
 Deletes the specified EC2 Fleet request
 Deletes one or more flow logs
 Deletes the specified Amazon FPGA Image (AFI)
 Deletes the specified image usage report
 Deletes the specified EC2 Instance Connect Endpoint
 Deletes the specified event window
 Deletes the specified internet gateway
 Delete an IPAM
 Delete a verification token
 Deletes an IPAM policy
 Delete an IPAM pool
 Deletes an IPAM prefix list resolver
 Deletes an IPAM prefix list resolver target
 Deletes an IPAM resource discovery
 Delete the scope for an IPAM
 Deletes the specified key pair, by removing the public key
 Deletes a launch template
 Deletes one or more versions of a launch template
 Deletes the specified route from the specified local gateway
 Deletes a local gateway route table
 Deletes a local gateway route table virtual interface group association
 Deletes the specified association between a VPC and a local gateway route table
 Deletes the specified local gateway virtual interface
 Delete the specified local gateway interface group
 Deletes the specified managed prefix list

<code>delete_nat_gateway</code>	Deletes the specified NAT gateway
<code>delete_network_acl</code>	Deletes the specified network ACL
<code>delete_network_acl_entry</code>	Deletes the specified ingress or egress entry (rule)
<code>delete_network_insights_access_scope</code>	Deletes the specified Network Access Scope
<code>delete_network_insights_access_scope_analysis</code>	Deletes the specified Network Access Scope analysis
<code>delete_network_insights_analysis</code>	Deletes the specified network insights analysis
<code>delete_network_insights_path</code>	Deletes the specified path
<code>delete_network_interface</code>	Deletes the specified network interface
<code>delete_network_interface_permission</code>	Deletes a permission for a network interface
<code>delete_placement_group</code>	Deletes the specified placement group
<code>delete_public_ipv4_pool</code>	Delete a public IPv4 pool
<code>delete_queued_reserved_instances</code>	Deletes the queued purchases for the specified Reserved Instance
<code>delete_route</code>	Deletes the specified route from the specified route table
<code>delete_route_server</code>	Deletes the specified route server
<code>delete_route_server_endpoint</code>	Deletes the specified route server endpoint
<code>delete_route_server_peer</code>	Deletes the specified BGP peer from a route server
<code>delete_route_table</code>	Deletes the specified route table
<code>delete_secondary_network</code>	Deletes a secondary network
<code>delete_secondary_subnet</code>	Deletes a secondary subnet
<code>delete_security_group</code>	Deletes a security group
<code>delete_snapshot</code>	Deletes the specified snapshot
<code>delete_spot_datafeed_subscription</code>	Deletes the data feed for Spot Instances
<code>delete_subnet</code>	Deletes the specified subnet
<code>delete_subnet_cidr_reservation</code>	Deletes a subnet CIDR reservation
<code>delete_tags</code>	Deletes the specified set of tags from the specified resource
<code>delete_traffic_mirror_filter</code>	Deletes the specified Traffic Mirror filter
<code>delete_traffic_mirror_filter_rule</code>	Deletes the specified Traffic Mirror rule
<code>delete_traffic_mirror_session</code>	Deletes the specified Traffic Mirror session
<code>delete_traffic_mirror_target</code>	Deletes the specified Traffic Mirror target
<code>delete_transit_gateway</code>	Deletes the specified transit gateway
<code>delete_transit_gateway_client_vpn_attachment</code>	Deletes a Transit Gateway attachment for a Client VPN
<code>delete_transit_gateway_connect</code>	Deletes the specified Connect attachment
<code>delete_transit_gateway_connect_peer</code>	Deletes the specified Connect peer
<code>delete_transit_gateway_metering_policy</code>	Deletes a transit gateway metering policy
<code>delete_transit_gateway_metering_policy_entry</code>	Deletes an entry from a transit gateway metering policy
<code>delete_transit_gateway_multicast_domain</code>	Deletes the specified transit gateway multicast domain
<code>delete_transit_gateway_peering_attachment</code>	Deletes a transit gateway peering attachment
<code>delete_transit_gateway_policy_table</code>	Deletes the specified transit gateway policy table
<code>delete_transit_gateway_prefix_list_reference</code>	Deletes a reference (route) to a prefix list in a specific transit gateway
<code>delete_transit_gateway_route</code>	Deletes the specified route from the specified transit gateway
<code>delete_transit_gateway_route_table</code>	Deletes the specified transit gateway route table
<code>delete_transit_gateway_route_table_announcement</code>	Advertises to the transit gateway that a transit gateway route table is available
<code>delete_transit_gateway_vpc_attachment</code>	Deletes the specified VPC attachment
<code>delete_verified_access_endpoint</code>	Delete an Amazon Web Services Verified Access endpoint
<code>delete_verified_access_group</code>	Delete an Amazon Web Services Verified Access group
<code>delete_verified_access_instance</code>	Delete an Amazon Web Services Verified Access instance
<code>delete_verified_access_trust_provider</code>	Delete an Amazon Web Services Verified Access trust provider
<code>delete_volume</code>	Deletes the specified EBS volume

delete_vpc
 delete_vpc_block_public_access_exclusion
 delete_vpc_encryption_control
 delete_vpc_endpoint_connection_notifications
 delete_vpc_endpoints
 delete_vpc_endpoint_service_configurations
 delete_vpc_peering_connection
 delete_vpn_concentrator
 delete_vpn_connection
 delete_vpn_connection_route
 delete_vpn_gateway
 deprovision_byoip_cidr
 deprovision_ipam_byoasn
 deprovision_ipam_pool_cidr
 deprovision_public_ipv4_pool_cidr
 deregister_image
 deregister_instance_event_notification_attributes
 deregister_transit_gateway_multicast_group_members
 deregister_transit_gateway_multicast_group_sources
 describe_account_attributes
 describe_addresses
 describe_addresses_attribute
 describe_address_transfers
 describe_aggregate_id_format
 describe_availability_zones
 describe_aws_network_performance_metric_subscriptions
 describe_bundle_tasks
 describe_byoip_cidrs
 describe_capacity_block_extension_history
 describe_capacity_block_extension_offerings
 describe_capacity_block_offerings
 describe_capacity_blocks
 describe_capacity_block_status
 describe_capacity_manager_data_exports
 describe_capacity_reservation_billing_requests
 describe_capacity_reservation_fleets
 describe_capacity_reservations
 describe_capacity_reservation_topology
 describe_carrier_gateways
 describe_classic_link_instances
 describe_client_vpn_authorization_rules
 describe_client_vpn_connections
 describe_client_vpn_endpoints
 describe_client_vpn_routes
 describe_client_vpn_target_networks
 describe_coip_pools
 describe_conversion_tasks
 describe_customer_gateways

Deletes the specified VPC
 Delete a VPC Block Public Access (BPA) exclusion
 Deletes a VPC Encryption Control configuration
 Deletes the specified VPC endpoint connection notifications
 Deletes the specified VPC endpoints
 Deletes the specified VPC endpoint service configurations
 Deletes a VPC peering connection
 Deletes the specified VPN concentrator
 Deletes the specified VPN connection
 Deletes the specified static route associated with the VPN connection
 Deletes the specified virtual private gateway
 Releases the specified address range that you provisioned
 Deprovisions your Autonomous System Number (ASN)
 Deprovision a CIDR provisioned from an IPAM pool
 Deprovision a CIDR from a public IPv4 pool
 Deregisters the specified AMI
 Deregisters tag keys to prevent tags that have the specified key
 Deregisters the specified members (network interfaces) of a transit gateway multicast group
 Deregisters the specified sources (network interfaces) of a transit gateway multicast group
 Describes attributes of your Amazon Web Services account
 Describes the specified Elastic IP addresses or all Elastic IP addresses
 Describes the attributes of the specified Elastic IP address
 Describes an Elastic IP address transfer
 Describes the longer ID format settings for all regions
 Describes the Availability Zones, Local Zones, and Outposts
 Describes the current Infrastructure Performance Metrics
 Describes the specified bundle tasks or all of your bundle tasks
 Describes the IP address ranges that were provisioned from an IPAM pool
 Describes the events for the specified Capacity Block extension offerings
 Describes Capacity Block extension offerings available for purchase
 Describes Capacity Block offerings available for purchase
 Describes details about Capacity Blocks in the Amazon EC2 console
 Describes the availability of capacity for the specified Capacity Block
 Describes one or more Capacity Manager data exports
 Describes a request to assign the billing of the unreserved capacity
 Describes one or more Capacity Reservation Fleets
 Describes one or more of your Capacity Reservations
 Describes a tree-based hierarchy that represents the topology of Capacity Reservations
 Describes one or more of your carrier gateways
 This action is deprecated
 Describes the authorization rules for a specified Client VPN connection
 Describes active client connections and connections in the process of being established
 Describes one or more Client VPN endpoints in the specified Client VPN connection
 Describes the routes for the specified Client VPN connection
 Describes the target networks associated with the specified Client VPN connection
 Describes the specified customer-owned address pools
 Describes the specified conversion tasks or all of your conversion tasks
 Describes one or more of your VPN customer gateways

describe_declarative_policies_reports	Describes the metadata of an account status report
describe_dhcp_options	Describes your DHCP option sets
describe_egress_only_internet_gateways	Describes your egress-only internet gateways
describe_elastic_gpus	Amazon Elastic Graphics reached end of life on 12/31/2023. For more information, see Amazon Elastic Graphics reached end of life on 12/31/2023 .
describe_export_image_tasks	Describes the specified export image tasks or all export image tasks
describe_export_tasks	Describes the specified export instance tasks or all export instance tasks
describe_fast_launch_images	Describe details for Windows AMIs that are compatible with Fast Launch
describe_fast_snapshot_restores	Describes the state of fast snapshot restores for your Amazon Elastic Block Store (EBS) snapshots
describe_fleet_history	Describes the events for the specified EC2 Fleet or all of your EC2 Fleets
describe_fleet_instances	Describes the running instances for the specified EC2 Fleet or all of your EC2 Fleets
describe_fleets	Describes the specified EC2 Fleet or all of your EC2 Fleets
describe_flow_logs	Describes one or more flow logs
describe_fpga_image_attribute	Describes the specified attribute of the specified Amazon FPGA Image (AFI)
describe_fpga_images	Describes the Amazon FPGA Images (AFIs) available in your region
describe_host_reservation_offerings	Describes the Dedicated Host reservations that are available in your region
describe_host_reservations	Describes reservations that are associated with Dedicated Hosts
describe_hosts	Describes the specified Dedicated Hosts or all of your Dedicated Hosts
describe_iam_instance_profile_associations	Describes your IAM instance profile associations
describe_identity_id_format	Describes the ID format settings for resources for your account
describe_id_format	Describes the ID format settings for your resources
describe_image_attribute	Describes the specified attribute of the specified Amazon Machine Image (AMI)
describe_image_references	Describes your Amazon Web Services resources that use the specified AMI
describe_images	Describes the specified images (AMIs, AKIs, and S3 images)
describe_image_usage_report_entries	Describes the entries in image usage reports, showing the number of times an image is used
describe_image_usage_reports	Describes the configuration and status of image usage reports
describe_import_image_tasks	Displays details about an import virtual machine image task
describe_import_snapshot_tasks	Describes your import snapshot tasks
describe_instance_attribute	Describes the specified attribute of the specified EC2 instance
describe_instance_connect_endpoints	Describes the specified EC2 Instance Connect Endpoints
describe_instance_credit_specifications	Describes the credit option for CPU usage of the specified EC2 instance
describe_instance_event_notification_attributes	Describes the tag keys that are registered to appear in the specified event windows
describe_instance_event_windows	Describes the specified event windows or all event windows
describe_instance_image_metadata	Describes the AMI that was used to launch an instance
describe_instances	Describes the specified instances or all instances
describe_instance_sql_ha_history_states	Describes the historical SQL Server High Availability states
describe_instance_sql_ha_states	Describes the SQL Server High Availability state of the specified instances
describe_instance_status	Describes the status of the specified instances or all instances
describe_instance_topology	Describes a tree-based hierarchy that represents the topology of the specified instances
describe_instance_type_offerings	Lists the instance types that are offered for the specified region and availability zone
describe_instance_types	Describes the specified instance types
describe_internet_gateways	Describes your internet gateways
describe_ipam_byoasn	Describes your Autonomous System Numbers (ASNs) that are associated with your IPAM
describe_ipam_external_resource_verification_tokens	Describe verification tokens
describe_ipam_policies	Describes one or more IPAM policies
describe_ipam_pool_allocations	Describes IPAM pool allocations
describe_ipam_pools	Get information about your IPAM pools
describe_ipam_prefix_list_resolvers	Describes one or more IPAM prefix list resolvers
describe_ipam_prefix_list_resolver_targets	Describes one or more IPAM prefix list resolver targets

<code>describe_ipam_resource_discoveries</code>	Describes IPAM resource discoveries
<code>describe_ipam_resource_discovery_associations</code>	Describes resource discovery association with an
<code>describe_ipams</code>	Get information about your IPAM pools
<code>describe_ipam_scopes</code>	Get information about your IPAM scopes
<code>describe_ipv_6_pools</code>	Describes your IPv6 address pools
<code>describe_key_pairs</code>	Describes the specified key pairs or all of your ke
<code>describe_launch_templates</code>	Describes one or more launch templates
<code>describe_launch_template_versions</code>	Describes one or more versions of a specified lau
<code>describe_local_gateway_route_tables</code>	Describes one or more local gateway route tables
<code>describe_local_gateway_route_table_virtual_interface_group_associations</code>	Describes the associations between virtual interfa
<code>describe_local_gateway_route_table_vpc_associations</code>	Describes the specified associations between VPC
<code>describe_local_gateways</code>	Describes one or more local gateways
<code>describe_local_gateway_virtual_interface_groups</code>	Describes the specified local gateway virtual inte
<code>describe_local_gateway_virtual_interfaces</code>	Describes the specified local gateway virtual inte
<code>describe_locked_snapshots</code>	Describes the lock status for a snapshot
<code>describe_mac_hosts</code>	Describes the specified EC2 Mac Dedicated Hosts
<code>describe_mac_modification_tasks</code>	Describes a System Integrity Protection (SIP) mo
<code>describe_managed_prefix_lists</code>	Describes your managed prefix lists and any Am
<code>describe_moving_addresses</code>	This action is deprecated
<code>describe_nat_gateways</code>	Describes your NAT gateways
<code>describe_network_acls</code>	Describes your network ACLs
<code>describe_network_insights_access_scope_analyses</code>	Describes the specified Network Access Scope a
<code>describe_network_insights_access_scopes</code>	Describes the specified Network Access Scopes
<code>describe_network_insights_analyses</code>	Describes one or more of your network insights a
<code>describe_network_insights_paths</code>	Describes one or more of your paths
<code>describe_network_interface_attribute</code>	Describes a network interface attribute
<code>describe_network_interface_permissions</code>	Describes the permissions for your network inter
<code>describe_network_interfaces</code>	Describes the specified network interfaces or all
<code>describe_outpost_lags</code>	Describes the Outposts link aggregation groups (
<code>describe_placement_groups</code>	Describes the specified placement groups or all o
<code>describe_prefix_lists</code>	Describes available Amazon Web Services servic
<code>describe_principal_id_format</code>	Describes the ID format settings for the root user
<code>describe_public_ipv_4_pools</code>	Describes the specified IPv4 address pools
<code>describe_regions</code>	Describes the Regions that are enabled for your a
<code>describe_replace_root_volume_tasks</code>	Describes a root volume replacement task
<code>describe_reserved_instances</code>	Describes one or more of the Reserved Instances
<code>describe_reserved_instances_listings</code>	Describes your account's Reserved Instance listin
<code>describe_reserved_instances_modifications</code>	Describes the modifications made to your Reserv
<code>describe_reserved_instances_offerings</code>	Describes Reserved Instance offerings that are av
<code>describe_route_server_endpoints</code>	Describes one or more route server endpoints
<code>describe_route_server_peers</code>	Describes one or more route server peers
<code>describe_route_servers</code>	Describes one or more route servers
<code>describe_route_tables</code>	Describes your route tables
<code>describe_scheduled_instance_availability</code>	Finds available schedules that meet the specified
<code>describe_scheduled_instances</code>	Describes the specified Scheduled Instances or a
<code>describe_secondary_interfaces</code>	Describes one or more of your secondary interfa
<code>describe_secondary_networks</code>	Describes one or more secondary networks
<code>describe_secondary_subnets</code>	Describes one or more of your secondary subnets

<code>describe_security_group_references</code>	Describes the VPCs on the other side of a VPC peering connection
<code>describe_security_group_rules</code>	Describes one or more of your security group rules
<code>describe_security_groups</code>	Describes the specified security groups or all of your security groups
<code>describe_security_group_vpc_associations</code>	Describes security group VPC associations made by your security groups
<code>describe_service_link_virtual_interfaces</code>	Describes the Outpost service link virtual interfaces
<code>describe_snapshot_attribute</code>	Describes the specified attribute of the specified EBS snapshots
<code>describe_snapshots</code>	Describes the specified EBS snapshots available to you
<code>describe_snapshot_tier_status</code>	Describes the storage tier status of one or more Amazon EBS snapshots
<code>describe_spot_datafeed_subscription</code>	Describes the data feed for Spot Instances
<code>describe_spot_fleet_instances</code>	Describes the running instances for the specified Spot Fleet
<code>describe_spot_fleet_request_history</code>	Describes the events for the specified Spot Fleet
<code>describe_spot_fleet_requests</code>	Describes your Spot Fleet requests
<code>describe_spot_instance_requests</code>	Describes the specified Spot Instance requests
<code>describe_spot_price_history</code>	Describes the Spot price history
<code>describe_stale_security_groups</code>	Describes the stale security group rules for security groups
<code>describe_store_image_tasks</code>	Describes the progress of the AMI store tasks
<code>describe_subnets</code>	Describes your subnets
<code>describe_tags</code>	Describes the specified tags for your EC2 resources
<code>describe_traffic_mirror_filter_rules</code>	Describe traffic mirror filters that determine the traffic to be mirrored
<code>describe_traffic_mirror_filters</code>	Describes one or more Traffic Mirror filters
<code>describe_traffic_mirror_sessions</code>	Describes one or more Traffic Mirror sessions
<code>describe_traffic_mirror_targets</code>	Information about one or more Traffic Mirror targets
<code>describe_transit_gateway_attachments</code>	Describes one or more attachments between resources
<code>describe_transit_gateway_connect_peers</code>	Describes one or more Connect peers
<code>describe_transit_gateway_connects</code>	Describes one or more Connect attachments
<code>describe_transit_gateway_metering_policies</code>	Describes one or more transit gateway metering policies
<code>describe_transit_gateway_multicast_domains</code>	Describes one or more transit gateway multicast domains
<code>describe_transit_gateway_peering_attachments</code>	Describes your transit gateway peering attachments
<code>describe_transit_gateway_policy_tables</code>	Describes one or more transit gateway route policy tables
<code>describe_transit_gateway_route_table_announcements</code>	Describes one or more transit gateway route table announcements
<code>describe_transit_gateway_route_tables</code>	Describes one or more transit gateway route tables
<code>describe_transit_gateways</code>	Describes one or more transit gateways
<code>describe_transit_gateway_vpc_attachments</code>	Describes one or more VPC attachments
<code>describe_trunk_interface_associations</code>	Describes one or more network interface trunk associations
<code>describe_verified_access_endpoints</code>	Describes the specified Amazon Web Services Verified Access endpoints
<code>describe_verified_access_groups</code>	Describes the specified Verified Access groups
<code>describe_verified_access_instance_logging_configurations</code>	Describes the specified Amazon Web Services Verified Access instance logging configurations
<code>describe_verified_access_instances</code>	Describes the specified Amazon Web Services Verified Access instances
<code>describe_verified_access_trust_providers</code>	Describes the specified Amazon Web Services Verified Access trust providers
<code>describe_volume_attribute</code>	Describes the specified attribute of the specified EBS volumes
<code>describe_volumes</code>	Describes the specified EBS volumes or all of your EBS volumes
<code>describe_volumes_modifications</code>	Describes the most recent volume modification records
<code>describe_volume_status</code>	Describes the status of the specified volumes
<code>describe_vpc_attribute</code>	Describes the specified attribute of the specified VPC
<code>describe_vpc_block_public_access_exclusions</code>	Describe VPC Block Public Access (BPA) exclusions
<code>describe_vpc_block_public_access_options</code>	Describe VPC Block Public Access (BPA) options
<code>describe_vpc_classic_link</code>	This action is deprecated
<code>describe_vpc_classic_link_dns_support</code>	This action is deprecated

describe_vpc_encryption_controls	Describes one or more VPC Encryption Control
describe_vpc_endpoint_associations	Describes the VPC resources, VPC endpoint serv
describe_vpc_endpoint_connection_notifications	Describes the connection notifications for VPC e
describe_vpc_endpoint_connections	Describes the VPC endpoint connections to your
describe_vpc_endpoints	Describes your VPC endpoints
describe_vpc_endpoint_service_configurations	Describes the VPC endpoint service configuratio
describe_vpc_endpoint_service_permissions	Describes the principals (service consumers) tha
describe_vpc_endpoint_services	Describes available services to which you can cr
describe_vpc_peering_connections	Describes your VPC peering connections
describe_vpcs	Describes your VPCs
describe_vpn_concentrators	Describes one or more of your VPN concentrator
describe_vpn_connections	Describes one or more of your VPN connections
describe_vpn_gateways	Describes one or more of your virtual private gat
detach_classic_link_vpc	This action is deprecated
detach_internet_gateway	Detaches an internet gateway from a VPC, disab
detach_network_interface	Detaches a network interface from an instance
detach_verified_access_trust_provider	Detaches the specified Amazon Web Services Ve
detach_volume	Detaches an EBS volume from an instance
detach_vpn_gateway	Detaches a virtual private gateway from a VPC
disable_address_transfer	Disables Elastic IP address transfer
disable_allowed_images_settings	Disables Allowed AMIs for your account in the s
disable_aws_network_performance_metric_subscription	Disables Infrastructure Performance metric subsc
disable_capacity_manager	Disables EC2 Capacity Manager for your account
disable_ebs_encryption_by_default	Disables EBS encryption by default for your acc
disable_fast_launch	Discontinue Windows fast launch for a Windows
disable_fast_snapshot_restores	Disables fast snapshot restores for the specified s
disable_image	Sets the AMI state to disabled and removes all la
disable_image_block_public_access	Disables block public access for AMIs at the acc
disable_image_deprecation	Cancel the deprecation of the specified AMI
disable_image_deregistration_protection	Disables deregistration protection for an AMI
disable_instance_sql_ha_standby_detections	Disable Amazon EC2 instances running in an SQ
disable_ipam_organization_admin_account	Disable the IPAM account
disable_ipam_policy	Disables an IPAM policy
disable_route_server_propagation	Disables route propagation from a route server to
disable_serial_console_access	Disables access to the EC2 serial console of all in
disable_snapshot_block_public_access	Disables the block public access for snapshots se
disable_transit_gateway_route_table_propagation	Disables the specified resource attachment from
disable_vgw_route_propagation	Disables a virtual private gateway (VGW) from p
disable_vpc_classic_link	This action is deprecated
disable_vpc_classic_link_dns_support	This action is deprecated
disassociate_address	Disassociates an Elastic IP address from the insta
disassociate_capacity_reservation_billing_owner	Cancel a pending request to assign billing of the
disassociate_client_vpn_target_network	Disassociates a target network from the specified
disassociate_enclave_certificate_iam_role	Disassociates an IAM role from an Certificate M
disassociate_iam_instance_profile	Disassociates an IAM instance profile from a run
disassociate_instance_event_window	Disassociates one or more targets from an event
disassociate_ipam_byoasn	Remove the association between your Autonomo
disassociate_ipam_resource_discovery	Disassociates a resource discovery from an Ama

<code>disassociate_nat_gateway_address</code>	Disassociates secondary Elastic IP addresses (EIPs) from a NAT gateway.
<code>disassociate_route_server</code>	Disassociates a route server from a VPC.
<code>disassociate_route_table</code>	Disassociates a subnet or gateway from a route table.
<code>disassociate_security_group_vpc</code>	Disassociates a security group from a VPC.
<code>disassociate_subnet_cidr_block</code>	Disassociates a CIDR block from a subnet.
<code>disassociate_transit_gateway_multicast_domain</code>	Disassociates the specified subnets from the transit gateway multicast domain.
<code>disassociate_transit_gateway_policy_table</code>	Removes the association between an attachment and a transit gateway policy table.
<code>disassociate_transit_gateway_route_table</code>	Disassociates a resource attachment from a transit gateway route table.
<code>disassociate_trunk_interface</code>	Removes an association between a branch network interface and a trunk network interface.
<code>disassociate_vpc_cidr_block</code>	Disassociates a CIDR block from a VPC.
<code>enable_address_transfer</code>	Enables Elastic IP address transfer.
<code>enable_allowed_images_settings</code>	Enables Allowed AMIs for your account in the specified region.
<code>enable_aws_network_performance_metric_subscription</code>	Enables Infrastructure Performance subscriptions for your account.
<code>enable_capacity_manager</code>	Enables EC2 Capacity Manager for your account.
<code>enable_ebs_encryption_by_default</code>	Enables EBS encryption by default for your account.
<code>enable_fast_launch</code>	When you enable Windows fast launch for a Windows instance, you can use Windows fast launch to reduce the time it takes to launch the instance.
<code>enable_fast_snapshot_restores</code>	Enables fast snapshot restores for the specified snapshot.
<code>enable_image</code>	Re-enables a disabled AMI.
<code>enable_image_block_public_access</code>	Enables block public access for AMIs at the account level.
<code>enable_image_deprecation</code>	Enables deprecation of the specified AMI at the account level.
<code>enable_image_deregistration_protection</code>	Enables deregistration protection for an AMI.
<code>enable_instance_sql_ha_standby_detections</code>	Enable Amazon EC2 instances running in an SQL HA standby detection.
<code>enable_ipam_organization_admin_account</code>	Enable an Organizations member account as the administrator of an IPAM.
<code>enable_ipam_policy</code>	Enables an IPAM policy.
<code>enable_reachability_analyzer_organization_sharing</code>	Establishes a trust relationship between Reachability Analyzer and an organization.
<code>enable_route_server_propagation</code>	Defines which route tables the route server can update.
<code>enable_serial_console_access</code>	Enables access to the EC2 serial console of all instances in the specified VPC.
<code>enable_snapshot_block_public_access</code>	Enables or modifies the block public access for snapshots.
<code>enable_transit_gateway_route_table_propagation</code>	Enables the specified attachment to propagate routes to the specified route table.
<code>enable_vgw_route_propagation</code>	Enables a virtual private gateway (VGW) to propagate routes to the specified route table.
<code>enable_volume_io</code>	Enables I/O operations for a volume that had I/O throttling.
<code>enable_vpc_classic_link</code>	This action is deprecated.
<code>enable_vpc_classic_link_dns_support</code>	This action is deprecated.
<code>export_client_vpn_client_certificate_revocation_list</code>	Downloads the client certificate revocation list for a Client VPN endpoint.
<code>export_client_vpn_client_configuration</code>	Downloads the contents of the Client VPN endpoint configuration.
<code>export_image</code>	Exports an Amazon Machine Image (AMI) to a new region.
<code>export_transit_gateway_routes</code>	Exports routes from the specified transit gateway.
<code>export_verified_access_instance_client_configuration</code>	Exports the client configuration for a Verified Access instance.
<code>get_active_vpn_tunnel_status</code>	Returns the currently negotiated security parameters for a Client VPN tunnel.
<code>get_allowed_images_settings</code>	Gets the current state of the Allowed AMIs settings.
<code>get_associated_enclave_certificate_iam_roles</code>	Returns the IAM roles that are associated with the specified enclave certificate.
<code>get_associated_ipv6_pool_cidrs</code>	Gets information about the IPv6 CIDR block associated with the specified VPC.
<code>get_aws_network_performance_data</code>	Gets network performance data.
<code>get_capacity_manager_attributes</code>	Retrieves the current configuration and status of Capacity Manager.
<code>get_capacity_manager_metric_data</code>	Retrieves capacity usage metrics for your EC2 region.
<code>get_capacity_manager_metric_dimensions</code>	Retrieves the available dimension values for capacity manager.
<code>get_capacity_manager_monitored_tag_keys</code>	Retrieves the tag keys that are currently being monitored.
<code>get_capacity_reservation_usage</code>	Gets usage information about a Capacity Reservation.

[get_coip_pool_usage](#)
[get_console_output](#)
[get_console_screenshot](#)
[get_declarative_policies_report_summary](#)
[get_default_credit_specification](#)
[get_ebs_default_kms_key_id](#)
[get_ebs_encryption_by_default](#)
[get_enabled_ipam_policy](#)
[get_flow_logs_integration_template](#)
[get_groups_for_capacity_reservation](#)
[get_host_reservation_purchase_preview](#)
[get_image_ancestry](#)
[get_image_block_public_access_state](#)
[get_instance_metadata_defaults](#)
[get_instance_tpm_ek_public_key](#)
[get_instance_types_from_instance_requirements](#)
[get_instance_uefi_data](#)
[get_ipam_address_history](#)
[get_ipam_discovered_accounts](#)
[get_ipam_discovered_public_addresses](#)
[get_ipam_discovered_resource_cidrs](#)
[get_ipam_policy_allocation_rules](#)
[get_ipam_policy_organization_targets](#)
[get_ipam_pool_allocations](#)
[get_ipam_pool_cidrs](#)
[get_ipam_prefix_list_resolver_rules](#)
[get_ipam_prefix_list_resolver_version_entries](#)
[get_ipam_prefix_list_resolver_versions](#)
[get_ipam_resource_cidrs](#)
[get_launch_template_data](#)
[get_managed_prefix_list_associations](#)
[get_managed_prefix_list_entries](#)
[get_managed_resource_visibility](#)
[get_network_insights_access_scope_analysis_findings](#)
[get_network_insights_access_scope_content](#)
[get_password_data](#)
[get_reserved_instances_exchange_quote](#)
[get_route_server_associations](#)
[get_route_server_propagations](#)
[get_route_server_routing_database](#)
[get_security_groups_for_vpc](#)
[get_serial_console_access_status](#)
[get_snapshot_block_public_access_state](#)
[get_spot_placement_scores](#)
[get_subnet_cidr_reservations](#)
[get_transit_gateway_attachment_propagations](#)
[get_transit_gateway_metering_policy_entries](#)
[get_transit_gateway_multicast_domain_associations](#)

Describes the allocations from the specified customer managed IPAM pool.
 Gets the console output for the specified instance.
 Retrieve a JPG-format screenshot of a running instance.
 Retrieves a summary of the account status report.
 Describes the default credit option for CPU usage.
 Describes the default KMS key for EBS encryption.
 Describes whether EBS encryption by default is enabled.
 Gets the enabled IPAM policy.
 Generates a CloudFormation template that streamlines the creation of a Capacity Reservation.
 Lists the resource groups to which a Capacity Reservation is associated.
 Preview a reservation purchase with configuration details.
 Retrieves the ancestry chain of the specified AMI.
 Gets the current state of block public access for a snapshot.
 Gets the default instance metadata service (IMDS) endpoint.
 Gets the public endorsement key associated with the instance.
 Returns a list of instance types with the specified requirements.
 A binary representation of the UEFI variable store.
 Retrieve historical information about a CIDR with IPAM.
 Gets IPAM discovered accounts.
 Gets the public IP addresses that have been discovered by IPAM.
 Returns the resource CIDRs that are monitored by IPAM.
 Gets the allocation rules for an IPAM policy.
 Gets the Amazon Web Services Organizations targets for an IPAM policy.
 Get a list of all the CIDR allocations in an IPAM pool.
 Get the CIDRs provisioned to an IPAM pool.
 Retrieves the CIDR selection rules for an IPAM prefix list.
 Retrieves the CIDR entries for a specific version of a prefix list.
 Retrieves version information for an IPAM prefix list.
 Returns resource CIDRs managed by IPAM in a VPC.
 Retrieves the configuration data of the specified instance.
 Gets information about the resources that are associated with a prefix list.
 Gets information about the entries for a specified prefix list.
 Retrieves the managed resource visibility configuration.
 Gets the findings for the specified Network Access Analyzer.
 Gets the content for the specified Network Access Analyzer.
 Retrieves the encrypted administrator password for a reserved instance.
 Returns a quote and exchange information for exchanging reserved instances.
 Gets information about the associations for the specified route table.
 Gets information about the route propagations for the specified route table.
 Gets the routing database for the specified route table.
 Gets security groups that can be associated by the specified route table.
 Retrieves the access status of your account to the specified region.
 Gets the current state of block public access for a snapshot.
 Calculates the Spot placement score for a Region.
 Gets information about the subnet CIDR reservations.
 Lists the route tables to which the specified resource is associated.
 Retrieves the entries for a transit gateway metering policy.
 Gets information about the associations for the transit gateway.

<code>get_transit_gateway_policy_table_associations</code>	Gets a list of the transit gateway policy table associations
<code>get_transit_gateway_policy_table_entries</code>	Returns a list of transit gateway policy table entries
<code>get_transit_gateway_prefix_list_references</code>	Gets information about the prefix list references
<code>get_transit_gateway_route_table_associations</code>	Gets information about the associations for the specified transit gateway route table
<code>get_transit_gateway_route_table_propagations</code>	Gets information about the route table propagations for the specified transit gateway route table
<code>get_verified_access_endpoint_policy</code>	Get the Verified Access policy associated with the specified endpoint
<code>get_verified_access_endpoint_targets</code>	Gets the targets for the specified network CIDR block
<code>get_verified_access_group_policy</code>	Shows the contents of the Verified Access policy for the specified group
<code>get_vpc_resources_blocking_encryption_enforcement</code>	Gets information about resources in a VPC that are blocked from encryption enforcement
<code>get_vpn_connection_device_sample_configuration</code>	Download an Amazon Web Services-provided sample configuration for a customer gateway device
<code>get_vpn_connection_device_types</code>	Obtain a list of customer gateway devices for which you can create a VPN connection
<code>get_vpn_tunnel_replacement_status</code>	Get details of available tunnel endpoint maintenance events
<code>import_client_vpn_client_certificate_revocation_list</code>	Uploads a client certificate revocation list to the specified Client VPN endpoint
<code>import_image</code>	To import your virtual machines (VMs) with a custom operating system image
<code>import_instance</code>	We recommend that you use the ImportImage API action to import your VMs
<code>import_key_pair</code>	We recommend that you use the ImportImage API action to import your VMs
<code>import_snapshot</code>	Imports the public key from an RSA or ED25519 key pair
<code>import_volume</code>	Imports a disk into an EBS snapshot
<code>list_images_in_recycle_bin</code>	This API action supports only single-volume VMs
<code>list_snapshots_in_recycle_bin</code>	Lists one or more AMIs that are currently in the recycle bin
<code>list_volumes_in_recycle_bin</code>	Lists one or more snapshots that are currently in the recycle bin
<code>lock_snapshot</code>	Lists one or more volumes that are currently in the recycle bin
<code>modify_address_attribute</code>	Locks an Amazon EBS snapshot in either government or standard availability
<code>modify_availability_zone_group</code>	Modifies an attribute of the specified Elastic IP address
<code>modify_capacity_reservation</code>	Changes the opt-in status of the specified zone group
<code>modify_capacity_reservation_fleet</code>	Modifies a Capacity Reservation's capacity, instance type, or platform
<code>modify_client_vpn_endpoint</code>	Modifies a Capacity Reservation Fleet
<code>modify_default_credit_specification</code>	Modifies the specified Client VPN endpoint
<code>modify_ebs_default_kms_key_id</code>	Modifies the default credit option for CPU usage on a running instance
<code>modify_fleet</code>	Modifies the default KMS key for EBS encryption
<code>modify_fpga_image_attribute</code>	Modifies the specified EC2 Fleet
<code>modify_hosts</code>	Modifies the specified attribute of the specified Amazon Machine Image (AMI)
<code>modify_identity_id_format</code>	Modify the auto-placement setting of a Dedicated Host
<code>modify_id_format</code>	Modifies the ID format of a resource for a specific region
<code>modify_image_attribute</code>	Modifies the ID format for the specified resource
<code>modify_instance_attribute</code>	Modifies the specified attribute of the specified AMI
<code>modify_instance_capacity_reservation_attributes</code>	Modifies the specified attribute of the specified instance
<code>modify_instance_connect_endpoint</code>	Modifies the Capacity Reservation settings for a specified instance
<code>modify_instance_cpu_options</code>	Modifies the specified EC2 Instance Connect Endpoint
<code>modify_instance_credit_specification</code>	By default, all vCPUs for the instance type are accounted for
<code>modify_instance_event_start_time</code>	Modifies the credit option for CPU usage on a running instance
<code>modify_instance_event_window</code>	Modifies the start time for a scheduled Amazon Linux 2 instance
<code>modify_instance_maintenance_options</code>	Modifies the specified event window
<code>modify_instance_metadata_defaults</code>	Modifies the recovery behavior of your instance
<code>modify_instance_metadata_options</code>	Modifies the default instance metadata service (IMDS) version
<code>modify_instance_network_performance_options</code>	Modify the instance metadata parameters on a running instance
<code>modify_instance_placement</code>	Change the configuration of the network performance options
<code>modify_ipam</code>	Modifies the placement attributes for a specified instance
	Modify the configurations of an IPAM

<code>modify_ipam_policy_allocation_rules</code>	Modifies the allocation rules in an IPAM policy
<code>modify_ipam_pool</code>	Modify the configurations of an IPAM pool
<code>modify_ipam_pool_allocation</code>	Modifies the description of an IPAM pool allocation
<code>modify_ipam_prefix_list_resolver</code>	Modifies an IPAM prefix list resolver
<code>modify_ipam_prefix_list_resolver_target</code>	Modifies an IPAM prefix list resolver target
<code>modify_ipam_resource_cidr</code>	Modify a resource CIDR
<code>modify_ipam_resource_discovery</code>	Modifies a resource discovery
<code>modify_ipam_scope</code>	Modify an IPAM scope
<code>modify_launch_template</code>	Modifies a launch template
<code>modify_local_gateway_route</code>	Modifies the specified local gateway route
<code>modify_managed_prefix_list</code>	Modifies the specified managed prefix list
<code>modify_managed_resource_visibility</code>	Modifies the managed resource visibility configuration
<code>modify_network_interface_attribute</code>	Modifies the specified network interface attribute
<code>modify_private_dns_name_options</code>	Modifies the options for instance hostnames for a network interface
<code>modify_public_ip_dns_name_options</code>	Modify public hostname options for a network interface
<code>modify_reserved_instances</code>	Modifies the configuration of your Reserved Instance
<code>modify_route_server</code>	Modifies the configuration of an existing route server
<code>modify_security_group_rules</code>	Modifies the rules of a security group
<code>modify_snapshot_attribute</code>	Adds or removes permission settings for the specified Amazon EBS snapshot
<code>modify_snapshot_tier</code>	Archives an Amazon EBS snapshot
<code>modify_spot_fleet_request</code>	Modifies the specified Spot Fleet request
<code>modify_subnet_attribute</code>	Modifies a subnet attribute
<code>modify_traffic_mirror_filter_network_services</code>	Allows or restricts mirroring network services
<code>modify_traffic_mirror_filter_rule</code>	Modifies the specified Traffic Mirror rule
<code>modify_traffic_mirror_session</code>	Modifies a Traffic Mirror session
<code>modify_transit_gateway</code>	Modifies the specified transit gateway
<code>modify_transit_gateway_metering_policy</code>	Modifies a transit gateway metering policy
<code>modify_transit_gateway_prefix_list_reference</code>	Modifies a reference (route) to a prefix list in a subnet
<code>modify_transit_gateway_vpc_attachment</code>	Modifies the specified VPC attachment
<code>modify_verified_access_endpoint</code>	Modifies the configuration of the specified Amazon Verified Access endpoint
<code>modify_verified_access_endpoint_policy</code>	Modifies the specified Amazon Web Services Verified Access endpoint policy
<code>modify_verified_access_group</code>	Modifies the specified Amazon Web Services Verified Access group
<code>modify_verified_access_group_policy</code>	Modifies the specified Amazon Web Services Verified Access group policy
<code>modify_verified_access_instance</code>	Modifies the configuration of the specified Amazon Verified Access instance
<code>modify_verified_access_instance_logging_configuration</code>	Modifies the logging configuration for the specified Amazon Verified Access instance
<code>modify_verified_access_trust_provider</code>	Modifies the configuration of the specified Amazon Verified Access trust provider
<code>modify_volume</code>	You can modify several parameters of an existing Amazon EBS volume
<code>modify_volume_attribute</code>	Modifies a volume attribute
<code>modify_vpc_attribute</code>	Modifies the specified attribute of the specified VPC
<code>modify_vpc_block_public_access_exclusion</code>	Modify VPC Block Public Access (BPA) exclusions
<code>modify_vpc_block_public_access_options</code>	Modify VPC Block Public Access (BPA) options
<code>modify_vpc_encryption_control</code>	Modifies the encryption control configuration for a VPC
<code>modify_vpc_endpoint</code>	Modifies attributes of a specified VPC endpoint
<code>modify_vpc_endpoint_connection_notification</code>	Modifies a connection notification for VPC endpoint
<code>modify_vpc_endpoint_service_configuration</code>	Modifies the attributes of the specified VPC endpoint service
<code>modify_vpc_endpoint_service_payer_responsibility</code>	Modifies the payer responsibility for your VPC endpoint service
<code>modify_vpc_endpoint_service_permissions</code>	Modifies the permissions for your VPC endpoint service
<code>modify_vpc_peering_connection_options</code>	Modifies the VPC peering connection options

<code>modify_vpc_tenancy</code>	Modifies the instance tenancy attribute of the specified instance
<code>modify_vpn_connection</code>	Modifies the customer gateway or the target gateway of a VPN connection
<code>modify_vpn_connection_options</code>	Modifies the connection options for your Site-to-Site VPN connection
<code>modify_vpn_tunnel_certificate</code>	Modifies the VPN tunnel endpoint certificate
<code>modify_vpn_tunnel_options</code>	Modifies the options for a VPN tunnel in an Amazon Virtual Private Cloud (Amazon VPC)
<code>monitor_instances</code>	Enables detailed monitoring for a running instance
<code>move_address_to_vpc</code>	This action is deprecated
<code>move_byoip_cidr_to_ipam</code>	Move a BYOIPv4 CIDR to IPAM from a public IP address range
<code>move_capacity_reservation_instances</code>	Move available capacity from a source Capacity Reservation to a target Capacity Reservation
<code>provision_byoip_cidr</code>	Provisions an IPv4 or IPv6 address range for use with your Amazon Virtual Private Cloud (Amazon VPC)
<code>provision_ipam_byoasn</code>	Provisions your Autonomous System Number (ASN) to IPAM
<code>provision_ipam_pool_cidr</code>	Provision a CIDR to an IPAM pool
<code>provision_public_ipv4_pool_cidr</code>	Provision a CIDR to a public IPv4 pool
<code>purchase_capacity_block</code>	Purchase the Capacity Block for use with your Amazon Virtual Private Cloud (Amazon VPC)
<code>purchase_capacity_block_extension</code>	Purchase the Capacity Block extension for use with your Amazon Virtual Private Cloud (Amazon VPC)
<code>purchase_host_reservation</code>	Purchase a reservation with configurations that match your Amazon EC2 instance
<code>purchase_reserved_instances_offering</code>	Purchases a Reserved Instance for use with your Amazon EC2 instance
<code>purchase_scheduled_instances</code>	You can no longer purchase Scheduled Instances
<code>reboot_instances</code>	Requests a reboot of the specified instances
<code>register_image</code>	Registers an AMI
<code>register_instance_event_notification_attributes</code>	Registers a set of tag keys to include in scheduled events
<code>register_transit_gateway_multicast_group_members</code>	Registers members (network interfaces) with the specified transit gateway
<code>register_transit_gateway_multicast_group_sources</code>	Registers sources (network interfaces) with the specified transit gateway
<code>reject_capacity_reservation_billing_ownership</code>	Rejects a request to assign billing of the available capacity to a specific account
<code>reject_transit_gateway_client_vpn_attachment</code>	Rejects a Transit Gateway attachment request for a client VPN connection
<code>reject_transit_gateway_multicast_domain_associations</code>	Rejects a request to associate cross-account subnets with a transit gateway
<code>reject_transit_gateway_peering_attachment</code>	Rejects a transit gateway peering attachment request
<code>reject_transit_gateway_vpc_attachment</code>	Rejects a request to attach a VPC to a transit gateway
<code>reject_vpc_endpoint_connections</code>	Rejects VPC endpoint connection requests to your Amazon Virtual Private Cloud (Amazon VPC)
<code>reject_vpc_peering_connection</code>	Rejects a VPC peering connection request
<code>release_address</code>	Releases the specified Elastic IP address
<code>release_hosts</code>	When you no longer want to use an On-Demand Capacity Block, you can release the hosts
<code>release_ipam_pool_allocation</code>	Release an allocation within an IPAM pool
<code>replace_iam_instance_profile_association</code>	Replaces an IAM instance profile for the specified instance
<code>replace_image_criteria_in_allowed_images_settings</code>	Sets or replaces the criteria for Allowed AMIs
<code>replace_network_acl_association</code>	Changes which network ACL a subnet is associated with
<code>replace_network_acl_entry</code>	Replaces an entry (rule) in a network ACL
<code>replace_route</code>	Replaces an existing route within a route table in a VPC
<code>replace_route_table_association</code>	Changes the route table associated with a given subnet
<code>replace_transit_gateway_route</code>	Replaces the specified route in the specified transit gateway
<code>replace_vpn_tunnel</code>	Trigger replacement of specified VPN tunnel
<code>report_instance_status</code>	Submits feedback about the status of an instance
<code>request_spot_fleet</code>	Creates a Spot Fleet request
<code>request_spot_instances</code>	Creates a Spot Instance request
<code>reset_address_attribute</code>	Resets the attribute of the specified IP address
<code>reset_ebs_default_kms_key_id</code>	Resets the default KMS key for EBS encryption
<code>reset_fpga_image_attribute</code>	Resets the specified attribute of the specified Amazon FPGA Image (Amazon FPGA Image)
<code>reset_image_attribute</code>	Resets an attribute of an AMI to its default value

<code>reset_instance_attribute</code>	Resets an attribute of an instance to its default value
<code>reset_network_interface_attribute</code>	Resets a network interface attribute
<code>reset_snapshot_attribute</code>	Resets permission settings for the specified snapshot
<code>restore_address_to_classic</code>	This action is deprecated
<code>restore_image_from_recycle_bin</code>	Restores an AMI from the Recycle Bin
<code>restore_managed_prefix_list_version</code>	Restores the entries from a previous version of a managed prefix list
<code>restore_snapshot_from_recycle_bin</code>	Restores a snapshot from the Recycle Bin
<code>restore_snapshot_tier</code>	Restores an archived Amazon EBS snapshot for a new tier
<code>restore_volume_from_recycle_bin</code>	Restores a volume from the Recycle Bin
<code>revoke_client_vpn_ingress</code>	Removes an ingress authorization rule from a Client VPN endpoint
<code>revoke_security_group_egress</code>	Removes the specified outbound (egress) rules from a security group
<code>revoke_security_group_ingress</code>	Removes the specified inbound (ingress) rules from a security group
<code>run_instances</code>	Launches the specified number of instances using the specified parameters
<code>run_scheduled_instances</code>	Launches the specified Scheduled Instances
<code>search_local_gateway_routes</code>	Searches for routes in the specified local gateway
<code>search_transit_gateway_multicast_groups</code>	Searches one or more transit gateway multicast groups
<code>search_transit_gateway_routes</code>	Searches for routes in the specified transit gateway
<code>send_diagnostic_interrupt</code>	Sends a diagnostic interrupt to the specified Amazon EC2 instance
<code>start_declarative_policies_report</code>	Generates an account status report
<code>start_instances</code>	Starts an Amazon EBS-backed instance that you have previously stopped
<code>start_network_insights_access_scope_analysis</code>	Starts analyzing the specified Network Access Scope
<code>start_network_insights_analysis</code>	Starts analyzing the specified path
<code>start_vpc_endpoint_service_private_dns_verification</code>	Initiates the verification process to prove that the specified VPC endpoint service is private
<code>stop_instances</code>	Stops an Amazon EBS-backed instance
<code>terminate_client_vpn_connections</code>	Terminates active Client VPN endpoint connections
<code>terminate_instances</code>	Terminates (deletes) the specified instances
<code>unassign_ipv6_addresses</code>	Unassigns the specified IPv6 addresses or Prefix Lists
<code>unassign_private_ip_addresses</code>	Unassigns the specified secondary private IP addresses
<code>unassign_private_nat_gateway_address</code>	Unassigns secondary private IPv4 addresses from a NAT gateway
<code>unlock_snapshot</code>	Unlocks a snapshot that is locked in governance
<code>unmonitor_instances</code>	Disables detailed monitoring for a running instance
<code>update_capacity_manager_monitored_tag_keys</code>	Activates or deactivates tag keys for monitoring
<code>update_capacity_manager_organizations_access</code>	Updates the Organizations access setting for EC2
<code>update_interruptible_capacity_reservation_allocation</code>	Modifies the number of instances allocated to an interruptible capacity reservation
<code>update_security_group_rule_descriptions_egress</code>	Updates the description of an egress (outbound) rule
<code>update_security_group_rule_descriptions_ingress</code>	Updates the description of an ingress (inbound) rule
<code>withdraw_byoip_cidr</code>	Stops advertising an address range that is provisioned by you

Examples

```
## Not run:
svc <- ec2()
# This example allocates an Elastic IP address to use with an instance in
# a VPC.
svc$allocate_address(
  Domain = "vpc"
)
```

```
## End(Not run)
```

```
ec2instanceconnect    AWS EC2 Instance Connect
```

Description

This is the *Amazon EC2 Instance Connect API Reference*. It provides descriptions, syntax, and usage examples for each of the actions for Amazon EC2 Instance Connect. Amazon EC2 Instance Connect enables system administrators to publish one-time use SSH public keys to EC2, providing users a simple and secure way to connect to their instances.

To view the Amazon EC2 Instance Connect content in the *Amazon EC2 User Guide*, see [Connect to your Linux instance using EC2 Instance Connect](#).

For Amazon EC2 APIs, see the [Amazon EC2 API Reference](#).

Usage

```
ec2instanceconnect(
  config = list(),
  credentials = list(),
  endpoint = NULL,
  region = NULL
)
```

Arguments

`config` Optional configuration of credentials, endpoint, and/or region.

- **credentials:**
 - **creds:**
 - * **access_key_id:** AWS access key ID
 - * **secret_access_key:** AWS secret access key
 - * **session_token:** AWS temporary session token
 - **profile:** The name of a profile to use. If not given, then the default profile is used.
 - **anonymous:** Set anonymous credentials.
- **endpoint:** The complete URL to use for the constructed client.
- **region:** The AWS Region used in instantiating the client.
- **close_connection:** Immediately close all HTTP connections.
- **timeout:** The time in seconds till a timeout exception is thrown when attempting to make a connection. The default is 60 seconds.
- **s3_force_path_style:** Set this to `true` to force the request to use path-style addressing, i.e. `http://s3.amazonaws.com/BUCKET/KEY`.

	<ul style="list-style-type: none"> • sts_regional_endpoint: Set sts regional endpoint resolver to regional or legacy https://docs.aws.amazon.com/sdkref/latest/guide/feature-sts-regionalized-endpoint.html
credentials	<p>Optional credentials shorthand for the config parameter</p> <ul style="list-style-type: none"> • creds: <ul style="list-style-type: none"> – access_key_id: AWS access key ID – secret_access_key: AWS secret access key – session_token: AWS temporary session token • profile: The name of a profile to use. If not given, then the default profile is used. • anonymous: Set anonymous credentials.
endpoint	Optional shorthand for complete URL to use for the constructed client.
region	Optional shorthand for AWS Region used in instantiating the client.

Value

A client for the service. You can call the service's operations using syntax like `svc$operation(...)`, where `svc` is the name you've assigned to the client. The available operations are listed in the Operations section.

Service syntax

```
svc <- ec2instanceconnect(
  config = list(
    credentials = list(
      creds = list(
        access_key_id = "string",
        secret_access_key = "string",
        session_token = "string"
      ),
      profile = "string",
      anonymous = "logical"
    ),
    endpoint = "string",
    region = "string",
    close_connection = "logical",
    timeout = "numeric",
    s3_force_path_style = "logical",
    sts_regional_endpoint = "string"
  ),
  credentials = list(
    creds = list(
      access_key_id = "string",
      secret_access_key = "string",
      session_token = "string"
    ),
    profile = "string",
```

```

    anonymous = "logical"
  ),
  endpoint = "string",
  region = "string"
)

```

Operations

`send_serial_console_ssh_public_key` Pushes an SSH public key to the specified EC2 instance
`send_ssh_public_key` Pushes an SSH public key to the specified EC2 instance for use by the specified user

Examples

```

## Not run:
svc <- ec2instanceconnect()
# The following example pushes a sample SSH public key to the EC2 instance
# i-abcd1234 in AZ us-west-2b for use by the instance OS user ec2-user.
svc$send_ssh_public_key(
  AvailabilityZone = "us-west-2a",
  InstanceId = "i-abcd1234",
  InstanceOSUser = "ec2-user",
  SSHPublicKey = "ssh-rsa AAAAB3NzaC1yc2EAAAADAQABAAQ3F1Hqj2eqCdrGHuA6d..."
)

## End(Not run)

```

ecr

Amazon Elastic Container Registry

Description

Amazon Elastic Container Registry (Amazon ECR) is a managed container image registry service. Customers can use the familiar Docker CLI, or their preferred client, to push, pull, and manage images. Amazon ECR provides a secure, scalable, and reliable registry for your Docker or Open Container Initiative (OCI) images. Amazon ECR supports private repositories with resource-based permissions using IAM so that specific users or Amazon EC2 instances can access repositories and images.

Amazon ECR has service endpoints in each supported Region. For more information, see [Amazon ECR endpoints](#) in the *Amazon Web Services General Reference*.

Usage

```
ecr(config = list(), credentials = list(), endpoint = NULL, region = NULL)
```

Arguments

config	Optional configuration of credentials, endpoint, and/or region. <ul style="list-style-type: none"> • credentials: <ul style="list-style-type: none"> – creds: <ul style="list-style-type: none"> * access_key_id: AWS access key ID * secret_access_key: AWS secret access key * session_token: AWS temporary session token – profile: The name of a profile to use. If not given, then the default profile is used. – anonymous: Set anonymous credentials. • endpoint: The complete URL to use for the constructed client. • region: The AWS Region used in instantiating the client. • close_connection: Immediately close all HTTP connections. • timeout: The time in seconds till a timeout exception is thrown when attempting to make a connection. The default is 60 seconds. • s3_force_path_style: Set this to <code>true</code> to force the request to use path-style addressing, i.e. <code>http://s3.amazonaws.com/BUCKET/KEY</code>. • sts_regional_endpoint: Set sts regional endpoint resolver to regional or legacy https://docs.aws.amazon.com/sdkref/latest/guide/feature-sts-regionalized-endpoint.html
credentials	Optional credentials shorthand for the config parameter <ul style="list-style-type: none"> • creds: <ul style="list-style-type: none"> – access_key_id: AWS access key ID – secret_access_key: AWS secret access key – session_token: AWS temporary session token • profile: The name of a profile to use. If not given, then the default profile is used. • anonymous: Set anonymous credentials.
endpoint	Optional shorthand for complete URL to use for the constructed client.
region	Optional shorthand for AWS Region used in instantiating the client.

Value

A client for the service. You can call the service's operations using syntax like `svc$operation(...)`, where `svc` is the name you've assigned to the client. The available operations are listed in the Operations section.

Service syntax

```
svc <- ecr(
  config = list(
    credentials = list(
      creds = list(
        access_key_id = "string",
```

```

        secret_access_key = "string",
        session_token = "string"
    ),
    profile = "string",
    anonymous = "logical"
),
endpoint = "string",
region = "string",
close_connection = "logical",
timeout = "numeric",
s3_force_path_style = "logical",
sts_regional_endpoint = "string"
),
credentials = list(
    creds = list(
        access_key_id = "string",
        secret_access_key = "string",
        session_token = "string"
    ),
    profile = "string",
    anonymous = "logical"
),
endpoint = "string",
region = "string"
)

```

Operations

batch_check_layer_availability	Checks the availability of one or more image layers in a repository
batch_delete_image	Deletes a list of specified images within a repository
batch_get_image	Gets detailed information for an image
batch_get_repository_scanning_configuration	Gets the scanning configuration for one or more repositories
complete_layer_upload	Informs Amazon ECR that the image layer upload has completed for a specified image
create_pull_through_cache_rule	Creates a pull through cache rule
create_repository	Creates a repository
create_repository_creation_template	Creates a repository creation template
delete_lifecycle_policy	Deletes the lifecycle policy associated with the specified repository
delete_pull_through_cache_rule	Deletes a pull through cache rule
delete_registry_policy	Deletes the registry permissions policy
delete_repository	Deletes a repository
delete_repository_creation_template	Deletes a repository creation template
delete_repository_policy	Deletes the repository policy associated with the specified repository
delete_signing_configuration	Deletes the registry's signing configuration
deregister_pull_time_update_exclusion	Removes a principal from the pull time update exclusion list for a registry
describe_image_replication_status	Returns the replication status for a specified image
describe_images	Returns metadata about the images in a repository
describe_image_scan_findings	Returns the scan findings for the specified image
describe_image_signing_status	Returns the signing status for a specified image

<code>describe_pull_through_cache_rules</code>	Returns the pull through cache rules for a registry
<code>describe_registry</code>	Describes the settings for a registry
<code>describe_repositories</code>	Describes image repositories in a registry
<code>describe_repository_creation_templates</code>	Returns details about the repository creation templates in a registry
<code>get_account_setting</code>	Retrieves the account setting value for the specified setting name
<code>get_authorization_token</code>	Retrieves an authorization token
<code>get_download_url_for_layer</code>	Retrieves the pre-signed Amazon S3 download URL corresponding to an image layer
<code>get_lifecycle_policy</code>	Retrieves the lifecycle policy for the specified repository
<code>get_lifecycle_policy_preview</code>	Retrieves the results of the lifecycle policy preview request for the specified repository
<code>get_registry_policy</code>	Retrieves the permissions policy for a registry
<code>get_registry_scanning_configuration</code>	Retrieves the scanning configuration for a registry
<code>get_repository_policy</code>	Retrieves the repository policy for the specified repository
<code>get_signing_configuration</code>	Retrieves the registry's signing configuration, which defines rules for automated image signing
<code>initiate_layer_upload</code>	Notifies Amazon ECR that you intend to upload an image layer
<code>list_image_referrers</code>	Lists the artifacts associated with a specified subject image
<code>list_images</code>	Lists all the image IDs for the specified repository
<code>list_pull_time_update_exclusions</code>	Lists the IAM principals that are excluded from having their image pull times updated
<code>list_tags_for_resource</code>	List the tags for an Amazon ECR resource
<code>put_account_setting</code>	Allows you to change the basic scan type version or registry policy scope
<code>put_image</code>	Creates or updates the image manifest and tags associated with an image
<code>put_image_scanning_configuration</code>	The PutImageScanningConfiguration API is being deprecated, in favor of <code>put_registry_scanning_configuration</code>
<code>put_image_tag_mutability</code>	Updates the image tag mutability settings for the specified repository
<code>put_lifecycle_policy</code>	Creates or updates the lifecycle policy for the specified repository
<code>put_registry_policy</code>	Creates or updates the permissions policy for your registry
<code>put_registry_scanning_configuration</code>	Creates or updates the scanning configuration for your private registry
<code>put_replication_configuration</code>	Creates or updates the replication configuration for a registry
<code>put_signing_configuration</code>	Creates or updates the registry's signing configuration, which defines rules for automated image signing
<code>register_pull_time_update_exclusion</code>	Adds an IAM principal to the pull time update exclusion list for a registry
<code>set_repository_policy</code>	Applies a repository policy to the specified repository to control access permissions
<code>start_image_scan</code>	Starts a basic image vulnerability scan
<code>start_lifecycle_policy_preview</code>	Starts a preview of a lifecycle policy for the specified repository
<code>tag_resource</code>	Adds specified tags to a resource with the specified ARN
<code>untag_resource</code>	Deletes specified tags from a resource
<code>update_image_storage_class</code>	Transitions an image between storage classes
<code>update_pull_through_cache_rule</code>	Updates an existing pull through cache rule
<code>update_repository_creation_template</code>	Updates an existing repository creation template
<code>upload_layer_part</code>	Uploads an image layer part to Amazon ECR
<code>validate_pull_through_cache_rule</code>	Validates an existing pull through cache rule for an upstream registry that requires authentication

Examples

```
## Not run:
svc <- ecr()
# This example deletes images with the tags precise and trusty in a
# repository called ubuntu in the default registry for an account.
svc$batch_delete_image(
  imageIds = list(
```

```

        list(
            imageTag = "precise"
        )
    ),
    repositoryName = "ubuntu"
)

## End(Not run)

```

ecrpublic

Amazon Elastic Container Registry Public

Description

Amazon Elastic Container Registry Public (Amazon ECR Public) is a managed container image registry service. Amazon ECR provides both public and private registries to host your container images. You can use the Docker CLI or your preferred client to push, pull, and manage images. Amazon ECR provides a secure, scalable, and reliable registry for your Docker or Open Container Initiative (OCI) images. Amazon ECR supports public repositories with this API. For information about the Amazon ECR API for private repositories, see [Amazon Elastic Container Registry API Reference](#).

Usage

```

ecrpublic(
  config = list(),
  credentials = list(),
  endpoint = NULL,
  region = NULL
)

```

Arguments

`config` Optional configuration of credentials, endpoint, and/or region.

- **credentials:**
 - **creds:**
 - * **access_key_id:** AWS access key ID
 - * **secret_access_key:** AWS secret access key
 - * **session_token:** AWS temporary session token
 - **profile:** The name of a profile to use. If not given, then the default profile is used.
 - **anonymous:** Set anonymous credentials.
- **endpoint:** The complete URL to use for the constructed client.
- **region:** The AWS Region used in instantiating the client.
- **close_connection:** Immediately close all HTTP connections.

	<ul style="list-style-type: none"> • timeout: The time in seconds till a timeout exception is thrown when attempting to make a connection. The default is 60 seconds. • s3_force_path_style: Set this to true to force the request to use path-style addressing, i.e. <code>http://s3.amazonaws.com/BUCKET/KEY</code>. • sts_regional_endpoint: Set sts regional endpoint resolver to regional or legacy https://docs.aws.amazon.com/sdkref/latest/guide/feature-sts-regionalized-endpoint.html
credentials	Optional credentials shorthand for the config parameter <ul style="list-style-type: none"> • creds: <ul style="list-style-type: none"> – access_key_id: AWS access key ID – secret_access_key: AWS secret access key – session_token: AWS temporary session token • profile: The name of a profile to use. If not given, then the default profile is used. • anonymous: Set anonymous credentials.
endpoint	Optional shorthand for complete URL to use for the constructed client.
region	Optional shorthand for AWS Region used in instantiating the client.

Value

A client for the service. You can call the service's operations using syntax like `svc$operation(...)`, where `svc` is the name you've assigned to the client. The available operations are listed in the Operations section.

Service syntax

```
svc <- ecrpublic(
  config = list(
    credentials = list(
      creds = list(
        access_key_id = "string",
        secret_access_key = "string",
        session_token = "string"
      ),
      profile = "string",
      anonymous = "logical"
    ),
    endpoint = "string",
    region = "string",
    close_connection = "logical",
    timeout = "numeric",
    s3_force_path_style = "logical",
    sts_regional_endpoint = "string"
  ),
  credentials = list(
    creds = list(
      access_key_id = "string",
```

```

        secret_access_key = "string",
        session_token = "string"
    ),
    profile = "string",
    anonymous = "logical"
),
endpoint = "string",
region = "string"
)

```

Operations

batch_check_layer_availability	Checks the availability of one or more image layers that are within a repository in a public registry
batch_delete_image	Deletes a list of specified images that are within a repository in a public registry
complete_layer_upload	Notifies Amazon ECR that the image layer upload is complete for a specified public registry
create_repository	Creates a repository in a public registry
delete_repository	Deletes a repository in a public registry
delete_repository_policy	Deletes the repository policy that's associated with the specified repository
describe_images	Returns metadata that's related to the images in a repository in a public registry
describe_image_tags	Returns the image tag details for a repository in a public registry
describe_registries	Returns details for a public registry
describe_repositories	Describes repositories that are in a public registry
get_authorization_token	Retrieves an authorization token
get_registry_catalog_data	Retrieves catalog metadata for a public registry
get_repository_catalog_data	Retrieve catalog metadata for a repository in a public registry
get_repository_policy	Retrieves the repository policy for the specified repository
initiate_layer_upload	Notifies Amazon ECR that you intend to upload an image layer
list_tags_for_resource	List the tags for an Amazon ECR Public resource
put_image	Creates or updates the image manifest and tags that are associated with an image
put_registry_catalog_data	Create or update the catalog data for a public registry
put_repository_catalog_data	Creates or updates the catalog data for a repository in a public registry
set_repository_policy	Applies a repository policy to the specified public repository to control access permissions
tag_resource	Associates the specified tags to a resource with the specified resourceArn
untag_resource	Deletes specified tags from a resource
upload_layer_part	Uploads an image layer part to Amazon ECR

Examples

```

## Not run:
svc <- ecrpublic()
svc$batch_check_layer_availability(
  Foo = 123
)

## End(Not run)

```

Description

Amazon Elastic Container Service

Amazon Elastic Container Service (Amazon ECS) is a highly scalable, fast, container management service. It makes it easy to run, stop, and manage Docker containers. You can host your cluster on a serverless infrastructure that's managed by Amazon ECS by launching your services or tasks on Fargate. For more control, you can host your tasks on a cluster of Amazon Elastic Compute Cloud (Amazon EC2) or External (on-premises) instances that you manage.

Amazon ECS makes it easy to launch and stop container-based applications with simple API calls. This makes it easy to get the state of your cluster from a centralized service, and gives you access to many familiar Amazon EC2 features.

You can use Amazon ECS to schedule the placement of containers across your cluster based on your resource needs, isolation policies, and availability requirements. With Amazon ECS, you don't need to operate your own cluster management and configuration management systems. You also don't need to worry about scaling your management infrastructure.

Usage

```
ecs(config = list(), credentials = list(), endpoint = NULL, region = NULL)
```

Arguments

config

Optional configuration of credentials, endpoint, and/or region.

- **credentials:**

- **creds:**

- * **access_key_id:** AWS access key ID
- * **secret_access_key:** AWS secret access key
- * **session_token:** AWS temporary session token

- **profile:** The name of a profile to use. If not given, then the default profile is used.

- **anonymous:** Set anonymous credentials.

- **endpoint:** The complete URL to use for the constructed client.

- **region:** The AWS Region used in instantiating the client.

- **close_connection:** Immediately close all HTTP connections.

- **timeout:** The time in seconds till a timeout exception is thrown when attempting to make a connection. The default is 60 seconds.

- **s3_force_path_style:** Set this to `true` to force the request to use path-style addressing, i.e. `http://s3.amazonaws.com/BUCKET/KEY`.

- **sts_regional_endpoint:** Set sts regional endpoint resolver to regional or legacy <https://docs.aws.amazon.com/sdkref/latest/guide/feature-sts-regionalized-endpoint.html>

credentials	Optional credentials shorthand for the config parameter <ul style="list-style-type: none"> • creds: <ul style="list-style-type: none"> – access_key_id: AWS access key ID – secret_access_key: AWS secret access key – session_token: AWS temporary session token • profile: The name of a profile to use. If not given, then the default profile is used. • anonymous: Set anonymous credentials.
endpoint	Optional shorthand for complete URL to use for the constructed client.
region	Optional shorthand for AWS Region used in instantiating the client.

Value

A client for the service. You can call the service's operations using syntax like `svc$operation(...)`, where `svc` is the name you've assigned to the client. The available operations are listed in the Operations section.

Service syntax

```
svc <- ecs(
  config = list(
    credentials = list(
      creds = list(
        access_key_id = "string",
        secret_access_key = "string",
        session_token = "string"
      ),
      profile = "string",
      anonymous = "logical"
    ),
    endpoint = "string",
    region = "string",
    close_connection = "logical",
    timeout = "numeric",
    s3_force_path_style = "logical",
    sts_regional_endpoint = "string"
  ),
  credentials = list(
    creds = list(
      access_key_id = "string",
      secret_access_key = "string",
      session_token = "string"
    ),
    profile = "string",
    anonymous = "logical"
  ),
  endpoint = "string",
```

```

    region = "string"
)

```

Operations

continue_service_deployment	Continues or rolls back an Amazon ECS service deployment that is paused at a lifecycle
create_capacity_provider	Creates a capacity provider
create_cluster	Creates a new Amazon ECS cluster
create_daemon	Creates a new daemon in the specified cluster and capacity providers
create_express_gateway_service	Creates an Express service that simplifies deploying containerized web applications on A
create_service	Runs and maintains your desired number of tasks from a specified task definition
create_task_set	Create a task set in the specified cluster and service
delete_account_setting	Disables an account setting for a specified user, role, or the root user for an account
delete_attributes	Deletes one or more custom attributes from an Amazon ECS resource
delete_capacity_provider	Deletes the specified capacity provider
delete_cluster	Deletes the specified cluster
delete_daemon	Deletes the specified daemon
delete_daemon_task_definition	Deletes the specified daemon task definition
delete_express_gateway_service	Deletes an Express service and removes all associated Amazon Web Services resources
delete_service	Deletes a specified service within a cluster
delete_task_definitions	Deletes one or more task definitions
delete_task_set	Deletes a specified task set within a service
deregister_container_instance	Deregisters an Amazon ECS container instance from the specified cluster
deregister_task_definition	Deregisters the specified task definition by family and revision
describe_capacity_providers	Describes one or more of your capacity providers
describe_clusters	Describes one or more of your clusters
describe_container_instances	Describes one or more container instances
describe_daemon	Describes the specified daemon
describe_daemon_deployments	Describes one or more of your daemon deployments
describe_daemon_revisions	Describes one or more of your daemon revisions
describe_daemon_task_definition	Describes a daemon task definition
describe_express_gateway_service	Retrieves detailed information about an Express service, including current status, configu
describe_service_deployments	Describes one or more of your service deployments
describe_service_revisions	Describes one or more service revisions
describe_services	Describes the specified services running in your cluster
describe_task_definition	Describes a task definition
describe_tasks	Describes a specified task or tasks
describe_task_sets	Describes the task sets in the specified cluster and service
discover_poll_endpoint	This action is only used by the Amazon ECS agent, and it is not intended for use outside
execute_command	Runs a command remotely on a container within a task
get_task_protection	Retrieves the protection status of tasks in an Amazon ECS service
list_account_settings	Lists the account settings for a specified principal
list_attributes	Lists the attributes for Amazon ECS resources within a specified target type and cluster
list_clusters	Returns a list of existing clusters
list_container_instances	Returns a list of container instances in a specified cluster
list_daemon_deployments	Returns a list of daemon deployments for a specified daemon
list_daemons	Returns a list of daemons
list_daemon_task_definitions	Returns a list of daemon task definitions that are registered to your account

<code>list_service_deployments</code>	This operation lists all the service deployments that meet the specified filter criteria
<code>list_services</code>	Returns a list of services
<code>list_services_by_namespace</code>	This operation lists all of the services that are associated with a Cloud Map namespace
<code>list_tags_for_resource</code>	List the tags for an Amazon ECS resource
<code>list_task_definition_families</code>	Returns a list of task definition families that are registered to your account
<code>list_task_definitions</code>	Returns a list of task definitions that are registered to your account
<code>list_tasks</code>	Returns a list of tasks
<code>put_account_setting</code>	Modifies an account setting
<code>put_account_setting_default</code>	Modifies an account setting for all users on an account for whom no individual account s
<code>put_attributes</code>	Create or update an attribute on an Amazon ECS resource
<code>put_cluster_capacity_providers</code>	Modifies the available capacity providers and the default capacity provider strategy for a
<code>register_container_instance</code>	This action is only used by the Amazon ECS agent, and it is not intended for use outside
<code>register_daemon_task_definition</code>	Registers a new daemon task definition from the supplied family and containerDefinition
<code>register_task_definition</code>	Registers a new task definition from the supplied family and containerDefinitions
<code>run_task</code>	Starts a new task using the specified task definition
<code>start_task</code>	Starts a new task from the specified task definition on the specified container instance or
<code>stop_service_deployment</code>	Stops an ongoing service deployment
<code>stop_task</code>	Stops a running task
<code>submit_attachment_state_changes</code>	This action is only used by the Amazon ECS agent, and it is not intended for use outside
<code>submit_container_state_change</code>	This action is only used by the Amazon ECS agent, and it is not intended for use outside
<code>submit_task_state_change</code>	This action is only used by the Amazon ECS agent, and it is not intended for use outside
<code>tag_resource</code>	Associates the specified tags to a resource with the specified resourceArn
<code>untag_resource</code>	Deletes specified tags from a resource
<code>update_capacity_provider</code>	Modifies the parameters for a capacity provider
<code>update_cluster</code>	Updates the cluster
<code>update_cluster_settings</code>	Modifies the settings to use for a cluster
<code>update_container_agent</code>	Updates the Amazon ECS container agent on a specified container instance
<code>update_container_instances_state</code>	Modifies the status of an Amazon ECS container instance
<code>update_daemon</code>	Updates the specified daemon
<code>update_express_gateway_service</code>	Updates an existing Express service configuration
<code>update_service</code>	Modifies the parameters of a service
<code>update_service_primary_task_set</code>	Modifies which task set in a service is the primary task set
<code>update_task_protection</code>	Updates the protection status of a task
<code>update_task_set</code>	Modifies a task set

Examples

```
## Not run:
svc <- ecs()
# This example creates a cluster in your default region.
svc$create_cluster(
  clusterName = "my_cluster"
)

## End(Not run)
```

 eks *Amazon Elastic Kubernetes Service*

Description

Amazon Elastic Kubernetes Service (Amazon EKS) is a managed service that makes it easy for you to run Kubernetes on Amazon Web Services without needing to setup or maintain your own Kubernetes control plane. Kubernetes is an open-source system for automating the deployment, scaling, and management of containerized applications.

Amazon EKS runs up-to-date versions of the open-source Kubernetes software, so you can use all the existing plugins and tooling from the Kubernetes community. Applications running on Amazon EKS are fully compatible with applications running on any standard Kubernetes environment, whether running in on-premises data centers or public clouds. This means that you can easily migrate any standard Kubernetes application to Amazon EKS without any code modification required.

Usage

```
eks(config = list(), credentials = list(), endpoint = NULL, region = NULL)
```

Arguments

config	<p>Optional configuration of credentials, endpoint, and/or region.</p> <ul style="list-style-type: none"> • credentials: <ul style="list-style-type: none"> – creds: <ul style="list-style-type: none"> * access_key_id: AWS access key ID * secret_access_key: AWS secret access key * session_token: AWS temporary session token – profile: The name of a profile to use. If not given, then the default profile is used. – anonymous: Set anonymous credentials. • endpoint: The complete URL to use for the constructed client. • region: The AWS Region used in instantiating the client. • close_connection: Immediately close all HTTP connections. • timeout: The time in seconds till a timeout exception is thrown when attempting to make a connection. The default is 60 seconds. • s3_force_path_style: Set this to <code>true</code> to force the request to use path-style addressing, i.e. <code>http://s3.amazonaws.com/BUCKET/KEY</code>. • sts_regional_endpoint: Set sts regional endpoint resolver to regional or legacy https://docs.aws.amazon.com/sdkref/latest/guide/feature-sts-regionalized-endpoint.html
credentials	<p>Optional credentials shorthand for the config parameter</p> <ul style="list-style-type: none"> • creds: <ul style="list-style-type: none"> – access_key_id: AWS access key ID – secret_access_key: AWS secret access key

- **session_token**: AWS temporary session token
 - **profile**: The name of a profile to use. If not given, then the default profile is used.
 - **anonymous**: Set anonymous credentials.
- endpoint Optional shorthand for complete URL to use for the constructed client.
- region Optional shorthand for AWS Region used in instantiating the client.

Value

A client for the service. You can call the service's operations using syntax like `svc$operation(...)`, where `svc` is the name you've assigned to the client. The available operations are listed in the Operations section.

Service syntax

```
svc <- eks(
  config = list(
    credentials = list(
      creds = list(
        access_key_id = "string",
        secret_access_key = "string",
        session_token = "string"
      ),
      profile = "string",
      anonymous = "logical"
    ),
    endpoint = "string",
    region = "string",
    close_connection = "logical",
    timeout = "numeric",
    s3_force_path_style = "logical",
    sts_regional_endpoint = "string"
  ),
  credentials = list(
    creds = list(
      access_key_id = "string",
      secret_access_key = "string",
      session_token = "string"
    ),
    profile = "string",
    anonymous = "logical"
  ),
  endpoint = "string",
  region = "string"
)
```

Operations

<code>associate_access_policy</code>	Associates an access policy and its scope to an access entry
<code>associate_encryption_config</code>	Associates an encryption configuration to an existing cluster
<code>associate_identity_provider_config</code>	Associates an identity provider configuration to a cluster
<code>create_access_entry</code>	Creates an access entry
<code>create_addon</code>	Creates an Amazon EKS add-on
<code>create_capability</code>	Creates a managed capability resource for an Amazon EKS cluster
<code>create_cluster</code>	Creates an Amazon EKS control plane
<code>create_eks_anywhere_subscription</code>	Creates an EKS Anywhere subscription
<code>create_fargate_profile</code>	Creates an Fargate profile for your Amazon EKS cluster
<code>create_nodegroup</code>	Creates a managed node group for an Amazon EKS cluster
<code>create_pod_identity_association</code>	Creates an EKS Pod Identity association between a service account in an Amazon EK
<code>delete_access_entry</code>	Deletes an access entry
<code>delete_addon</code>	Deletes an Amazon EKS add-on
<code>delete_capability</code>	Deletes a managed capability from your Amazon EKS cluster
<code>delete_cluster</code>	Deletes an Amazon EKS cluster control plane
<code>delete_eks_anywhere_subscription</code>	Deletes an expired or inactive subscription
<code>delete_fargate_profile</code>	Deletes an Fargate profile
<code>delete_nodegroup</code>	Deletes a managed node group
<code>delete_pod_identity_association</code>	Deletes a EKS Pod Identity association
<code>deregister_cluster</code>	Deregisters a connected cluster to remove it from the Amazon EKS control plane
<code>describe_access_entry</code>	Describes an access entry
<code>describe_addon</code>	Describes an Amazon EKS add-on
<code>describe_addon_configuration</code>	Returns configuration options
<code>describe_addon_versions</code>	Describes the versions for an add-on
<code>describe_capability</code>	Returns detailed information about a specific managed capability in your Amazon EK
<code>describe_cluster</code>	Describes an Amazon EKS cluster
<code>describe_cluster_versions</code>	Lists available Kubernetes versions for Amazon EKS clusters
<code>describe_eks_anywhere_subscription</code>	Returns descriptive information about a subscription
<code>describe_fargate_profile</code>	Describes an Fargate profile
<code>describe_identity_provider_config</code>	Describes an identity provider configuration
<code>describe_insight</code>	Returns details about an insight that you specify using its ID
<code>describe_insights_refresh</code>	Returns the status of the latest on-demand cluster insights refresh operation
<code>describe_nodegroup</code>	Describes a managed node group
<code>describe_pod_identity_association</code>	Returns descriptive information about an EKS Pod Identity association
<code>describe_update</code>	Describes an update to an Amazon EKS resource
<code>disassociate_access_policy</code>	Disassociates an access policy from an access entry
<code>disassociate_identity_provider_config</code>	Disassociates an identity provider configuration from a cluster
<code>list_access_entries</code>	Lists the access entries for your cluster
<code>list_access_policies</code>	Lists the available access policies
<code>list_addons</code>	Lists the installed add-ons
<code>list_associated_access_policies</code>	Lists the access policies associated with an access entry
<code>list_capabilities</code>	Lists all managed capabilities in your Amazon EKS cluster
<code>list_clusters</code>	Lists the Amazon EKS clusters in your Amazon Web Services account in the specifie
<code>list_eks_anywhere_subscriptions</code>	Displays the full description of the subscription
<code>list_fargate_profiles</code>	Lists the Fargate profiles associated with the specified cluster in your Amazon Web S
<code>list_identity_provider_configs</code>	Lists the identity provider configurations for your cluster
<code>list_insights</code>	Returns a list of all insights checked for against the specified cluster
<code>list_nodegroups</code>	Lists the managed node groups associated with the specified cluster in your Amazon

list_pod_identity_associations	List the EKS Pod Identity associations in a cluster
list_tags_for_resource	List the tags for an Amazon EKS resource
list_updates	Lists the updates associated with an Amazon EKS resource in your Amazon Web Ser
register_cluster	Connects a Kubernetes cluster to the Amazon EKS control plane
start_insights_refresh	Initiates an on-demand refresh operation for cluster insights, getting the latest analysi
tag_resource	Associates the specified tags to an Amazon EKS resource with the specified resource.
untag_resource	Deletes specified tags from an Amazon EKS resource
update_access_entry	Updates an access entry
update_addon	Updates an Amazon EKS add-on
update_capability	Updates the configuration of a managed capability in your Amazon EKS cluster
update_cluster_config	Updates an Amazon EKS cluster configuration
update_cluster_version	Updates an Amazon EKS cluster to the specified Kubernetes version
update_eks_anywhere_subscription	Update an EKS Anywhere Subscription
update_nodegroup_config	Updates an Amazon EKS managed node group configuration
update_nodegroup_version	Updates the Kubernetes version or AMI version of an Amazon EKS managed node g
update_pod_identity_association	Updates a EKS Pod Identity association

Examples

```
## Not run:
svc <- eks()
# The following example creates an Amazon EKS cluster called prod.
svc$create_cluster(
  version = "1.10",
  name = "prod",
  clientRequestToken = "1d2129a1-3d38-460a-9756-e5b91fddb951",
  resourcesVpcConfig = list(
    securityGroupIds = list(
      "sg-6979fe18"
    ),
    subnetIds = list(
      "subnet-6782e71e",
      "subnet-e7e761ac"
    )
  ),
  roleArn = "arn:aws:iam::012345678910:role/eks-service-role-AWSServiceRole..."
)

## End(Not run)
```

Description

AWS Elastic Beanstalk makes it easy for you to create, deploy, and manage scalable, fault-tolerant applications running on the Amazon Web Services cloud.

For more information about this product, go to the [AWS Elastic Beanstalk details page](#). The location of the latest AWS Elastic Beanstalk WSDL is <https://elasticbeanstalk.s3.amazonaws.com/doc/2010-12-01/AWSElasticBeanstalk.wsdl>. To install the Software Development Kits (SDKs), Integrated Development Environment (IDE) Toolkits, and command line tools that enable you to access the API, go to [Tools for Amazon Web Services](#).

Endpoints

For a list of region-specific endpoints that AWS Elastic Beanstalk supports, go to [Regions and Endpoints](#) in the *Amazon Web Services Glossary*.

Usage

```
elasticbeanstalk(
  config = list(),
  credentials = list(),
  endpoint = NULL,
  region = NULL
)
```

Arguments

config	Optional configuration of credentials, endpoint, and/or region. <ul style="list-style-type: none"> • credentials: <ul style="list-style-type: none"> – creds: <ul style="list-style-type: none"> * access_key_id: AWS access key ID * secret_access_key: AWS secret access key * session_token: AWS temporary session token – profile: The name of a profile to use. If not given, then the default profile is used. – anonymous: Set anonymous credentials. • endpoint: The complete URL to use for the constructed client. • region: The AWS Region used in instantiating the client. • close_connection: Immediately close all HTTP connections. • timeout: The time in seconds till a timeout exception is thrown when attempting to make a connection. The default is 60 seconds. • s3_force_path_style: Set this to <code>true</code> to force the request to use path-style addressing, i.e. <code>http://s3.amazonaws.com/BUCKET/KEY</code>. • sts_regional_endpoint: Set sts regional endpoint resolver to regional or legacy https://docs.aws.amazon.com/sdkref/latest/guide/feature-sts-regionalized-endpoints.html
credentials	Optional credentials shorthand for the config parameter <ul style="list-style-type: none"> • creds: <ul style="list-style-type: none"> – access_key_id: AWS access key ID

- **secret_access_key**: AWS secret access key
 - **session_token**: AWS temporary session token
 - **profile**: The name of a profile to use. If not given, then the default profile is used.
 - **anonymous**: Set anonymous credentials.
- endpoint Optional shorthand for complete URL to use for the constructed client.
- region Optional shorthand for AWS Region used in instantiating the client.

Value

A client for the service. You can call the service's operations using syntax like `svc$operation(...)`, where `svc` is the name you've assigned to the client. The available operations are listed in the Operations section.

Service syntax

```
svc <- elasticbeanstalk(
  config = list(
    credentials = list(
      creds = list(
        access_key_id = "string",
        secret_access_key = "string",
        session_token = "string"
      ),
      profile = "string",
      anonymous = "logical"
    ),
    endpoint = "string",
    region = "string",
    close_connection = "logical",
    timeout = "numeric",
    s3_force_path_style = "logical",
    sts_regional_endpoint = "string"
  ),
  credentials = list(
    creds = list(
      access_key_id = "string",
      secret_access_key = "string",
      session_token = "string"
    ),
    profile = "string",
    anonymous = "logical"
  ),
  endpoint = "string",
  region = "string"
)
```

Operations

abort_environment_update	Cancels in-progress environment configuration update or application version update
apply_environment_managed_action	Applies a scheduled managed action immediately
associate_environment_operations_role	Add or change the operations role used by an environment
check_dns_availability	Checks if the specified CNAME is available
compose_environments	Create or update a group of environments that each run a separate component
create_application	Creates an application that has one configuration template named default
create_application_version	Creates an application version for the specified application
create_configuration_template	Creates an AWS Elastic Beanstalk configuration template, associated with a platform
create_environment	Launches an AWS Elastic Beanstalk environment for the specified application and platform
create_platform_version	Create a new version of your custom platform
create_storage_location	Creates a bucket in Amazon S3 to store application versions, logs, and other content
delete_application	Deletes the specified application along with all associated versions and configurations
delete_application_version	Deletes the specified version from the specified application
delete_configuration_template	Deletes the specified configuration template
delete_environment_configuration	Deletes the draft configuration associated with the running environment
delete_platform_version	Deletes the specified version of a custom platform
describe_account_attributes	Returns attributes related to AWS Elastic Beanstalk that are associated with your account
describe_applications	Returns the descriptions of existing applications
describe_application_versions	Retrieve a list of application versions
describe_configuration_options	Describes the configuration options that are used in a particular configuration set
describe_configuration_settings	Returns a description of the settings for the specified configuration set, that is, the environment
describe_environment_health	Returns information about the overall health of the specified environment
describe_environment_managed_action_history	Lists an environment's completed and failed managed actions
describe_environment_managed_actions	Lists an environment's upcoming and in-progress managed actions
describe_environment_resources	Returns AWS resources for this environment
describe_environments	Returns descriptions for existing environments
describe_events	Returns list of event descriptions matching criteria up to the last 6 weeks
describe_instances_health	Retrieves detailed information about the health of instances in your AWS Elastic Beanstalk environment
describe_platform_version	Describes a platform version
disassociate_environment_operations_role	Disassociate the operations role from an environment
list_available_solution_stacks	Returns a list of the available solution stack names, with the public version number
list_platform_branches	Lists the platform branches available for your account in an AWS Region
list_platform_versions	Lists the platform versions available for your account in an AWS Region
list_tags_for_resource	Return the tags applied to an AWS Elastic Beanstalk resource
rebuild_environment	Deletes and recreates all of the AWS resources (for example: the Auto Scaling group, EC2 instances, and Elastic Load Balancing load balancer)
request_environment_info	Initiates a request to compile the specified type of information of the deployment
restart_app_server	Causes the environment to restart the application container server running on the instances
retrieve_environment_info	Retrieves the compiled information from a RequestEnvironmentInfo request
swap_environment_cname_es	Swaps the CNAMEs of two environments
terminate_environment	Terminates the specified environment
update_application	Updates the specified application to have the specified properties
update_application_resource_lifecycle	Modifies lifecycle settings for an application
update_application_version	Updates the specified application version to have the specified properties
update_configuration_template	Updates the specified configuration template to have the specified properties
update_environment	Updates the environment description, deploys a new application version, updates the configuration template, and updates the platform
update_tags_for_resource	Update the list of tags applied to an AWS Elastic Beanstalk resource

`validate_configuration_settings`

Takes a set of configuration settings and either a configuration template or e

Examples

```
## Not run:
svc <- elasticbeanstalk()
# The following code aborts a running application version deployment for
# an environment named my-env:
svc$abort_environment_update(
  EnvironmentName = "my-env"
)

## End(Not run)
```

emrcontainers

Amazon EMR Containers

Description

Amazon EMR on EKS provides a deployment option for Amazon EMR that allows you to run open-source big data frameworks on Amazon Elastic Kubernetes Service (Amazon EKS). With this deployment option, you can focus on running analytics workloads while Amazon EMR on EKS builds, configures, and manages containers for open-source applications. For more information about Amazon EMR on EKS concepts and tasks, see [What is Amazon EMR on EKS](#).

Amazon EMR containers is the API name for Amazon EMR on EKS. The `emr-containers` prefix is used in the following scenarios:

- It is the prefix in the CLI commands for Amazon EMR on EKS. For example, `aws emr-containers start-job-run`.
- It is the prefix before IAM policy actions for Amazon EMR on EKS. For example, "Action": ["emr-containers:StartJobRun"]. For more information, see [Policy actions for Amazon EMR on EKS](#).
- It is the prefix used in Amazon EMR on EKS service endpoints. For example, `emr-containers.us-east-2.amazonaws.com`. For more information, see [Amazon EMR on EKSService Endpoints](#).

Usage

```
emrcontainers(
  config = list(),
  credentials = list(),
  endpoint = NULL,
  region = NULL
)
```

Arguments

config	Optional configuration of credentials, endpoint, and/or region. <ul style="list-style-type: none"> • credentials: <ul style="list-style-type: none"> – creds: <ul style="list-style-type: none"> * access_key_id: AWS access key ID * secret_access_key: AWS secret access key * session_token: AWS temporary session token – profile: The name of a profile to use. If not given, then the default profile is used. – anonymous: Set anonymous credentials. • endpoint: The complete URL to use for the constructed client. • region: The AWS Region used in instantiating the client. • close_connection: Immediately close all HTTP connections. • timeout: The time in seconds till a timeout exception is thrown when attempting to make a connection. The default is 60 seconds. • s3_force_path_style: Set this to true to force the request to use path-style addressing, i.e. <code>http://s3.amazonaws.com/BUCKET/KEY</code>. • sts_regional_endpoint: Set sts regional endpoint resolver to regional or legacy https://docs.aws.amazon.com/sdkref/latest/guide/feature-sts-regionalized-endpoint.html
credentials	Optional credentials shorthand for the config parameter <ul style="list-style-type: none"> • creds: <ul style="list-style-type: none"> – access_key_id: AWS access key ID – secret_access_key: AWS secret access key – session_token: AWS temporary session token • profile: The name of a profile to use. If not given, then the default profile is used. • anonymous: Set anonymous credentials.
endpoint	Optional shorthand for complete URL to use for the constructed client.
region	Optional shorthand for AWS Region used in instantiating the client.

Value

A client for the service. You can call the service's operations using syntax like `svc$operation(...)`, where `svc` is the name you've assigned to the client. The available operations are listed in the Operations section.

Service syntax

```
svc <- emrcontainers(
  config = list(
    credentials = list(
      creds = list(
        access_key_id = "string",
```

```

        secret_access_key = "string",
        session_token = "string"
    ),
    profile = "string",
    anonymous = "logical"
),
endpoint = "string",
region = "string",
close_connection = "logical",
timeout = "numeric",
s3_force_path_style = "logical",
sts_regional_endpoint = "string"
),
credentials = list(
  creds = list(
    access_key_id = "string",
    secret_access_key = "string",
    session_token = "string"
  ),
  profile = "string",
  anonymous = "logical"
),
endpoint = "string",
region = "string"
)

```

Operations

cancel_job_run	Cancel a job run
create_job_template	Create a job template
create_managed_endpoint	Create a managed endpoint
create_security_configuration	Create a security configuration
create_virtual_cluster	Create a virtual cluster
delete_job_template	Delete a job template
delete_managed_endpoint	Delete a managed endpoint
delete_virtual_cluster	Delete a virtual cluster
describe_job_run	Display detailed information about a job run
describe_job_template	Display detailed information about a specified job template
describe_managed_endpoint	Display detailed information about a managed endpoint
describe_security_configuration	Display detailed information about a specified security configuration
describe_virtual_cluster	Display detailed information about a specified virtual cluster
get_managed_endpoint_session_credentials	Generate a session token to connect to a managed endpoint
list_job_runs	List job runs based on a set of parameters
list_job_templates	List job templates based on a set of parameters
list_managed_endpoints	List managed endpoints based on a set of parameters
list_security_configurations	List security configurations based on a set of parameters
list_tags_for_resource	List the tags assigned to the resources
list_virtual_clusters	List information about the specified virtual cluster

start_job_run	Starts a job run
tag_resource	Assigns tags to resources
untag_resource	Removes tags from resources

Examples

```
## Not run:
svc <- emrcontainers()
svc$cancel_job_run(
  Foo = 123
)

## End(Not run)
```

emrserverless	<i>EMR Serverless</i>
---------------	-----------------------

Description

Amazon EMR Serverless is a new deployment option for Amazon EMR. Amazon EMR Serverless provides a serverless runtime environment that simplifies running analytics applications using the latest open source frameworks such as Apache Spark and Apache Hive. With Amazon EMR Serverless, you don't have to configure, optimize, secure, or operate clusters to run applications with these frameworks.

The API reference to Amazon EMR Serverless is `emr-serverless`. The `emr-serverless` prefix is used in the following scenarios:

- It is the prefix in the CLI commands for Amazon EMR Serverless. For example, `aws emr-serverless start-job-run`.
- It is the prefix before IAM policy actions for Amazon EMR Serverless. For example, `"Action": ["emr-serverless:S`. For more information, see [Policy actions for Amazon EMR Serverless](#).
- It is the prefix used in Amazon EMR Serverless service endpoints. For example, `emr-serverless.us-east-2.amazonaws.com`.

Usage

```
emrserverless(
  config = list(),
  credentials = list(),
  endpoint = NULL,
  region = NULL
)
```

Arguments

config	Optional configuration of credentials, endpoint, and/or region. <ul style="list-style-type: none"> • credentials: <ul style="list-style-type: none"> – creds: <ul style="list-style-type: none"> * access_key_id: AWS access key ID * secret_access_key: AWS secret access key * session_token: AWS temporary session token – profile: The name of a profile to use. If not given, then the default profile is used. – anonymous: Set anonymous credentials. • endpoint: The complete URL to use for the constructed client. • region: The AWS Region used in instantiating the client. • close_connection: Immediately close all HTTP connections. • timeout: The time in seconds till a timeout exception is thrown when attempting to make a connection. The default is 60 seconds. • s3_force_path_style: Set this to <code>true</code> to force the request to use path-style addressing, i.e. <code>http://s3.amazonaws.com/BUCKET/KEY</code>. • sts_regional_endpoint: Set sts regional endpoint resolver to regional or legacy https://docs.aws.amazon.com/sdkref/latest/guide/feature-sts-regionalized-endpoint.html
credentials	Optional credentials shorthand for the config parameter <ul style="list-style-type: none"> • creds: <ul style="list-style-type: none"> – access_key_id: AWS access key ID – secret_access_key: AWS secret access key – session_token: AWS temporary session token • profile: The name of a profile to use. If not given, then the default profile is used. • anonymous: Set anonymous credentials.
endpoint	Optional shorthand for complete URL to use for the constructed client.
region	Optional shorthand for AWS Region used in instantiating the client.

Value

A client for the service. You can call the service's operations using syntax like `svc$operation(...)`, where `svc` is the name you've assigned to the client. The available operations are listed in the Operations section.

Service syntax

```
svc <- emrserverless(
  config = list(
    credentials = list(
      creds = list(
        access_key_id = "string",
```

```

        secret_access_key = "string",
        session_token = "string"
    ),
    profile = "string",
    anonymous = "logical"
),
endpoint = "string",
region = "string",
close_connection = "logical",
timeout = "numeric",
s3_force_path_style = "logical",
sts_regional_endpoint = "string"
),
credentials = list(
    creds = list(
        access_key_id = "string",
        secret_access_key = "string",
        session_token = "string"
    ),
    profile = "string",
    anonymous = "logical"
),
endpoint = "string",
region = "string"
)

```

Operations

cancel_job_run	Cancels a job run
create_application	Creates an application
delete_application	Deletes an application
get_application	Displays detailed information about a specified application
get_dashboard_for_job_run	Creates and returns a URL that you can use to access the application UIs for a job run
get_job_run	Displays detailed information about a job run
get_resource_dashboard	Returns a URL that you can use to access the application UIs for a specified resource, such as a job run
get_session	Displays detailed information about a session
get_session_endpoint	Returns the session endpoint URL and a time-limited authentication token for the specified session
list_applications	Lists applications based on a set of parameters
list_job_run_attempts	Lists all attempt of a job run
list_job_runs	Lists job runs based on a set of parameters
list_sessions	Lists sessions for the specified application
list_tags_for_resource	Lists the tags assigned to the resources
start_application	Starts a specified application and initializes initial capacity if configured
start_job_run	Starts a job run
start_session	Creates and starts a new session on the specified application
stop_application	Stops a specified application and releases initial capacity if configured
tag_resource	Assigns tags to resources
terminate_session	Terminates the specified session

untag_resource	Removes tags from resources
update_application	Updates a specified application

Examples

```
## Not run:
svc <- emrserverless()
svc$cancel_job_run(
  Foo = 123
)

## End(Not run)
```

imagebuilder	<i>EC2 Image Builder</i>
--------------	--------------------------

Description

EC2 Image Builder is a fully managed Amazon Web Services service that makes it easier to automate the creation, management, and deployment of customized, secure, and up-to-date "golden" server images that are pre-installed and pre-configured with software and settings to meet specific IT standards.

Usage

```
imagebuilder(
  config = list(),
  credentials = list(),
  endpoint = NULL,
  region = NULL
)
```

Arguments

- | | |
|--------|---|
| config | Optional configuration of credentials, endpoint, and/or region. |
|--------|---|
- **credentials:**
 - **creds:**
 - * **access_key_id:** AWS access key ID
 - * **secret_access_key:** AWS secret access key
 - * **session_token:** AWS temporary session token
 - **profile:** The name of a profile to use. If not given, then the default profile is used.
 - **anonymous:** Set anonymous credentials.

	<ul style="list-style-type: none"> • endpoint: The complete URL to use for the constructed client. • region: The AWS Region used in instantiating the client. • close_connection: Immediately close all HTTP connections. • timeout: The time in seconds till a timeout exception is thrown when attempting to make a connection. The default is 60 seconds. • s3_force_path_style: Set this to <code>true</code> to force the request to use path-style addressing, i.e. <code>http://s3.amazonaws.com/BUCKET/KEY</code>. • sts_regional_endpoint: Set sts regional endpoint resolver to regional or legacy https://docs.aws.amazon.com/sdkref/latest/guide/feature-sts-regionalized-endpoint.html
credentials	<p>Optional credentials shorthand for the config parameter</p> <ul style="list-style-type: none"> • creds: <ul style="list-style-type: none"> – access_key_id: AWS access key ID – secret_access_key: AWS secret access key – session_token: AWS temporary session token • profile: The name of a profile to use. If not given, then the default profile is used. • anonymous: Set anonymous credentials.
endpoint	Optional shorthand for complete URL to use for the constructed client.
region	Optional shorthand for AWS Region used in instantiating the client.

Value

A client for the service. You can call the service's operations using syntax like `svc$operation(...)`, where `svc` is the name you've assigned to the client. The available operations are listed in the Operations section.

Service syntax

```
svc <- imagebuilder(
  config = list(
    credentials = list(
      creds = list(
        access_key_id = "string",
        secret_access_key = "string",
        session_token = "string"
      ),
      profile = "string",
      anonymous = "logical"
    ),
    endpoint = "string",
    region = "string",
    close_connection = "logical",
    timeout = "numeric",
    s3_force_path_style = "logical",
    sts_regional_endpoint = "string"
```

```

    ),
    credentials = list(
      creds = list(
        access_key_id = "string",
        secret_access_key = "string",
        session_token = "string"
      ),
      profile = "string",
      anonymous = "logical"
    ),
    endpoint = "string",
    region = "string"
  )
)

```

Operations

cancel_image_creation	CancelImageCreation cancels the creation of Image
cancel_lifecycle_execution	Cancel a specific image lifecycle policy runtime instance
create_component	Creates a new component that can be used to build, validate, test, and assess your ima
create_container_recipe	Creates a new container recipe
create_distribution_configuration	Creates a new distribution configuration
create_image	Creates a new image
create_image_pipeline	Creates a new image pipeline
create_image_recipe	Creates a new image recipe
create_infrastructure_configuration	Creates a new infrastructure configuration
create_lifecycle_policy	Create a lifecycle policy resource
create_workflow	Create a new workflow or a new version of an existing workflow
delete_component	Deletes a component build version
delete_container_recipe	Deletes a container recipe
delete_distribution_configuration	Deletes a distribution configuration
delete_image	Deletes an Image Builder image resource
delete_image_pipeline	Deletes an image pipeline
delete_image_recipe	Deletes an image recipe
delete_infrastructure_configuration	Deletes an infrastructure configuration
delete_lifecycle_policy	Delete the specified lifecycle policy resource
delete_workflow	Deletes a specific workflow resource
distribute_image	DistributeImage distributes existing AMIs to additional regions and accounts without
get_component	Gets a component object
get_component_policy	Gets a component policy
get_container_recipe	Retrieves a container recipe
get_container_recipe_policy	Retrieves the policy for a container recipe
get_distribution_configuration	Gets a distribution configuration
get_image	Gets an image
get_image_pipeline	Gets an image pipeline
get_image_policy	Gets an image policy
get_image_recipe	Gets an image recipe
get_image_recipe_policy	Gets an image recipe policy
get_infrastructure_configuration	Gets an infrastructure configuration

<code>get_lifecycle_execution</code>	Get the runtime information that was logged for a specific runtime instance of the lifecycle
<code>get_lifecycle_policy</code>	Get details for the specified image lifecycle policy
<code>get_marketplace_resource</code>	Verify the subscription and perform resource dependency checks on the requested Amazon Marketplace resource
<code>get_workflow</code>	Get a workflow resource object
<code>get_workflow_execution</code>	Get the runtime information that was logged for a specific runtime instance of the workflow
<code>get_workflow_step_execution</code>	Get the runtime information that was logged for a specific runtime instance of the workflow step
<code>import_component</code>	Imports a component and transforms its data into a component document
<code>import_disk_image</code>	Import a Windows operating system image from a verified Microsoft ISO disk file
<code>import_vm_image</code>	When you export your virtual machine (VM) from its virtualization environment, this operation imports the VM image into Amazon Image Builder
<code>list_component_build_versions</code>	Returns the list of component build versions for the specified component version Amazon Resource Name (ARN)
<code>list_components</code>	Returns the list of components that can be filtered by name, or by using the listed filters
<code>list_container_recipes</code>	Returns a list of container recipes
<code>list_distribution_configurations</code>	Returns a list of distribution configurations
<code>list_image_build_versions</code>	Returns a list of image build versions
<code>list_image_packages</code>	List the Packages that are associated with an Image Build Version, as determined by the Image Build Version's build recipe
<code>list_image_pipeline_images</code>	Returns a list of images created by the specified pipeline
<code>list_image_pipelines</code>	Returns a list of image pipelines
<code>list_image_recipes</code>	Returns a list of image recipes
<code>list_images</code>	Returns the list of images that you have access to
<code>list_image_scan_finding_aggregations</code>	Returns a list of image scan aggregations for your account
<code>list_image_scan_findings</code>	Returns a list of image scan findings for your account
<code>list_infrastructure_configurations</code>	Returns a list of infrastructure configurations
<code>list_lifecycle_execution_resources</code>	List resources that the runtime instance of the image lifecycle identified for lifecycle execution
<code>list_lifecycle_executions</code>	Get the lifecycle runtime history for the specified resource
<code>list_lifecycle_policies</code>	Get a list of lifecycle policies in your Amazon Web Services account
<code>list_tags_for_resource</code>	Returns the list of tags for the specified resource
<code>list_waiting_workflow_steps</code>	Get a list of workflow steps that are waiting for action for workflows in your Amazon Web Services account
<code>list_workflow_build_versions</code>	Returns a list of build versions for a specific workflow resource
<code>list_workflow_executions</code>	Returns a list of workflow runtime instance metadata objects for a specific image build version
<code>list_workflows</code>	Lists workflow build versions based on filtering parameters
<code>list_workflow_step_executions</code>	Returns runtime data for each step in a runtime instance of the workflow that you specify
<code>put_component_policy</code>	Applies a policy to a component
<code>put_container_recipe_policy</code>	Applies a policy to a container image
<code>put_image_policy</code>	Applies a policy to an image
<code>put_image_recipe_policy</code>	Applies a policy to an image recipe
<code>retry_image</code>	RetryImage retries an image distribution without rebuilding the image
<code>send_workflow_step_action</code>	Pauses or resumes image creation when the associated workflow runs a WaitForResourceAction
<code>start_image_pipeline_execution</code>	Manually triggers a pipeline to create an image
<code>start_resource_state_update</code>	Begin asynchronous resource state update for lifecycle changes to the specified image
<code>tag_resource</code>	Adds a tag to a resource
<code>untag_resource</code>	Removes a tag from a resource
<code>update_distribution_configuration</code>	Updates a new distribution configuration
<code>update_image_pipeline</code>	Updates an image pipeline
<code>update_infrastructure_configuration</code>	Updates a new infrastructure configuration
<code>update_lifecycle_policy</code>	Update the specified lifecycle policy

Examples

```
## Not run:
svc <- imagebuilder()
svc$cancel_image_creation(
  Foo = 123
)

## End(Not run)
```

lambda

AWS Lambda

Description

Lambda

Overview

Lambda is a compute service that lets you run code without provisioning or managing servers. Lambda runs your code on a high-availability compute infrastructure and performs all of the administration of the compute resources, including server and operating system maintenance, capacity provisioning and automatic scaling, code monitoring and logging. With Lambda, you can run code for virtually any type of application or backend service. For more information about the Lambda service, see [What is Lambda](#) in the **Lambda Developer Guide**.

The *Lambda API Reference* provides information about each of the API methods, including details about the parameters in each API request and response.

You can use Software Development Kits (SDKs), Integrated Development Environment (IDE) Toolkits, and command line tools to access the API. For installation instructions, see [Tools for Amazon Web Services](#).

For a list of Region-specific endpoints that Lambda supports, see [Lambda endpoints and quotas](#) in the *Amazon Web Services General Reference*.

When making the API calls, you will need to authenticate your request by providing a signature. Lambda supports signature version 4. For more information, see [Signature Version 4 signing process](#) in the *Amazon Web Services General Reference*.

CA certificates

Because Amazon Web Services SDKs use the CA certificates from your computer, changes to the certificates on the Amazon Web Services servers can cause connection failures when you attempt to use an SDK. You can prevent these failures by keeping your computer's CA certificates and operating system up-to-date. If you encounter this issue in a corporate environment and do not manage your own computer, you might need to ask an administrator to assist with the update process. The following list shows minimum operating system and Java versions:

- Microsoft Windows versions that have updates from January 2005 or later installed contain at least one of the required CAs in their trust list.
- Mac OS X 10.4 with Java for Mac OS X 10.4 Release 5 (February 2007), Mac OS X 10.5 (October 2007), and later versions contain at least one of the required CAs in their trust list.

- Red Hat Enterprise Linux 5 (March 2007), 6, and 7 and CentOS 5, 6, and 7 all contain at least one of the required CAs in their default trusted CA list.
- Java 1.4.2_12 (May 2006), 5 Update 2 (March 2005), and all later versions, including Java 6 (December 2006), 7, and 8, contain at least one of the required CAs in their default trusted CA list.

When accessing the Lambda management console or Lambda API endpoints, whether through browsers or programmatically, you will need to ensure your client machines support any of the following CAs:

- Amazon Root CA 1
- Starfield Services Root Certificate Authority - G2
- Starfield Class 2 Certification Authority

Root certificates from the first two authorities are available from [Amazon trust services](#), but keeping your computer up-to-date is the more straightforward solution. To learn more about ACM-provided certificates, see [Amazon Web Services Certificate Manager FAQs](#).

Usage

```
lambda(config = list(), credentials = list(), endpoint = NULL, region = NULL)
```

Arguments

config	<p>Optional configuration of credentials, endpoint, and/or region.</p> <ul style="list-style-type: none"> • credentials: <ul style="list-style-type: none"> – creds: <ul style="list-style-type: none"> * access_key_id: AWS access key ID * secret_access_key: AWS secret access key * session_token: AWS temporary session token – profile: The name of a profile to use. If not given, then the default profile is used. – anonymous: Set anonymous credentials. • endpoint: The complete URL to use for the constructed client. • region: The AWS Region used in instantiating the client. • close_connection: Immediately close all HTTP connections. • timeout: The time in seconds till a timeout exception is thrown when attempting to make a connection. The default is 60 seconds. • s3_force_path_style: Set this to <code>true</code> to force the request to use path-style addressing, i.e. <code>http://s3.amazonaws.com/BUCKET/KEY</code>. • sts_regional_endpoint: Set sts regional endpoint resolver to regional or legacy https://docs.aws.amazon.com/sdkref/latest/guide/feature-sts-regionalized-endpoint.html
credentials	<p>Optional credentials shorthand for the config parameter</p> <ul style="list-style-type: none"> • creds: <ul style="list-style-type: none"> – access_key_id: AWS access key ID

- **secret_access_key**: AWS secret access key
 - **session_token**: AWS temporary session token
 - **profile**: The name of a profile to use. If not given, then the default profile is used.
 - **anonymous**: Set anonymous credentials.
- endpoint Optional shorthand for complete URL to use for the constructed client.
- region Optional shorthand for AWS Region used in instantiating the client.

Value

A client for the service. You can call the service's operations using syntax like `svc$operation(...)`, where `svc` is the name you've assigned to the client. The available operations are listed in the Operations section.

Service syntax

```
svc <- lambda(
  config = list(
    credentials = list(
      creds = list(
        access_key_id = "string",
        secret_access_key = "string",
        session_token = "string"
      ),
      profile = "string",
      anonymous = "logical"
    ),
    endpoint = "string",
    region = "string",
    close_connection = "logical",
    timeout = "numeric",
    s3_force_path_style = "logical",
    sts_regional_endpoint = "string"
  ),
  credentials = list(
    creds = list(
      access_key_id = "string",
      secret_access_key = "string",
      session_token = "string"
    ),
    profile = "string",
    anonymous = "logical"
  ),
  endpoint = "string",
  region = "string"
)
```

Operations

<code>add_layer_version_permission</code>	Adds permissions to the resource-based policy of a version of an Lambda layer
<code>add_permission</code>	Grants a principal permission to use a function
<code>checkpoint_durable_execution</code>	Saves the progress of a durable function execution during runtime
<code>create_alias</code>	Creates an alias for a Lambda function version
<code>create_capacity_provider</code>	Creates a capacity provider that manages compute resources for Lambda function
<code>create_code_signing_config</code>	Creates a code signing configuration
<code>create_event_source_mapping</code>	Creates a mapping between an event source and an Lambda function
<code>create_function</code>	Creates a Lambda function
<code>create_function_url_config</code>	Creates a Lambda function URL with the specified configuration parameters
<code>delete_alias</code>	Deletes a Lambda function alias
<code>delete_capacity_provider</code>	Deletes a capacity provider
<code>delete_code_signing_config</code>	Deletes the code signing configuration
<code>delete_event_source_mapping</code>	Deletes an event source mapping
<code>delete_function</code>	Deletes a Lambda function
<code>delete_function_code_signing_config</code>	Removes the code signing configuration from the function
<code>delete_function_concurrency</code>	Removes a concurrent execution limit from a function
<code>delete_function_event_invoke_config</code>	Deletes the configuration for asynchronous invocation for a function, version,
<code>delete_function_url_config</code>	Deletes a Lambda function URL
<code>delete_layer_version</code>	Deletes a version of an Lambda layer
<code>delete_provisioned_concurrency_config</code>	Deletes the provisioned concurrency configuration for a function
<code>get_account_settings</code>	Retrieves details about your account's limits and usage in an Amazon Web Ser
<code>get_alias</code>	Returns details about a Lambda function alias
<code>get_capacity_provider</code>	Retrieves information about a specific capacity provider, including its configur
<code>get_code_signing_config</code>	Returns information about the specified code signing configuration
<code>get_durable_execution</code>	Retrieves detailed information about a specific durable execution, including its
<code>get_durable_execution_history</code>	Retrieves the execution history for a durable execution, showing all the steps,
<code>get_durable_execution_state</code>	Retrieves the current execution state required for the replay process during dur
<code>get_event_source_mapping</code>	Returns details about an event source mapping
<code>get_function</code>	Returns information about the function or function version, with a link to dow
<code>get_function_code_signing_config</code>	Returns the code signing configuration for the specified function
<code>get_function_concurrency</code>	Returns details about the reserved concurrency configuration for a function
<code>get_function_configuration</code>	Returns the version-specific settings of a Lambda function or version
<code>get_function_event_invoke_config</code>	Retrieves the configuration for asynchronous invocation for a function, version
<code>get_function_recursion_config</code>	Returns your function's recursive loop detection configuration
<code>get_function_scaling_config</code>	Retrieves the scaling configuration for a Lambda Managed Instances function
<code>get_function_url_config</code>	Returns details about a Lambda function URL
<code>get_layer_version</code>	Returns information about a version of an Lambda layer, with a link to downlo
<code>get_layer_version_by_arn</code>	Returns information about a version of an Lambda layer, with a link to downlo
<code>get_layer_version_policy</code>	Returns the permission policy for a version of an Lambda layer
<code>get_policy</code>	Returns the resource-based IAM policy for a function, version, or alias
<code>get_provisioned_concurrency_config</code>	Retrieves the provisioned concurrency configuration for a function's alias or v
<code>get_runtime_management_config</code>	Retrieves the runtime management configuration for a function's version
<code>invoke</code>	Invokes a Lambda function
<code>invoke_async</code>	For asynchronous function invocation, use Invoke
<code>invoke_with_response_stream</code>	Configure your Lambda functions to stream response payloads back to clients
<code>list_aliases</code>	Returns a list of aliases for a Lambda function

<code>list_capacity_providers</code>	Returns a list of capacity providers in your account
<code>list_code_signing_configs</code>	Returns a list of code signing configurations
<code>list_durable_executions_by_function</code>	Returns a list of durable executions for a specified Lambda function
<code>list_event_source_mappings</code>	Lists event source mappings
<code>list_function_event_invoke_configs</code>	Retrieves a list of configurations for asynchronous invocation for a function
<code>list_functions</code>	Returns a list of Lambda functions, with the version-specific configuration of each
<code>list_functions_by_code_signing_config</code>	List the functions that use the specified code signing configuration
<code>list_function_url_configs</code>	Returns a list of Lambda function URLs for the specified function
<code>list_function_versions_by_capacity_provider</code>	Returns a list of function versions that are configured to use a specific capacity provider
<code>list_layers</code>	Lists Lambda layers and shows information about the latest version of each
<code>list_layer_versions</code>	Lists the versions of an Lambda layer
<code>list_provisioned_concurrency_configs</code>	Retrieves a list of provisioned concurrency configurations for a function
<code>list_tags</code>	Returns a function, event source mapping, or code signing configuration's tags
<code>list_versions_by_function</code>	Returns a list of versions, with the version-specific configuration of each
<code>publish_layer_version</code>	Creates an Lambda layer from a ZIP archive
<code>publish_version</code>	Creates a version from the current code and configuration of a function
<code>put_function_code_signing_config</code>	Update the code signing configuration for the function
<code>put_function_concurrency</code>	Sets the maximum number of simultaneous executions for a function, and reserved concurrency
<code>put_function_event_invoke_config</code>	Configures options for asynchronous invocation on a function, version, or alias
<code>put_function_recursion_config</code>	Sets your function's recursive loop detection configuration
<code>put_function_scaling_config</code>	Sets the scaling configuration for a Lambda Managed Instances function
<code>put_provisioned_concurrency_config</code>	Adds a provisioned concurrency configuration to a function's alias or version
<code>put_runtime_management_config</code>	Sets the runtime management configuration for a function's version
<code>remove_layer_version_permission</code>	Removes a statement from the permissions policy for a version of an Lambda layer
<code>remove_permission</code>	Revokes function-use permission from an Amazon Web Services service or an IAM role
<code>send_durable_execution_callback_failure</code>	Sends a failure response for a callback operation in a durable execution
<code>send_durable_execution_callback_heartbeat</code>	Sends a heartbeat signal for a long-running callback operation to prevent timeouts
<code>send_durable_execution_callback_success</code>	Sends a successful completion response for a callback operation in a durable execution
<code>stop_durable_execution</code>	Stops a running durable execution
<code>tag_resource</code>	Adds tags to a function, event source mapping, or code signing configuration
<code>untag_resource</code>	Removes tags from a function, event source mapping, or code signing configuration
<code>update_alias</code>	Updates the configuration of a Lambda function alias
<code>update_capacity_provider</code>	Updates the configuration of an existing capacity provider
<code>update_code_signing_config</code>	Update the code signing configuration
<code>update_event_source_mapping</code>	Updates an event source mapping
<code>update_function_code</code>	Updates a Lambda function's code
<code>update_function_configuration</code>	Modify the version-specific settings of a Lambda function
<code>update_function_event_invoke_config</code>	Updates the configuration for asynchronous invocation for a function, version, or alias
<code>update_function_url_config</code>	Updates the configuration for a Lambda function URL

Examples

```
## Not run:
svc <- lambda()
# The following example grants permission for the account 223456789012 to
# use version 1 of a layer named my-layer.
svc$add_layer_version_permission(
```

```

    Action = "lambda:GetLayerVersion",
    LayerName = "my-layer",
    Principal = "223456789012",
    StatementId = "xaccount",
    VersionNumber = 1L
)

## End(Not run)

```

lightsail

Amazon Lightsail

Description

Amazon Lightsail is the easiest way to get started with Amazon Web Services (Amazon Web Services) for developers who need to build websites or web applications. It includes everything you need to launch your project quickly - instances (virtual private servers), container services, storage buckets, managed databases, SSD-based block storage, static IP addresses, load balancers, content delivery network (CDN) distributions, DNS management of registered domains, and resource snapshots (backups) - for a low, predictable monthly price.

You can manage your Lightsail resources using the Lightsail console, Lightsail API, Command Line Interface (CLI), or SDKs. For more information about Lightsail concepts and tasks, see the [Amazon Lightsail Developer Guide](#).

This API Reference provides detailed information about the actions, data types, parameters, and errors of the Lightsail service. For more information about the supported Amazon Web Services Regions, endpoints, and service quotas of the Lightsail service, see [Amazon Lightsail Endpoints and Quotas](#) in the *Amazon Web Services General Reference*.

Usage

```

lightsail(
  config = list(),
  credentials = list(),
  endpoint = NULL,
  region = NULL
)

```

Arguments

`config` Optional configuration of credentials, endpoint, and/or region.

- **credentials:**
 - **creds:**
 - * **access_key_id:** AWS access key ID
 - * **secret_access_key:** AWS secret access key
 - * **session_token:** AWS temporary session token

	<ul style="list-style-type: none"> – profile: The name of a profile to use. If not given, then the default profile is used. – anonymous: Set anonymous credentials. • endpoint: The complete URL to use for the constructed client. • region: The AWS Region used in instantiating the client. • close_connection: Immediately close all HTTP connections. • timeout: The time in seconds till a timeout exception is thrown when attempting to make a connection. The default is 60 seconds. • s3_force_path_style: Set this to <code>true</code> to force the request to use path-style addressing, i.e. <code>http://s3.amazonaws.com/BUCKET/KEY</code>. • sts_regional_endpoint: Set sts regional endpoint resolver to regional or legacy https://docs.aws.amazon.com/sdkref/latest/guide/feature-sts-regionalized-endpoint.html
credentials	Optional credentials shorthand for the config parameter <ul style="list-style-type: none"> • creds: <ul style="list-style-type: none"> – access_key_id: AWS access key ID – secret_access_key: AWS secret access key – session_token: AWS temporary session token • profile: The name of a profile to use. If not given, then the default profile is used. • anonymous: Set anonymous credentials.
endpoint	Optional shorthand for complete URL to use for the constructed client.
region	Optional shorthand for AWS Region used in instantiating the client.

Value

A client for the service. You can call the service's operations using syntax like `svc$operation(...)`, where `svc` is the name you've assigned to the client. The available operations are listed in the Operations section.

Service syntax

```
svc <- lightsail(
  config = list(
    credentials = list(
      creds = list(
        access_key_id = "string",
        secret_access_key = "string",
        session_token = "string"
      ),
      profile = "string",
      anonymous = "logical"
    ),
    endpoint = "string",
    region = "string",
    close_connection = "logical",
```

```

        timeout = "numeric",
        s3_force_path_style = "logical",
        sts_regional_endpoint = "string"
    ),
    credentials = list(
        creds = list(
            access_key_id = "string",
            secret_access_key = "string",
            session_token = "string"
        ),
        profile = "string",
        anonymous = "logical"
    ),
    endpoint = "string",
    region = "string"
)

```

Operations

allocate_static_ip	Allocates a static IP address
attach_certificate_to_distribution	Attaches an SSL/TLS certificate to your Amazon Lightsail content delivery network (CDN) distribution
attach_disk	Attaches a block storage disk to a running or stopped Lightsail instance and makes it available to the instance
attach_instances_to_load_balancer	Attaches one or more Lightsail instances to a load balancer
attach_load_balancer_tls_certificate	Attaches a Transport Layer Security (TLS) certificate to your load balancer
attach_static_ip	Attaches a static IP address to a specific Amazon Lightsail instance
close_instance_public_ports	Closes ports for a specific Amazon Lightsail instance
copy_snapshot	Copies a manual snapshot of an instance or disk as another manual snapshot
create_bucket	Creates an Amazon Lightsail bucket
create_bucket_access_key	Creates a new access key for the specified Amazon Lightsail bucket
create_certificate	Creates an SSL/TLS certificate for an Amazon Lightsail content delivery network (CDN) distribution
create_cloud_formation_stack	Creates an AWS CloudFormation stack, which creates a new Amazon EC2 instance
create_contact_method	Creates an email or SMS text message contact method
create_container_service	Creates an Amazon Lightsail container service
create_container_service_deployment	Creates a deployment for your Amazon Lightsail container service
create_container_service_registry_login	Creates a temporary set of log in credentials that you can use to log in to the container registry
create_disk	Creates a block storage disk that can be attached to an Amazon Lightsail instance
create_disk_from_snapshot	Creates a block storage disk from a manual or automatic snapshot of a disk
create_disk_snapshot	Creates a snapshot of a block storage disk
create_distribution	Creates an Amazon Lightsail content delivery network (CDN) distribution
create_domain	Creates a domain resource for the specified domain (example.com)
create_domain_entry	Creates one of the following domain name system (DNS) records in a domain: A, AAAA, CNAME, MX, NS, TXT, or SRV
create_gui_session_access_details	Creates two URLs that are used to access a virtual computer's graphical user interface (GUI)
create_instances	Creates one or more Amazon Lightsail instances
create_instances_from_snapshot	Creates one or more new instances from a manual or automatic snapshot of an instance
create_instance_snapshot	Creates a snapshot of a specific virtual private server, or instance
create_key_pair	Creates a custom SSH key pair that you can use with an Amazon Lightsail instance
create_load_balancer	Creates a Lightsail load balancer
create_load_balancer_tls_certificate	Creates an SSL/TLS certificate for an Amazon Lightsail load balancer

<code>create_relational_database</code>	Creates a new database in Amazon Lightsail
<code>create_relational_database_from_snapshot</code>	Creates a new database from an existing database snapshot in Amazon Lightsail
<code>create_relational_database_snapshot</code>	Creates a snapshot of your database in Amazon Lightsail
<code>delete_alarm</code>	Deletes an alarm
<code>delete_auto_snapshot</code>	Deletes an automatic snapshot of an instance or disk
<code>delete_bucket</code>	Deletes a Amazon Lightsail bucket
<code>delete_bucket_access_key</code>	Deletes an access key for the specified Amazon Lightsail bucket
<code>delete_certificate</code>	Deletes an SSL/TLS certificate for your Amazon Lightsail content delivery network
<code>delete_contact_method</code>	Deletes a contact method
<code>delete_container_image</code>	Deletes a container image that is registered to your Amazon Lightsail container service
<code>delete_container_service</code>	Deletes your Amazon Lightsail container service
<code>delete_disk</code>	Deletes the specified block storage disk
<code>delete_disk_snapshot</code>	Deletes the specified disk snapshot
<code>delete_distribution</code>	Deletes your Amazon Lightsail content delivery network (CDN) distribution
<code>delete_domain</code>	Deletes the specified domain recordset and all of its domain records
<code>delete_domain_entry</code>	Deletes a specific domain entry
<code>delete_instance</code>	Deletes an Amazon Lightsail instance
<code>delete_instance_snapshot</code>	Deletes a specific snapshot of a virtual private server (or instance)
<code>delete_key_pair</code>	Deletes the specified key pair by removing the public key from Amazon Lightsail
<code>delete_known_host_keys</code>	Deletes the known host key or certificate used by the Amazon Lightsail browser
<code>delete_load_balancer</code>	Deletes a Lightsail load balancer and all its associated SSL/TLS certificates
<code>delete_load_balancer_tls_certificate</code>	Deletes an SSL/TLS certificate associated with a Lightsail load balancer
<code>delete_relational_database</code>	Deletes a database in Amazon Lightsail
<code>delete_relational_database_snapshot</code>	Deletes a database snapshot in Amazon Lightsail
<code>detach_certificate_from_distribution</code>	Detaches an SSL/TLS certificate from your Amazon Lightsail content delivery network
<code>detach_disk</code>	Detaches a stopped block storage disk from a Lightsail instance
<code>detach_instances_from_load_balancer</code>	Detaches the specified instances from a Lightsail load balancer
<code>detach_static_ip</code>	Detaches a static IP from the Amazon Lightsail instance to which it is attached
<code>disable_add_on</code>	Disables an add-on for an Amazon Lightsail resource
<code>download_default_key_pair</code>	Downloads the regional Amazon Lightsail default key pair
<code>enable_add_on</code>	Enables or modifies an add-on for an Amazon Lightsail resource
<code>export_snapshot</code>	Exports an Amazon Lightsail instance or block storage disk snapshot to Amazon S3
<code>get_active_names</code>	Returns the names of all active (not deleted) resources
<code>get_alarms</code>	Returns information about the configured alarms
<code>get_auto_snapshots</code>	Returns the available automatic snapshots for an instance or disk
<code>get_blueprints</code>	Returns the list of available instance images, or blueprints
<code>get_bucket_access_keys</code>	Returns the existing access key IDs for the specified Amazon Lightsail bucket
<code>get_bucket_bundles</code>	Returns the bundles that you can apply to a Amazon Lightsail bucket
<code>get_bucket_metric_data</code>	Returns the data points of a specific metric for an Amazon Lightsail bucket
<code>get_buckets</code>	Returns information about one or more Amazon Lightsail buckets
<code>get_bundles</code>	Returns the bundles that you can apply to an Amazon Lightsail instance
<code>get_certificates</code>	Returns information about one or more Amazon Lightsail SSL/TLS certificates
<code>get_cloud_formation_stack_records</code>	Returns the CloudFormation stack record created as a result of the create cloudformation command
<code>get_contact_methods</code>	Returns information about the configured contact methods
<code>get_container_api_metadata</code>	Returns information about Amazon Lightsail containers, such as the current container service
<code>get_container_images</code>	Returns the container images that are registered to your Amazon Lightsail container service
<code>get_container_log</code>	Returns the log events of a container of your Amazon Lightsail container service
<code>get_container_service_deployments</code>	Returns the deployments for your Amazon Lightsail container service

<code>get_container_service_metric_data</code>	Returns the data points of a specific metric of your Amazon Lightsail container instance
<code>get_container_service_powers</code>	Returns the list of powers that can be specified for your Amazon Lightsail container instance
<code>get_container_services</code>	Returns information about one or more of your Amazon Lightsail container instances
<code>get_cost_estimate</code>	Retrieves information about the cost estimate for a specified resource
<code>get_disk</code>	Returns information about a specific block storage disk
<code>get_disks</code>	Returns information about all block storage disks in your AWS account and region
<code>get_disk_snapshot</code>	Returns information about a specific block storage disk snapshot
<code>get_disk_snapshots</code>	Returns information about all block storage disk snapshots in your AWS account and region
<code>get_distribution_bundles</code>	Returns the bundles that can be applied to your Amazon Lightsail content distribution
<code>get_distribution_latest_cache_reset</code>	Returns the timestamp and status of the last cache reset of a specific Amazon Lightsail content distribution
<code>get_distribution_metric_data</code>	Returns the data points of a specific metric for an Amazon Lightsail content distribution
<code>get_distributions</code>	Returns information about one or more of your Amazon Lightsail content distributions
<code>get_domain</code>	Returns information about a specific domain recordset
<code>get_domains</code>	Returns a list of all domains in the user's account
<code>get_export_snapshot_records</code>	Returns all export snapshot records created as a result of the export snapshots feature
<code>get_instance</code>	Returns information about a specific Amazon Lightsail instance, which is a virtual private server
<code>get_instance_access_details</code>	Returns temporary SSH keys you can use to connect to a specific virtual private server
<code>get_instance_metric_data</code>	Returns the data points for the specified Amazon Lightsail instance metric, such as CPU usage
<code>get_instance_port_states</code>	Returns the firewall port states for a specific Amazon Lightsail instance, the state of each port, and the associated rules
<code>get_instances</code>	Returns information about all Amazon Lightsail virtual private servers, or instances
<code>get_instance_snapshot</code>	Returns information about a specific instance snapshot
<code>get_instance_snapshots</code>	Returns all instance snapshots for the user's account
<code>get_instance_state</code>	Returns the state of a specific instance
<code>get_key_pair</code>	Returns information about a specific key pair
<code>get_key_pairs</code>	Returns information about all key pairs in the user's account
<code>get_load_balancer</code>	Returns information about the specified Lightsail load balancer
<code>get_load_balancer_metric_data</code>	Returns information about health metrics for your Lightsail load balancer
<code>get_load_balancers</code>	Returns information about all load balancers in an account
<code>get_load_balancer_tls_certificates</code>	Returns information about the TLS certificates that are associated with the specified load balancer
<code>get_load_balancer_tls_policies</code>	Returns a list of TLS security policies that you can apply to Lightsail load balancers
<code>get_operation</code>	Returns information about a specific operation
<code>get_operations</code>	Returns information about all operations
<code>get_operations_for_resource</code>	Gets operations for a specific resource (an instance or a static IP)
<code>get_regions</code>	Returns a list of all valid regions for Amazon Lightsail
<code>get_relational_database</code>	Returns information about a specific database in Amazon Lightsail
<code>get_relational_database_blueprints</code>	Returns a list of available database blueprints in Amazon Lightsail
<code>get_relational_database_bundles</code>	Returns the list of bundles that are available in Amazon Lightsail
<code>get_relational_database_events</code>	Returns a list of events for a specific database in Amazon Lightsail
<code>get_relational_database_log_events</code>	Returns a list of log events for a database in Amazon Lightsail
<code>get_relational_database_log_streams</code>	Returns a list of available log streams for a specific database in Amazon Lightsail
<code>get_relational_database_master_user_password</code>	Returns the current, previous, or pending versions of the master user password for a specific database
<code>get_relational_database_metric_data</code>	Returns the data points of the specified metric for a database in Amazon Lightsail
<code>get_relational_database_parameters</code>	Returns all of the runtime parameters offered by the underlying database software
<code>get_relational_databases</code>	Returns information about all of your databases in Amazon Lightsail
<code>get_relational_database_snapshot</code>	Returns information about a specific database snapshot in Amazon Lightsail
<code>get_relational_database_snapshots</code>	Returns information about all of your database snapshots in Amazon Lightsail
<code>get_setup_history</code>	Returns detailed information for five of the most recent SetupInstanceHttpRequests
<code>get_static_ip</code>	Returns information about an Amazon Lightsail static IP

<code>get_static_ips</code>	Returns information about all static IPs in the user's account
<code>import_key_pair</code>	Imports a public SSH key from a specific key pair
<code>is_vpc_peered</code>	Returns a Boolean value indicating whether your Lightsail VPC is peered
<code>open_instance_public_ports</code>	Opens ports for a specific Amazon Lightsail instance, and specifies the IP address
<code>peer_vpc</code>	Peers the Lightsail VPC with the user's default VPC
<code>put_alarm</code>	Creates or updates an alarm, and associates it with the specified metric
<code>put_instance_public_ports</code>	Opens ports for a specific Amazon Lightsail instance, and specifies the IP address
<code>reboot_instance</code>	Restarts a specific instance
<code>reboot_relational_database</code>	Restarts a specific database in Amazon Lightsail
<code>register_container_image</code>	Registers a container image to your Amazon Lightsail container service
<code>release_static_ip</code>	Deletes a specific static IP from your account
<code>reset_distribution_cache</code>	Deletes currently cached content from your Amazon Lightsail content delivery network (CDN)
<code>send_contact_method_verification</code>	Sends a verification request to an email contact method to ensure it's owned by you
<code>set_ip_address_type</code>	Sets the IP address type for an Amazon Lightsail resource
<code>set_resource_access_for_bucket</code>	Sets the Amazon Lightsail resources that can access the specified Lightsail Amazon S3 bucket
<code>setup_instance_https</code>	Creates an SSL/TLS certificate that secures traffic for your website
<code>start_gui_session</code>	Initiates a graphical user interface (GUI) session that's used to access a virtual machine
<code>start_instance</code>	Starts a specific Amazon Lightsail instance from a stopped state
<code>start_relational_database</code>	Starts a specific database from a stopped state in Amazon Lightsail
<code>stop_gui_session</code>	Terminates a web-based Amazon DCV session that's used to access a virtual machine
<code>stop_instance</code>	Stops a specific Amazon Lightsail instance that is currently running
<code>stop_relational_database</code>	Stops a specific database that is currently running in Amazon Lightsail
<code>tag_resource</code>	Adds one or more tags to the specified Amazon Lightsail resource
<code>test_alarm</code>	Tests an alarm by displaying a banner on the Amazon Lightsail console
<code>unpeer_vpc</code>	Unpeers the Lightsail VPC from the user's default VPC
<code>untag_resource</code>	Deletes the specified set of tag keys and their values from the specified Amazon Lightsail resource
<code>update_bucket</code>	Updates an existing Amazon Lightsail bucket
<code>update_bucket_bundle</code>	Updates the bundle, or storage plan, of an existing Amazon Lightsail bucket
<code>update_container_service</code>	Updates the configuration of your Amazon Lightsail container service, such as the container engine
<code>update_distribution</code>	Updates an existing Amazon Lightsail content delivery network (CDN) distribution
<code>update_distribution_bundle</code>	Updates the bundle of your Amazon Lightsail content delivery network (CDN) distribution
<code>update_domain_entry</code>	Updates a domain recordset after it is created
<code>update_instance_metadata_options</code>	Modifies the Amazon Lightsail instance metadata parameters on a running instance
<code>update_load_balancer_attribute</code>	Updates the specified attribute for a load balancer
<code>update_relational_database</code>	Allows the update of one or more attributes of a database in Amazon Lightsail
<code>update_relational_database_parameters</code>	Allows the update of one or more parameters of a database in Amazon Lightsail

Examples

```
## Not run:
svc <- lightsail()
svc$allocate_static_ip(
  Foo = 123
)

## End(Not run)
```

proton

AWS Proton

Description

This is the Proton Service API Reference. It provides descriptions, syntax and usage examples for each of the [actions](#) and [data types](#) for the Proton service.

The documentation for each action shows the Query API request parameters and the XML response.

Alternatively, you can use the Amazon Web Services CLI to access an API. For more information, see the [Amazon Web Services Command Line Interface User Guide](#).

The Proton service is a two-pronged automation framework. Administrators create service templates to provide standardized infrastructure and deployment tooling for serverless and container based applications. Developers, in turn, select from the available service templates to automate their application or service deployments.

Because administrators define the infrastructure and tooling that Proton deploys and manages, they need permissions to use all of the listed API operations.

When developers select a specific infrastructure and tooling set, Proton deploys their applications. To monitor their applications that are running on Proton, developers need permissions to the service *create*, *list*, *update* and *delete* API operations and the service instance *list* and *update* API operations.

To learn more about Proton, see the [Proton User Guide](#).

Ensuring Idempotency

When you make a mutating API request, the request typically returns a result before the asynchronous workflows of the operation are complete. Operations might also time out or encounter other server issues before they're complete, even if the request already returned a result. This might make it difficult to determine whether the request succeeded. Moreover, you might need to retry the request multiple times to ensure that the operation completes successfully. However, if the original request and the subsequent retries are successful, the operation occurs multiple times. This means that you might create more resources than you intended.

Idempotency ensures that an API request action completes no more than one time. With an idempotent request, if the original request action completes successfully, any subsequent retries complete successfully without performing any further actions. However, the result might contain updated information, such as the current creation status.

The following lists of APIs are grouped according to methods that ensure idempotency.

Idempotent create APIs with a client token

The API actions in this list support idempotency with the use of a *client token*. The corresponding Amazon Web Services CLI commands also support idempotency using a client token. A client token is a unique, case-sensitive string of up to 64 ASCII characters. To make an idempotent API request using one of these actions, specify a client token in the request. We recommend that you *don't* reuse the same client token for other API requests. If you don't provide a client token for these APIs, a default client token is automatically provided by SDKs.

Given a request action that has succeeded:

If you retry the request using the same client token and the same parameters, the retry succeeds without performing any further actions other than returning the original resource detail data in the response.

If you retry the request using the same client token, but one or more of the parameters are different, the retry throws a `ValidationException` with an `IdempotentParameterMismatch` error.

Client tokens expire eight hours after a request is made. If you retry the request with the expired token, a new resource is created.

If the original resource is deleted and you retry the request, a new resource is created.

Idempotent create APIs with a client token:

- `CreateEnvironmentTemplateVersion`
- `CreateServiceTemplateVersion`
- `CreateEnvironmentAccountConnection`

Idempotent create APIs

Given a request action that has succeeded:

If you retry the request with an API from this group, and the original resource *hasn't* been modified, the retry succeeds without performing any further actions other than returning the original resource detail data in the response.

If the original resource has been modified, the retry throws a `ConflictException`.

If you retry with different input parameters, the retry throws a `ValidationException` with an `IdempotentParameterMismatch` error.

Idempotent create APIs:

- `CreateEnvironmentTemplate`
- `CreateServiceTemplate`
- `CreateEnvironment`
- `CreateService`

Idempotent delete APIs

Given a request action that has succeeded:

When you retry the request with an API from this group and the resource was deleted, its metadata is returned in the response.

If you retry and the resource doesn't exist, the response is empty.

In both cases, the retry succeeds.

Idempotent delete APIs:

- `DeleteEnvironmentTemplate`
- `DeleteEnvironmentTemplateVersion`
- `DeleteServiceTemplate`
- `DeleteServiceTemplateVersion`
- `DeleteEnvironmentAccountConnection`

Asynchronous idempotent delete APIs

Given a request action that has succeeded:

If you retry the request with an API from this group, if the original request delete operation status is DELETE_IN_PROGRESS, the retry returns the resource detail data in the response without performing any further actions.

If the original request delete operation is complete, a retry returns an empty response.

Asynchronous idempotent delete APIs:

- DeleteEnvironment
- DeleteService

Usage

```
proton(config = list(), credentials = list(), endpoint = NULL, region = NULL)
```

Arguments

config	<p>Optional configuration of credentials, endpoint, and/or region.</p> <ul style="list-style-type: none"> • credentials: <ul style="list-style-type: none"> – creds: <ul style="list-style-type: none"> * access_key_id: AWS access key ID * secret_access_key: AWS secret access key * session_token: AWS temporary session token – profile: The name of a profile to use. If not given, then the default profile is used. – anonymous: Set anonymous credentials. • endpoint: The complete URL to use for the constructed client. • region: The AWS Region used in instantiating the client. • close_connection: Immediately close all HTTP connections. • timeout: The time in seconds till a timeout exception is thrown when attempting to make a connection. The default is 60 seconds. • s3_force_path_style: Set this to true to force the request to use path-style addressing, i.e. <code>http://s3.amazonaws.com/BUCKET/KEY</code>. • sts_regional_endpoint: Set sts regional endpoint resolver to regional or legacy https://docs.aws.amazon.com/sdkref/latest/guide/feature-sts-regionalized-endpoint.html
credentials	<p>Optional credentials shorthand for the config parameter</p> <ul style="list-style-type: none"> • creds: <ul style="list-style-type: none"> – access_key_id: AWS access key ID – secret_access_key: AWS secret access key – session_token: AWS temporary session token • profile: The name of a profile to use. If not given, then the default profile is used. • anonymous: Set anonymous credentials.
endpoint	Optional shorthand for complete URL to use for the constructed client.
region	Optional shorthand for AWS Region used in instantiating the client.

Value

A client for the service. You can call the service's operations using syntax like `svc$operation(...)`, where `svc` is the name you've assigned to the client. The available operations are listed in the Operations section.

Service syntax

```
svc <- proton(
  config = list(
    credentials = list(
      creds = list(
        access_key_id = "string",
        secret_access_key = "string",
        session_token = "string"
      ),
      profile = "string",
      anonymous = "logical"
    ),
    endpoint = "string",
    region = "string",
    close_connection = "logical",
    timeout = "numeric",
    s3_force_path_style = "logical",
    sts_regional_endpoint = "string"
  ),
  credentials = list(
    creds = list(
      access_key_id = "string",
      secret_access_key = "string",
      session_token = "string"
    ),
    profile = "string",
    anonymous = "logical"
  ),
  endpoint = "string",
  region = "string"
)
```

Operations

[accept_environment_account_connection](#)
[cancel_component_deployment](#)
[cancel_environment_deployment](#)
[cancel_service_instance_deployment](#)
[cancel_service_pipeline_deployment](#)
[create_component](#)
[create_environment](#)
[create_environment_account_connection](#)

In a management account, an environment account connection request is accepted.
 Attempts to cancel a component deployment (for a component that is in the IN-PROGRESS state).
 Attempts to cancel an environment deployment on an UpdateEnvironment action.
 Attempts to cancel a service instance deployment on an UpdateServiceInstance action.
 Attempts to cancel a service pipeline deployment on an UpdateServicePipeline action.
 Create a Proton component.
 Deploy a new environment.
 Create an environment account connection in an environment account so that you can use the environment account to create and manage resources.

<code>create_environment_template</code>	Create an environment template for Proton
<code>create_environment_template_version</code>	Create a new major or minor version of an environment template
<code>create_repository</code>	Create and register a link to a repository
<code>create_service</code>	Create an Proton service
<code>create_service_instance</code>	Create a service instance
<code>create_service_sync_config</code>	Create the Proton Ops configuration file
<code>create_service_template</code>	Create a service template
<code>create_service_template_version</code>	Create a new major or minor version of a service template
<code>create_template_sync_config</code>	Set up a template to create new template versions automatically by tracking a link
<code>delete_component</code>	Delete an Proton component resource
<code>delete_deployment</code>	Delete the deployment
<code>delete_environment</code>	Delete an environment
<code>delete_environment_account_connection</code>	In an environment account, delete an environment account connection
<code>delete_environment_template</code>	If no other major or minor versions of an environment template exist, delete the template
<code>delete_environment_template_version</code>	If no other minor versions of an environment template exist, delete a major version of the template
<code>delete_repository</code>	De-register and unlink your repository
<code>delete_service</code>	Delete a service, with its instances and pipeline
<code>delete_service_sync_config</code>	Delete the Proton Ops file
<code>delete_service_template</code>	If no other major or minor versions of the service template exist, delete the template
<code>delete_service_template_version</code>	If no other minor versions of a service template exist, delete a major version of the template
<code>delete_template_sync_config</code>	Delete a template sync configuration
<code>get_account_settings</code>	Get detail data for Proton account-wide settings
<code>get_component</code>	Get detailed data for a component
<code>get_deployment</code>	Get detailed data for a deployment
<code>get_environment</code>	Get detailed data for an environment
<code>get_environment_account_connection</code>	In an environment account, get the detailed data for an environment account connection
<code>get_environment_template</code>	Get detailed data for an environment template
<code>get_environment_template_version</code>	Get detailed data for a major or minor version of an environment template
<code>get_repository</code>	Get detail data for a linked repository
<code>get_repository_sync_status</code>	Get the sync status of a repository used for Proton template sync
<code>get_resources_summary</code>	Get counts of Proton resources
<code>get_service</code>	Get detailed data for a service
<code>get_service_instance</code>	Get detailed data for a service instance
<code>get_service_instance_sync_status</code>	Get the status of the synced service instance
<code>get_service_sync_blocker_summary</code>	Get detailed data for the service sync blocker summary
<code>get_service_sync_config</code>	Get detailed information for the service sync configuration
<code>get_service_template</code>	Get detailed data for a service template
<code>get_service_template_version</code>	Get detailed data for a major or minor version of a service template
<code>get_template_sync_config</code>	Get detail data for a template sync configuration
<code>get_template_sync_status</code>	Get the status of a template sync
<code>list_component_outputs</code>	Get a list of component Infrastructure as Code (IaC) outputs
<code>list_component_provisioned_resources</code>	List provisioned resources for a component with details
<code>list_components</code>	List components with summary data
<code>list_deployments</code>	List deployments
<code>list_environment_account_connections</code>	View a list of environment account connections
<code>list_environment_outputs</code>	List the infrastructure as code outputs for your environment
<code>list_environment_provisioned_resources</code>	List the provisioned resources for your environment
<code>list_environments</code>	List environments with detail data summaries

<code>list_environment_templates</code>	List environment templates
<code>list_environment_template_versions</code>	List major or minor versions of an environment template with detail data
<code>list_repositories</code>	List linked repositories with detail data
<code>list_repository_sync_definitions</code>	List repository sync definitions with detail data
<code>list_service_instance_outputs</code>	Get a list service of instance Infrastructure as Code (IaC) outputs
<code>list_service_instance_provisioned_resources</code>	List provisioned resources for a service instance with details
<code>list_service_instances</code>	List service instances with summary data
<code>list_service_pipeline_outputs</code>	Get a list of service pipeline Infrastructure as Code (IaC) outputs
<code>list_service_pipeline_provisioned_resources</code>	List provisioned resources for a service and pipeline with details
<code>list_services</code>	List services with summaries of detail data
<code>list_service_templates</code>	List service templates with detail data
<code>list_service_template_versions</code>	List major or minor versions of a service template with detail data
<code>list_tags_for_resource</code>	List tags for a resource
<code>notify_resource_deployment_status_change</code>	Notify Proton of status changes to a provisioned resource when you use self-managed resources
<code>reject_environment_account_connection</code>	In a management account, reject an environment account connection from another account
<code>tag_resource</code>	Tag a resource
<code>untag_resource</code>	Remove a customer tag from a resource
<code>update_account_settings</code>	Update Proton settings that are used for multiple services in the Amazon Web Services account
<code>update_component</code>	Update a component
<code>update_environment</code>	Update an environment
<code>update_environment_account_connection</code>	In an environment account, update an environment account connection to use a different account
<code>update_environment_template</code>	Update an environment template
<code>update_environment_template_version</code>	Update a major or minor version of an environment template
<code>update_service</code>	Edit a service description or use a spec to add and delete service instances
<code>update_service_instance</code>	Update a service instance
<code>update_service_pipeline</code>	Update the service pipeline
<code>update_service_sync_blocker</code>	Update the service sync blocker by resolving it
<code>update_service_sync_config</code>	Update the Proton Ops config file
<code>update_service_template</code>	Update a service template
<code>update_service_template_version</code>	Update a major or minor version of a service template
<code>update_template_sync_config</code>	Update template sync configuration parameters, except for the templateName parameter

Examples

```
## Not run:
svc <- proton()
svc$accept_environment_account_connection(
  Foo = 123
)

## End(Not run)
```

serverlessapplicationrepository
*AWS*ServerlessApplicationRepository**

Description

The AWS Serverless Application Repository makes it easy for developers and enterprises to quickly find and deploy serverless applications in the AWS Cloud. For more information about serverless applications, see *Serverless Computing and Applications* on the AWS website.

The AWS Serverless Application Repository is deeply integrated with the AWS Lambda console, so that developers of all levels can get started with serverless computing without needing to learn anything new. You can use category keywords to browse for applications such as web and mobile backends, data processing applications, or chatbots. You can also search for applications by name, publisher, or event source. To use an application, you simply choose it, configure any required fields, and deploy it with a few clicks.

You can also easily publish applications, sharing them publicly with the community at large, or privately within your team or across your organization. To publish a serverless application (or app), you can use the AWS Management Console, AWS Command Line Interface (AWS CLI), or AWS SDKs to upload the code. Along with the code, you upload a simple manifest file, also known as the AWS Serverless Application Model (AWS SAM) template. For more information about AWS SAM, see *AWS Serverless Application Model (AWS SAM)* on the AWS Labs GitHub repository.

The AWS Serverless Application Repository Developer Guide contains more information about the two developer experiences available:

- **Consuming Applications** – Browse for applications and view information about them, including source code and readme files. Also install, configure, and deploy applications of your choosing.
- **Publishing Applications** – Configure and upload applications to make them available to other developers, and publish new versions of applications.

Usage

```
serverlessapplicationrepository(  
    config = list(),  
    credentials = list(),  
    endpoint = NULL,  
    region = NULL  
)
```

Arguments

`config` Optional configuration of credentials, endpoint, and/or region.

- **credentials:**
 - **creds:**
 - * **access_key_id:** AWS access key ID

	<ul style="list-style-type: none"> * secret_access_key: AWS secret access key * session_token: AWS temporary session token – profile: The name of a profile to use. If not given, then the default profile is used. – anonymous: Set anonymous credentials. • endpoint: The complete URL to use for the constructed client. • region: The AWS Region used in instantiating the client. • close_connection: Immediately close all HTTP connections. • timeout: The time in seconds till a timeout exception is thrown when attempting to make a connection. The default is 60 seconds. • s3_force_path_style: Set this to true to force the request to use path-style addressing, i.e. <code>http://s3.amazonaws.com/BUCKET/KEY</code>. • sts_regional_endpoint: Set sts regional endpoint resolver to regional or legacy https://docs.aws.amazon.com/sdkref/latest/guide/feature-sts-regionalized-endpoint.html
credentials	Optional credentials shorthand for the config parameter <ul style="list-style-type: none"> • creds: <ul style="list-style-type: none"> – access_key_id: AWS access key ID – secret_access_key: AWS secret access key – session_token: AWS temporary session token • profile: The name of a profile to use. If not given, then the default profile is used. • anonymous: Set anonymous credentials.
endpoint	Optional shorthand for complete URL to use for the constructed client.
region	Optional shorthand for AWS Region used in instantiating the client.

Value

A client for the service. You can call the service's operations using syntax like `svc$operation(...)`, where `svc` is the name you've assigned to the client. The available operations are listed in the Operations section.

Service syntax

```
svc <- serverlessapplicationrepository(
  config = list(
    credentials = list(
      creds = list(
        access_key_id = "string",
        secret_access_key = "string",
        session_token = "string"
      ),
      profile = "string",
      anonymous = "logical"
    ),
    endpoint = "string",
```

```

    region = "string",
    close_connection = "logical",
    timeout = "numeric",
    s3_force_path_style = "logical",
    sts_regional_endpoint = "string"
  ),
  credentials = list(
    creds = list(
      access_key_id = "string",
      secret_access_key = "string",
      session_token = "string"
    ),
    profile = "string",
    anonymous = "logical"
  ),
  endpoint = "string",
  region = "string"
)

```

Operations

create_application	Creates an application, optionally including an AWS SAM file to create the first application
create_application_version	Creates an application version
create_cloud_formation_change_set	Creates an AWS CloudFormation change set for the given application
create_cloud_formation_template	Creates an AWS CloudFormation template
delete_application	Deletes the specified application
get_application	Gets the specified application
get_application_policy	Retrieves the policy for the application
get_cloud_formation_template	Gets the specified AWS CloudFormation template
list_application_dependencies	Retrieves the list of applications nested in the containing application
list_applications	Lists applications owned by the requester
list_application_versions	Lists versions for the specified application
put_application_policy	Sets the permission policy for an application
unshare_application	Unshares an application from an AWS Organization
update_application	Updates the specified application

Examples

```

## Not run:
svc <- serverlessapplicationrepository()
svc$create_application(
  Foo = 123
)

## End(Not run)

```

Index

abort_environment_update, [53](#)
accept_address_transfer, [17](#)
accept_capacity_reservation_billing_ownership, [17](#)
accept_environment_account_connection, [78](#)
accept_reserved_instances_exchange_quote, [17](#)
accept_transit_gateway_client_vpn_attachment, [17](#)
accept_transit_gateway_multicast_domain_associations, [17](#)
accept_transit_gateway_peering_attachment, [17](#)
accept_transit_gateway_vpc_attachment, [17](#)
accept_vpc_endpoint_connections, [17](#)
accept_vpc_peering_connection, [18](#)
add_layer_version_permission, [67](#)
add_permission, [67](#)
advertise_byoip_cidr, [18](#)
allocate_address, [18](#)
allocate_hosts, [18](#)
allocate_ipam_pool_cidr, [18](#)
allocate_static_ip, [71](#)
apply_environment_managed_action, [53](#)
apply_security_groups_to_client_vpn_target_network, [18](#)
apprunner, [3](#)
assign_ipv6_addresses, [18](#)
assign_private_ip_addresses, [18](#)
assign_private_nat_gateway_address, [18](#)
associate_access_policy, [49](#)
associate_address, [18](#)
associate_capacity_reservation_billing_owner, [18](#)
associate_client_vpn_target_network, [18](#)
associate_custom_domain, [5](#)
associate_dhcp_options, [18](#)
associate_enclave_certificate_iam_role, [18](#)
associate_encryption_config, [49](#)
associate_environment_operations_role, [53](#)
associate_iam_instance_profile, [18](#)
associate_identity_provider_config, [49](#)
associate_instance_event_window, [18](#)
associate_ipam_byoasn, [18](#)
associate_ipam_resource_discovery, [18](#)
associate_nat_gateway_address, [18](#)
associate_route_server, [18](#)
associate_route_table, [18](#)
associate_security_group_vpc, [18](#)
associate_subnet_cidr_block, [18](#)
associate_transit_gateway_multicast_domain, [18](#)
associate_transit_gateway_policy_table, [18](#)
associate_transit_gateway_route_table, [18](#)
associate_trunk_interface, [18](#)
associate_vpc_cidr_block, [18](#)
attach_certificate_to_distribution, [71](#)
attach_classic_link_vpc, [18](#)
attach_ebs_to_instance, [71](#)
attach_instances_to_load_balancer, [71](#)
attach_internet_gateway, [18](#)
attach_load_balancer_tls_certificate, [71](#)
attach_network_interface, [18](#)
attach_static_ip, [71](#)
attach_verified_access_trust_provider, [18](#)
attach_volume, [18](#)
attach_vpn_gateway, [18](#)
authorize_client_vpn_ingress, [18](#)
authorize_security_group_egress, [18](#)

- authorize_security_group_ingress, [18](#)
- batch, [6](#)
- batch_check_layer_availability, [38](#), [42](#)
- batch_delete_image, [38](#), [42](#)
- batch_get_image, [38](#)
- batch_get_repository_scanning_configuration, [38](#)
- braket, [9](#)
- bundle_instance, [18](#)
- cancel_bundle_task, [18](#)
- cancel_capacity_reservation, [18](#)
- cancel_capacity_reservation_fleets, [18](#)
- cancel_component_deployment, [78](#)
- cancel_conversion_task, [18](#)
- cancel_declarative_policies_report, [18](#)
- cancel_environment_deployment, [78](#)
- cancel_export_task, [18](#)
- cancel_image_creation, [62](#)
- cancel_image_launch_permission, [18](#)
- cancel_import_task, [18](#)
- cancel_job, [8](#), [12](#)
- cancel_job_run, [56](#), [59](#)
- cancel_lifecycle_execution, [62](#)
- cancel_quantum_task, [12](#)
- cancel_reserved_instances_listing, [18](#)
- cancel_service_instance_deployment, [78](#)
- cancel_service_pipeline_deployment, [78](#)
- cancel_spot_fleet_requests, [18](#)
- cancel_spot_instance_requests, [19](#)
- check_dns_availability, [53](#)
- checkpoint_durable_execution, [67](#)
- close_instance_public_ports, [71](#)
- complete_layer_upload, [38](#), [42](#)
- compose_environments, [53](#)
- computeoptimizer, [12](#)
- confirm_product_instance, [19](#)
- continue_service_deployment, [45](#)
- copy_fpga_image, [19](#)
- copy_image, [19](#)
- copy_snapshot, [19](#), [71](#)
- copy_volumes, [19](#)
- create_access_entry, [49](#)
- create_addon, [49](#)
- create_alias, [67](#)
- create_application, [53](#), [59](#), [83](#)
- create_application_version, [53](#), [83](#)
- create_auto_scaling_configuration, [5](#)
- create_bucket, [71](#)
- create_bucket_access_key, [71](#)
- create_capability, [49](#)
- create_capacity_manager_data_export, [19](#)
- create_capacity_provider, [45](#), [67](#)
- create_capacity_reservation, [19](#)
- create_capacity_reservation_by_splitting, [19](#)
- create_capacity_reservation_fleet, [19](#)
- create_carrier_gateway, [19](#)
- create_certificate, [71](#)
- create_client_vpn_endpoint, [19](#)
- create_client_vpn_route, [19](#)
- create_cloud_formation_change_set, [83](#)
- create_cloud_formation_stack, [71](#)
- create_cloud_formation_template, [83](#)
- create_cluster, [45](#), [49](#)
- create_code_signing_config, [67](#)
- create_coip_cidr, [19](#)
- create_coip_pool, [19](#)
- create_component, [62](#), [78](#)
- create_compute_environment, [8](#)
- create_configuration_template, [53](#)
- create_connection, [5](#)
- create_consumable_resource, [8](#)
- create_contact_method, [71](#)
- create_container_recipe, [62](#)
- create_container_service, [71](#)
- create_container_service_deployment, [71](#)
- create_container_service_registry_login, [71](#)
- create_customer_gateway, [19](#)
- create_daemon, [45](#)
- create_default_subnet, [19](#)
- create_default_vpc, [19](#)
- create_delegate_mac_volume_ownership_task, [19](#)
- create_dhcp_options, [19](#)
- create_disk, [71](#)
- create_disk_from_snapshot, [71](#)
- create_disk_snapshot, [71](#)
- create_distribution, [71](#)
- create_distribution_configuration, [62](#)
- create_domain, [71](#)
- create_domain_entry, [71](#)
- create_egress_only_internet_gateway,

- [19](#)
- [create_eks_anywhere_subscription, 49](#)
- [create_environment, 53, 78](#)
- [create_environment_account_connection, 78](#)
- [create_environment_template, 79](#)
- [create_environment_template_version, 79](#)
- [create_event_source_mapping, 67](#)
- [create_express_gateway_service, 45](#)
- [create_fargate_profile, 49](#)
- [create_fleet, 19](#)
- [create_flow_logs, 19](#)
- [create_fpga_image, 19](#)
- [create_function, 67](#)
- [create_function_url_config, 67](#)
- [create_gui_session_access_details, 71](#)
- [create_image, 19, 62](#)
- [create_image_pipeline, 62](#)
- [create_image_recipe, 62](#)
- [create_image_usage_report, 19](#)
- [create_infrastructure_configuration, 62](#)
- [create_instance_connect_endpoint, 19](#)
- [create_instance_event_window, 19](#)
- [create_instance_export_task, 19](#)
- [create_instance_snapshot, 71](#)
- [create_instances, 71](#)
- [create_instances_from_snapshot, 71](#)
- [create_internet_gateway, 19](#)
- [create_interruptible_capacity_reservation_allocation_options, 19](#)
- [create_ipam, 19](#)
- [create_ipam_external_resource_verification_token, 19](#)
- [create_ipam_policy, 19](#)
- [create_ipam_pool, 19](#)
- [create_ipam_prefix_list_resolver, 19](#)
- [create_ipam_prefix_list_resolver_target, 19](#)
- [create_ipam_resource_discovery, 19](#)
- [create_ipam_scope, 19](#)
- [create_job, 12](#)
- [create_job_queue, 8](#)
- [create_job_template, 56](#)
- [create_key_pair, 19, 71](#)
- [create_launch_template, 19](#)
- [create_launch_template_version, 19](#)
- [create_lifecycle_policy, 62](#)
- [create_load_balancer, 71](#)
- [create_load_balancer_tls_certificate, 71](#)
- [create_local_gateway_route, 19](#)
- [create_local_gateway_route_table, 19](#)
- [create_local_gateway_route_table_virtual_interface_group_association, 19](#)
- [create_local_gateway_route_table_vpc_association, 19](#)
- [create_local_gateway_virtual_interface, 19](#)
- [create_local_gateway_virtual_interface_group, 19](#)
- [create_mac_system_integrity_protection_modification_task, 20](#)
- [create_managed_endpoint, 56](#)
- [create_managed_prefix_list, 20](#)
- [create_nat_gateway, 20](#)
- [create_network_acl, 20](#)
- [create_network_acl_entry, 20](#)
- [create_network_insights_access_scope, 20](#)
- [create_network_insights_path, 20](#)
- [create_network_interface, 20](#)
- [create_network_interface_permission, 20](#)
- [create_nodegroup, 49](#)
- [create_observability_configuration, 5](#)
- [create_placement_group, 20](#)
- [create_platform_version, 53](#)
- [create_pod_identity_association, 49](#)
- [create_public_ipv4_pool, 20](#)
- [create_pull_through_cache_rule, 38](#)
- [create_quantum_task, 12](#)
- [create_quota_share, 8](#)
- [create_relational_database, 72](#)
- [create_relational_database_from_snapshot, 72](#)
- [create_relational_database_snapshot, 72](#)
- [create_replace_root_volume_task, 20](#)
- [create_repository, 38, 42, 79](#)
- [create_repository_creation_template, 38](#)
- [create_reserved_instances_listing, 20](#)
- [create_restore_image_task, 20](#)
- [create_route, 20](#)

- create_route_server, [20](#)
- create_route_server_endpoint, [20](#)
- create_route_server_peer, [20](#)
- create_route_table, [20](#)
- create_scheduling_policy, [8](#)
- create_secondary_network, [20](#)
- create_secondary_subnet, [20](#)
- create_security_configuration, [56](#)
- create_security_group, [20](#)
- create_service, [5](#), [45](#), [79](#)
- create_service_environment, [8](#)
- create_service_instance, [79](#)
- create_service_sync_config, [79](#)
- create_service_template, [79](#)
- create_service_template_version, [79](#)
- create_snapshot, [20](#)
- create_snapshots, [20](#)
- create_spending_limit, [12](#)
- create_spot_datafeed_subscription, [20](#)
- create_storage_location, [53](#)
- create_store_image_task, [20](#)
- create_subnet, [20](#)
- create_subnet_cidr_reservation, [20](#)
- create_tags, [20](#)
- create_task_set, [45](#)
- create_template_sync_config, [79](#)
- create_traffic_mirror_filter, [20](#)
- create_traffic_mirror_filter_rule, [20](#)
- create_traffic_mirror_session, [20](#)
- create_traffic_mirror_target, [20](#)
- create_transit_gateway, [20](#)
- create_transit_gateway_connect, [20](#)
- create_transit_gateway_connect_peer, [20](#)
- create_transit_gateway_metering_policy, [20](#)
- create_transit_gateway_metering_policy_entry, [20](#)
- create_transit_gateway_multicast_domain, [20](#)
- create_transit_gateway_peering_attachment, [20](#)
- create_transit_gateway_policy_table, [20](#)
- create_transit_gateway_prefix_list_reference, [20](#)
- create_transit_gateway_route, [20](#)
- create_transit_gateway_route_table, [20](#)
- create_transit_gateway_route_table_announcement, [20](#)
- create_transit_gateway_vpc_attachment, [20](#)
- create_verified_access_endpoint, [20](#)
- create_verified_access_group, [20](#)
- create_verified_access_instance, [21](#)
- create_verified_access_trust_provider, [21](#)
- create_virtual_cluster, [56](#)
- create_volume, [21](#)
- create_vpc, [21](#)
- create_vpc_block_public_access_exclusion, [21](#)
- create_vpc_connector, [5](#)
- create_vpc_encryption_control, [21](#)
- create_vpc_endpoint, [21](#)
- create_vpc_endpoint_connection_notification, [21](#)
- create_vpc_endpoint_service_configuration, [21](#)
- create_vpc_ingress_connection, [5](#)
- create_vpc_peering_connection, [21](#)
- create_vpn_concentrator, [21](#)
- create_vpn_connection, [21](#)
- create_vpn_connection_route, [21](#)
- create_vpn_gateway, [21](#)
- create_workflow, [62](#)
- delete_access_entry, [49](#)
- delete_account_setting, [45](#)
- delete_addon, [49](#)
- delete_alarm, [72](#)
- delete_alias, [67](#)
- delete_application, [53](#), [59](#), [83](#)
- delete_application_version, [53](#)
- delete_attributes, [45](#)
- delete_auto_scaling_configuration, [5](#)
- delete_auto_snapshot, [72](#)
- delete_bucket, [72](#)
- delete_bucket_access_key, [72](#)
- delete_capability, [49](#)
- delete_capacity_manager_data_export, [21](#)
- delete_capacity_provider, [45](#), [67](#)
- delete_carrier_gateway, [21](#)
- delete_certificate, [72](#)
- delete_client_vpn_endpoint, [21](#)
- delete_client_vpn_route, [21](#)

delete_cluster, [45, 49](#)
delete_code_signing_config, [67](#)
delete_coip_cidr, [21](#)
delete_coip_pool, [21](#)
delete_component, [62, 79](#)
delete_compute_environment, [8](#)
delete_configuration_template, [53](#)
delete_connection, [5](#)
delete_consumable_resource, [8](#)
delete_contact_method, [72](#)
delete_container_image, [72](#)
delete_container_recipe, [62](#)
delete_container_service, [72](#)
delete_customer_gateway, [21](#)
delete_daemon, [45](#)
delete_daemon_task_definition, [45](#)
delete_deployment, [79](#)
delete_dhcp_options, [21](#)
delete_disk, [72](#)
delete_disk_snapshot, [72](#)
delete_distribution, [72](#)
delete_distribution_configuration, [62](#)
delete_domain, [72](#)
delete_domain_entry, [72](#)
delete_egress_only_internet_gateway,
[21](#)
delete_eks_anywhere_subscription, [49](#)
delete_environment, [79](#)
delete_environment_account_connection,
[79](#)
delete_environment_configuration, [53](#)
delete_environment_template, [79](#)
delete_environment_template_version,
[79](#)
delete_event_source_mapping, [67](#)
delete_express_gateway_service, [45](#)
delete_fargate_profile, [49](#)
delete_fleets, [21](#)
delete_flow_logs, [21](#)
delete_fpga_image, [21](#)
delete_function, [67](#)
delete_function_code_signing_config,
[67](#)
delete_function_concurrency, [67](#)
delete_function_event_invoke_config,
[67](#)
delete_function_url_config, [67](#)
delete_image, [62](#)

delete_image_pipeline, [62](#)
delete_image_recipe, [62](#)
delete_image_usage_report, [21](#)
delete_infrastructure_configuration,
[62](#)
delete_instance, [72](#)
delete_instance_connect_endpoint, [21](#)
delete_instance_event_window, [21](#)
delete_instance_snapshot, [72](#)
delete_internet_gateway, [21](#)
delete_ipam, [21](#)
delete_ipam_external_resource_verification_token,
[21](#)
delete_ipam_policy, [21](#)
delete_ipam_pool, [21](#)
delete_ipam_prefix_list_resolver, [21](#)
delete_ipam_prefix_list_resolver_target,
[21](#)
delete_ipam_resource_discovery, [21](#)
delete_ipam_scope, [21](#)
delete_job_queue, [8](#)
delete_job_template, [56](#)
delete_key_pair, [21, 72](#)
delete_known_host_keys, [72](#)
delete_launch_template, [21](#)
delete_launch_template_versions, [21](#)
delete_layer_version, [67](#)
delete_lifecycle_policy, [38, 62](#)
delete_load_balancer, [72](#)
delete_load_balancer_tls_certificate,
[72](#)
delete_local_gateway_route, [21](#)
delete_local_gateway_route_table, [21](#)
delete_local_gateway_route_table_virtual_interface_group_a
[21](#)
delete_local_gateway_route_table_vpc_association,
[21](#)
delete_local_gateway_virtual_interface,
[21](#)
delete_local_gateway_virtual_interface_group,
[21](#)
delete_managed_endpoint, [56](#)
delete_managed_prefix_list, [21](#)
delete_nat_gateway, [22](#)
delete_network_acl, [22](#)
delete_network_acl_entry, [22](#)
delete_network_insights_access_scope,
[22](#)

- delete_network_insights_access_scope_analysis, 22
- delete_network_insights_analysis, 22
- delete_network_insights_path, 22
- delete_network_interface, 22
- delete_network_interface_permission, 22
- delete_nodegroup, 49
- delete_observability_configuration, 5
- delete_placement_group, 22
- delete_platform_version, 53
- delete_pod_identity_association, 49
- delete_provisioned_concurrency_config, 67
- delete_public_ipv4_pool, 22
- delete_pull_through_cache_rule, 38
- delete_queued_reserved_instances, 22
- delete_quota_share, 8
- delete_recommendation_preferences, 14
- delete_registry_policy, 38
- delete_relational_database, 72
- delete_relational_database_snapshot, 72
- delete_repository, 38, 42, 79
- delete_repository_creation_template, 38
- delete_repository_policy, 38, 42
- delete_route, 22
- delete_route_server, 22
- delete_route_server_endpoint, 22
- delete_route_server_peer, 22
- delete_route_table, 22
- delete_scheduling_policy, 8
- delete_secondary_network, 22
- delete_secondary_subnet, 22
- delete_security_group, 22
- delete_service, 5, 45, 79
- delete_service_environment, 8
- delete_service_sync_config, 79
- delete_service_template, 79
- delete_service_template_version, 79
- delete_signing_configuration, 38
- delete_snapshot, 22
- delete_spending_limit, 12
- delete_spot_datafeed_subscription, 22
- delete_subnet, 22
- delete_subnet_cidr_reservation, 22
- delete_tags, 22
- delete_task_definitions, 45
- delete_task_set, 45
- delete_template_sync_config, 79
- delete_traffic_mirror_filter, 22
- delete_traffic_mirror_filter_rule, 22
- delete_traffic_mirror_session, 22
- delete_traffic_mirror_target, 22
- delete_transit_gateway, 22
- delete_transit_gateway_client_vpn_attachment, 22
- delete_transit_gateway_connect, 22
- delete_transit_gateway_connect_peer, 22
- delete_transit_gateway_metering_policy, 22
- delete_transit_gateway_metering_policy_entry, 22
- delete_transit_gateway_multicast_domain, 22
- delete_transit_gateway_peering_attachment, 22
- delete_transit_gateway_policy_table, 22
- delete_transit_gateway_prefix_list_reference, 22
- delete_transit_gateway_route, 22
- delete_transit_gateway_route_table, 22
- delete_transit_gateway_route_table_announcement, 22
- delete_transit_gateway_vpc_attachment, 22
- delete_verified_access_endpoint, 22
- delete_verified_access_group, 22
- delete_verified_access_instance, 22
- delete_verified_access_trust_provider, 22
- delete_virtual_cluster, 56
- delete_volume, 22
- delete_vpc, 23
- delete_vpc_block_public_access_exclusion, 23
- delete_vpc_connector, 5
- delete_vpc_encryption_control, 23
- delete_vpc_endpoint_connection_notifications, 23
- delete_vpc_endpoint_service_configurations, 23
- delete_vpc_endpoints, 23

- delete_vpc_ingress_connection, 5
- delete_vpc_peering_connection, 23
- delete_vpn_concentrator, 23
- delete_vpn_connection, 23
- delete_vpn_connection_route, 23
- delete_vpn_gateway, 23
- delete_workflow, 62
- deprovision_byoip_cidr, 23
- deprovision_ipam_byoasn, 23
- deprovision_ipam_pool_cidr, 23
- deprovision_public_ipv4_pool_cidr, 23
- deregister_cluster, 49
- deregister_container_instance, 45
- deregister_image, 23
- deregister_instance_event_notification_attributes, 23
- deregister_job_definition, 8
- deregister_pull_time_update_exclusion, 38
- deregister_task_definition, 45
- deregister_transit_gateway_multicast_group_members, 23
- deregister_transit_gateway_multicast_group_source_addresses, 23
- describe_access_entry, 49
- describe_account_attributes, 23, 53
- describe_addon, 49
- describe_addon_configuration, 49
- describe_addon_versions, 49
- describe_address_transfers, 23
- describe_addresses, 23
- describe_addresses_attribute, 23
- describe_aggregate_id_format, 23
- describe_application_versions, 53
- describe_applications, 53
- describe_auto_scaling_configuration, 5
- describe_availability_zones, 23
- describe_aws_network_performance_metric_subscriptions, 23
- describe_bundle_tasks, 23
- describe_byoip_cidrs, 23
- describe_capability, 49
- describe_capacity_block_extension_history, 23
- describe_capacity_block_extension_offerings, 23
- describe_capacity_block_offerings, 23
- describe_capacity_block_status, 23
- describe_capacity_blocks, 23
- describe_capacity_manager_data_exports, 23
- describe_capacity_providers, 45
- describe_capacity_reservation_billing_requests, 23
- describe_capacity_reservation_fleets, 23
- describe_capacity_reservation_topology, 23
- describe_capacity_reservations, 23
- describe_carrier_gateways, 23
- describe_classic_link_instances, 23
- describe_client_vpn_authorization_rules, 23
- describe_client_vpn_connections, 23
- describe_client_vpn_endpoints, 23
- describe_client_vpn_routes, 23
- describe_client_vpn_target_networks, 23
- describe_cluster, 49
- describe_cluster_versions, 49
- describe_clusters, 45
- describe_coip_pools, 23
- describe_compute_environments, 8
- describe_configuration_options, 53
- describe_configuration_settings, 53
- describe_consumable_resource, 8
- describe_container_instances, 45
- describe_conversion_tasks, 23
- describe_custom_domains, 5
- describe_customer_gateways, 23
- describe_daemon, 45
- describe_daemon_deployments, 45
- describe_daemon_revisions, 45
- describe_daemon_task_definition, 45
- describe_declarative_policies_reports, 24
- describe_dhcp_options, 24
- describe_egress_only_internet_gateways, 24
- describe_eks_anywhere_subscription, 49
- describe_elastic_gpus, 24
- describe_environment_health, 53
- describe_environment_managed_action_history, 53
- describe_environment_managed_actions, 53

- describe_environment_resources, 53
- describe_environments, 53
- describe_events, 53
- describe_export_image_tasks, 24
- describe_export_tasks, 24
- describe_express_gateway_service, 45
- describe_fargate_profile, 49
- describe_fast_launch_images, 24
- describe_fast_snapshot_restores, 24
- describe_fleet_history, 24
- describe_fleet_instances, 24
- describe_fleets, 24
- describe_flow_logs, 24
- describe_fpga_image_attribute, 24
- describe_fpga_images, 24
- describe_host_reservation_offerings, 24
- describe_host_reservations, 24
- describe_hosts, 24
- describe_iam_instance_profile_associations, 24
- describe_id_format, 24
- describe_identity_id_format, 24
- describe_identity_provider_config, 49
- describe_image_attribute, 24
- describe_image_references, 24
- describe_image_replication_status, 38
- describe_image_scan_findings, 38
- describe_image_signing_status, 38
- describe_image_tags, 42
- describe_image_usage_report_entries, 24
- describe_image_usage_reports, 24
- describe_images, 24, 38, 42
- describe_import_image_tasks, 24
- describe_import_snapshot_tasks, 24
- describe_insight, 49
- describe_insights_refresh, 49
- describe_instance_attribute, 24
- describe_instance_connect_endpoints, 24
- describe_instance_credit_specifications, 24
- describe_instance_event_notification_attributes, 24
- describe_instance_event_windows, 24
- describe_instance_image_metadata, 24
- describe_instance_sql_ha_history_states, 24
- describe_instance_sql_ha_states, 24
- describe_instance_status, 24
- describe_instance_topology, 24
- describe_instance_type_offerings, 24
- describe_instance_types, 24
- describe_instances, 24
- describe_instances_health, 53
- describe_internet_gateways, 24
- describe_ipam_byoasn, 24
- describe_ipam_external_resource_verification_tokens, 24
- describe_ipam_policies, 24
- describe_ipam_pool_allocations, 24
- describe_ipam_pools, 24
- describe_ipam_prefix_list_resolver_targets, 24
- describe_ipam_prefix_list_resolvers, 24
- describe_ipam_resource_discoveries, 25
- describe_ipam_resource_discovery_associations, 25
- describe_ipam_scopes, 25
- describe_ipams, 25
- describe_ipv6_pools, 25
- describe_job_definitions, 8
- describe_job_queues, 8
- describe_job_run, 56
- describe_job_template, 56
- describe_jobs, 8
- describe_key_pairs, 25
- describe_launch_template_versions, 25
- describe_launch_templates, 25
- describe_local_gateway_route_table_virtual_interface_group, 25
- describe_local_gateway_route_table_vpc_associations, 25
- describe_local_gateway_route_tables, 25
- describe_local_gateway_virtual_interface_groups, 25
- describe_local_gateway_virtual_interfaces, 25
- describe_local_gateways, 25
- describe_locked_snapshots, 25
- describe_mac_hosts, 25
- describe_mac_modification_tasks, 25
- describe_managed_endpoint, 56

- describe_managed_prefix_lists, 25
- describe_moving_addresses, 25
- describe_nat_gateways, 25
- describe_network_acls, 25
- describe_network_insights_access_scope_analyses, 25
- describe_network_insights_access_scopes, 25
- describe_network_insights_analyses, 25
- describe_network_insights_paths, 25
- describe_network_interface_attribute, 25
- describe_network_interface_permissions, 25
- describe_network_interfaces, 25
- describe_nodegroup, 49
- describe_observability_configuration, 5
- describe_outpost_lags, 25
- describe_placement_groups, 25
- describe_platform_version, 53
- describe_pod_identity_association, 49
- describe_prefix_lists, 25
- describe_principal_id_format, 25
- describe_public_ipv4_pools, 25
- describe_pull_through_cache_rules, 39
- describe_quota_share, 8
- describe_recommendation_export_jobs, 14
- describe_regions, 25
- describe_registries, 42
- describe_registry, 39
- describe_replace_root_volume_tasks, 25
- describe_repositories, 39, 42
- describe_repository_creation_templates, 39
- describe_reserved_instances, 25
- describe_reserved_instances_listings, 25
- describe_reserved_instances_modifications, 25
- describe_reserved_instances_offerings, 25
- describe_route_server_endpoints, 25
- describe_route_server_peers, 25
- describe_route_servers, 25
- describe_route_tables, 25
- describe_scheduled_instance_availability, 25
- describe_scheduled_instances, 25
- describe_scheduling_policies, 8
- describe_secondary_interfaces, 25
- describe_secondary_networks, 25
- describe_secondary_subnets, 25
- describe_security_configuration, 56
- describe_security_group_references, 26
- describe_security_group_rules, 26
- describe_security_group_vpc_associations, 26
- describe_security_groups, 26
- describe_service, 5
- describe_service_deployments, 45
- describe_service_environments, 8
- describe_service_job, 8
- describe_service_link_virtual_interfaces, 26
- describe_service_revisions, 45
- describe_services, 45
- describe_snapshot_attribute, 26
- describe_snapshot_tier_status, 26
- describe_snapshots, 26
- describe_spot_datafeed_subscription, 26
- describe_spot_fleet_instances, 26
- describe_spot_fleet_request_history, 26
- describe_spot_fleet_requests, 26
- describe_spot_instance_requests, 26
- describe_spot_price_history, 26
- describe_stale_security_groups, 26
- describe_store_image_tasks, 26
- describe_subnets, 26
- describe_tags, 26
- describe_task_definition, 45
- describe_task_sets, 45
- describe_tasks, 45
- describe_traffic_mirror_filter_rules, 26
- describe_traffic_mirror_filters, 26
- describe_traffic_mirror_sessions, 26
- describe_traffic_mirror_targets, 26
- describe_transit_gateway_attachments, 26
- describe_transit_gateway_connect_peers, 26
- describe_transit_gateway_connects, 26

- describe_transit_gateway_metering_policies, 26
- describe_transit_gateway_multicast_domains, 26
- describe_transit_gateway_peering_attachments, 26
- describe_transit_gateway_policy_tables, 26
- describe_transit_gateway_route_table_announcements, 26
- describe_transit_gateway_route_tables, 26
- describe_transit_gateway_vpc_attachments, 26
- describe_transit_gateways, 26
- describe_trunk_interface_associations, 26
- describe_update, 49
- describe_verified_access_endpoints, 26
- describe_verified_access_groups, 26
- describe_verified_access_instance_logging_configurations, 26
- describe_verified_access_instances, 26
- describe_verified_access_trust_providers, 26
- describe_virtual_cluster, 56
- describe_volume_attribute, 26
- describe_volume_status, 26
- describe_volumes, 26
- describe_volumes_modifications, 26
- describe_vpc_attribute, 26
- describe_vpc_block_public_access_exclusions, 26
- describe_vpc_block_public_access_options, 26
- describe_vpc_classic_link, 26
- describe_vpc_classic_link_dns_support, 26
- describe_vpc_connector, 5
- describe_vpc_encryption_controls, 27
- describe_vpc_endpoint_associations, 27
- describe_vpc_endpoint_connection_notifications, 27
- describe_vpc_endpoint_connections, 27
- describe_vpc_endpoint_service_configurations, 27
- describe_vpc_endpoint_service_permissions, 27
- describe_vpc_endpoint_services, 27
- describe_vpc_endpoints, 27
- describe_vpc_ingress_connection, 5
- describe_vpc_peering_connections, 27
- describe_vpcs, 27
- describe_vpn_concentrators, 27
- describe_vpn_connections, 27
- describe_vpn_gateways, 27
- detach_certificate_from_distribution, 72
- detach_classic_link_vpc, 27
- detach_disk, 72
- detach_instances_from_load_balancer, 72
- detach_internet_gateway, 27
- detach_network_interface, 27
- detach_static_ip, 72
- detach_verified_access_trust_provider, 27
- detach_volume, 27
- disable_ipsec_gateway, 27
- disable_add_on, 72
- disable_address_transfer, 27
- disable_allowed_images_settings, 27
- disable_aws_network_performance_metric_subscription, 27
- disable_capacity_manager, 27
- disable_ebs_encryption_by_default, 27
- disable_fast_launch, 27
- disable_fast_snapshot_restores, 27
- disable_image, 27
- disable_image_block_public_access, 27
- disable_image_deprecation, 27
- disable_image_deregistration_protection, 27
- disable_instance_sql_ha_standby_detections, 27
- disable_ipam_organization_admin_account, 27
- disable_ipam_policy, 27
- disable_route_server_propagation, 27
- disable_serial_console_access, 27
- disable_snapshot_block_public_access, 27
- disable_transit_gateway_route_table_propagation, 27
- disable_vgw_route_propagation, 27
- disable_vpc_classic_link, 27

- disable_vpc_classic_link_dns_support, 27
- disassociate_access_policy, 49
- disassociate_address, 27
- disassociate_capacity_reservation_billing_owner, 27
- disassociate_client_vpn_target_network, 27
- disassociate_custom_domain, 5
- disassociate_enclave_certificate_iam_role, 27
- disassociate_environment_operations_role, 53
- disassociate_iam_instance_profile, 27
- disassociate_identity_provider_config, 49
- disassociate_instance_event_window, 27
- disassociate_ipam_byoasn, 27
- disassociate_ipam_resource_discovery, 27
- disassociate_nat_gateway_address, 28
- disassociate_route_server, 28
- disassociate_route_table, 28
- disassociate_security_group_vpc, 28
- disassociate_subnet_cidr_block, 28
- disassociate_transit_gateway_multicast_domain, 28
- disassociate_transit_gateway_policy_table, 28
- disassociate_transit_gateway_route_table, 28
- disassociate_trunk_interface, 28
- disassociate_vpc_cidr_block, 28
- discover_poll_endpoint, 45
- distribute_image, 62
- download_default_key_pair, 72

- ec2, 15
- ec2instanceconnect, 34
- ecr, 36
- ecrpublic, 40
- ecs, 43
- eks, 47
- elasticbeanstalk, 50
- emrcontainers, 54
- emrserverless, 57
- enable_add_on, 72
- enable_address_transfer, 28
- enable_allowed_images_settings, 28
- enable_aws_network_performance_metric_subscription, 28
- enable_capacity_manager, 28
- enable_ebs_encryption_by_default, 28
- enable_fast_launch, 28
- enable_fast_snapshot_restores, 28
- enable_image, 28
- enable_image_block_public_access, 28
- enable_image_deprecation, 28
- enable_image_deregistration_protection, 28
- enable_instance_sql_ha_standby_detections, 28
- enable_ipam_organization_admin_account, 28
- enable_ipam_policy, 28
- enable_reachability_analyzer_organization_sharing, 28
- enable_route_server_propagation, 28
- enable_serial_console_access, 28
- enable_snapshot_block_public_access, 28
- enable_transit_gateway_route_table_propagation, 28
- enable_vgw_route_propagation, 28
- enable_volume_io, 28
- enable_vpc_classic_link, 28
- enable_vpc_classic_link_dns_support, 28
- execute_command, 45
- export_auto_scaling_group_recommendations, 14
- export_client_vpn_client_certificate_revocation_list, 28
- export_client_vpn_client_configuration, 28
- export_ebs_volume_recommendations, 14
- export_ec2_instance_recommendations, 14
- export_ecs_service_recommendations, 14
- export_idle_recommendations, 14
- export_image, 28
- export_lambda_function_recommendations, 14
- export_license_recommendations, 14
- export_rds_database_recommendations, 14
- export_snapshot, 72

- export_transit_gateway_routes, 28
- export_verified_access_instance_client_configuration, 28
- get_account_setting, 39
- get_account_settings, 67, 79
- get_active_names, 72
- get_active_vpn_tunnel_status, 28
- get_alarms, 72
- get_alias, 67
- get_allowed_images_settings, 28
- get_application, 59, 83
- get_application_policy, 83
- get_associated_enclave_certificate_iam_roles, 28
- get_associated_ipv6_pool_cidrs, 28
- get_authorization_token, 39, 42
- get_auto_scaling_group_recommendations, 14
- get_auto_snapshots, 72
- get_aws_network_performance_data, 28
- get_blueprints, 72
- get_bucket_access_keys, 72
- get_bucket_bundles, 72
- get_bucket_metric_data, 72
- get_buckets, 72
- get_bundles, 72
- get_capacity_manager_attributes, 28
- get_capacity_manager_metric_data, 28
- get_capacity_manager_metric_dimensions, 28
- get_capacity_manager_monitored_tag_keys, 28
- get_capacity_provider, 67
- get_capacity_reservation_usage, 28
- get_certificates, 72
- get_cloud_formation_stack_records, 72
- get_cloud_formation_template, 83
- get_code_signing_config, 67
- get_coip_pool_usage, 29
- get_component, 62, 79
- get_component_policy, 62
- get_console_output, 29
- get_console_screenshot, 29
- get_contact_methods, 72
- get_container_api_metadata, 72
- get_container_images, 72
- get_container_log, 72
- get_container_recipe, 62
- get_container_recipe_policy, 62
- get_container_service_deployments, 72
- get_container_service_metric_data, 73
- get_container_service_powers, 73
- get_container_services, 73
- get_cost_estimate, 73
- get_dashboard_for_job_run, 59
- get_declarative_policies_report_summary, 29
- get_default_credit_specification, 29
- get_deployment, 79
- get_device, 12
- get_disk, 73
- get_disk_snapshot, 73
- get_disk_snapshots, 73
- get_disks, 73
- get_distribution_bundles, 73
- get_distribution_configuration, 62
- get_distribution_latest_cache_reset, 73
- get_distribution_metric_data, 73
- get_distributions, 73
- get_domain, 73
- get_domains, 73
- get_download_url_for_layer, 39
- get_durable_execution, 67
- get_durable_execution_history, 67
- get_durable_execution_state, 67
- get_ebs_default_kms_key_id, 29
- get_ebs_encryption_by_default, 29
- get_ebs_volume_recommendations, 14
- get_ec2_instance_recommendations, 14
- get_ec2_recommendation_projected_metrics, 15
- get_ecs_service_recommendation_projected_metrics, 15
- get_ecs_service_recommendations, 15
- get_effective_recommendation_preferences, 15
- get_enabled_ipam_policy, 29
- get_enrollment_status, 15
- get_enrollment_statuses_for_organization, 15
- get_environment, 79
- get_environment_account_connection, 79
- get_environment_template, 79
- get_environment_template_version, 79
- get_event_source_mapping, 67

- get_export_snapshot_records, 73
- get_flow_logs_integration_template, 29
- get_function, 67
- get_function_code_signing_config, 67
- get_function_concurrency, 67
- get_function_configuration, 67
- get_function_event_invoke_config, 67
- get_function_recursion_config, 67
- get_function_scaling_config, 67
- get_function_url_config, 67
- get_groups_for_capacity_reservation, 29
- get_host_reservation_purchase_preview, 29
- get_idle_recommendations, 15
- get_image, 62
- get_image_ancestry, 29
- get_image_block_public_access_state, 29
- get_image_pipeline, 62
- get_image_policy, 62
- get_image_recipe, 62
- get_image_recipe_policy, 62
- get_infrastructure_configuration, 62
- get_instance, 73
- get_instance_access_details, 73
- get_instance_metadata_defaults, 29
- get_instance_metric_data, 73
- get_instance_port_states, 73
- get_instance_snapshot, 73
- get_instance_snapshots, 73
- get_instance_state, 73
- get_instance_tpm_ek_pub, 29
- get_instance_types_from_instance_requirements, 29
- get_instance_uefi_data, 29
- get_instances, 73
- get_ipam_address_history, 29
- get_ipam_discovered_accounts, 29
- get_ipam_discovered_public_addresses, 29
- get_ipam_discovered_resource_cidrs, 29
- get_ipam_policy_allocation_rules, 29
- get_ipam_policy_organization_targets, 29
- get_ipam_pool_allocations, 29
- get_ipam_pool_cidrs, 29
- get_ipam_prefix_list_resolver_rules, 29
- get_ipam_prefix_list_resolver_version_entries, 29
- get_ipam_prefix_list_resolver_versions, 29
- get_ipam_resource_cidrs, 29
- get_job, 12
- get_job_queue_snapshot, 8
- get_job_run, 59
- get_key_pair, 73
- get_key_pairs, 73
- get_lambda_function_recommendations, 15
- get_launch_template_data, 29
- get_layer_version, 67
- get_layer_version_by_arn, 67
- get_layer_version_policy, 67
- get_license_recommendations, 15
- get_lifecycle_execution, 63
- get_lifecycle_policy, 39, 63
- get_lifecycle_policy_preview, 39
- get_load_balancer, 73
- get_load_balancer_metric_data, 73
- get_load_balancer_tls_certificates, 73
- get_load_balancer_tls_policies, 73
- get_load_balancers, 73
- get_managed_endpoint_session_credentials, 56
- get_managed_prefix_list_associations, 29
- get_managed_prefix_list_entries, 29
- get_managed_resource_visibility, 29
- get_marketplace_resource, 63
- get_network_insights_access_scope_analysis_findings, 29
- get_network_insights_access_scope_content, 29
- get_operation, 73
- get_operations, 73
- get_operations_for_resource, 73
- get_password_data, 29
- get_policy, 67
- get_provisioned_concurrency_config, 67
- get_quantum_task, 12
- get_rds_database_recommendation_projected_metrics, 15
- get_rds_database_recommendations, 15
- get_recommendation_preferences, 15

- get_recommendation_summaries, 15
- get_regions, 73
- get_registry_catalog_data, 42
- get_registry_policy, 39
- get_registry_scanning_configuration, 39
- get_relational_database, 73
- get_relational_database_blueprints, 73
- get_relational_database_bundles, 73
- get_relational_database_events, 73
- get_relational_database_log_events, 73
- get_relational_database_log_streams, 73
- get_relational_database_master_user_password, 73
- get_relational_database_metric_data, 73
- get_relational_database_parameters, 73
- get_relational_database_snapshot, 73
- get_relational_database_snapshots, 73
- get_relational_databases, 73
- get_repository, 79
- get_repository_catalog_data, 42
- get_repository_policy, 39, 42
- get_repository_sync_status, 79
- get_reserved_instances_exchange_quote, 29
- get_resource_dashboard, 59
- get_resources_summary, 79
- get_route_server_associations, 29
- get_route_server_propagations, 29
- get_route_server_routing_database, 29
- get_runtime_management_config, 67
- get_security_groups_for_vpc, 29
- get_serial_console_access_status, 29
- get_service, 79
- get_service_instance, 79
- get_service_instance_sync_status, 79
- get_service_sync_blocker_summary, 79
- get_service_sync_config, 79
- get_service_template, 79
- get_service_template_version, 79
- get_session, 59
- get_session_endpoint, 59
- get_setup_history, 73
- get_signing_configuration, 39
- get_snapshot_block_public_access_state, 29
- get_spot_placement_scores, 29
- get_static_ip, 73
- get_static_ips, 74
- get_subnet_cidr_reservations, 29
- get_task_protection, 45
- get_template_sync_config, 79
- get_template_sync_status, 79
- get_transit_gateway_attachment_propagations, 29
- get_transit_gateway_metering_policy_entries, 29
- get_transit_gateway_multicast_domain_associations, 29
- get_transit_gateway_policy_table_associations, 30
- get_transit_gateway_policy_table_entries, 30
- get_transit_gateway_prefix_list_references, 30
- get_transit_gateway_route_table_associations, 30
- get_transit_gateway_route_table_propagations, 30
- get_verified_access_endpoint_policy, 30
- get_verified_access_endpoint_targets, 30
- get_verified_access_group_policy, 30
- get_vpc_resources_blocking_encryption_enforcement, 30
- get_vpn_connection_device_sample_configuration, 30
- get_vpn_connection_device_types, 30
- get_vpn_tunnel_replacement_status, 30
- get_workflow, 63
- get_workflow_execution, 63
- get_workflow_step_execution, 63
- imagebuilder, 60
- import_client_vpn_client_certificate_revocation_list, 30
- import_component, 63
- import_disk_image, 63
- import_image, 30
- import_instance, 30
- import_key_pair, 30, 74
- import_snapshot, 30
- import_vm_image, 63
- import_volume, 30

- initiate_layer_upload, [39](#), [42](#)
- invoke, [67](#)
- invoke_async, [67](#)
- invoke_with_response_stream, [67](#)
- is_vpc_peered, [74](#)

- lambda, [64](#)
- lightsail, [69](#)
- list_access_entries, [49](#)
- list_access_policies, [49](#)
- list_account_settings, [45](#)
- list_addons, [49](#)
- list_aliases, [67](#)
- list_application_dependencies, [83](#)
- list_application_versions, [83](#)
- list_applications, [59](#), [83](#)
- list_associated_access_policies, [49](#)
- list_attributes, [45](#)
- list_auto_scaling_configurations, [5](#)
- list_available_solution_stacks, [53](#)
- list_capabilities, [49](#)
- list_capacity_providers, [68](#)
- list_clusters, [45](#), [49](#)
- list_code_signing_configs, [68](#)
- list_component_build_versions, [63](#)
- list_component_outputs, [79](#)
- list_component_provisioned_resources, [79](#)

- list_components, [63](#), [79](#)
- list_connections, [5](#)
- list_consumable_resources, [8](#)
- list_container_instances, [45](#)
- list_container_recipes, [63](#)
- list_daemon_deployments, [45](#)
- list_daemon_task_definitions, [45](#)
- list_daemons, [45](#)
- list_deployments, [79](#)
- list_distribution_configurations, [63](#)
- list_durable_executions_by_function, [68](#)

- list_eks_anywhere_subscriptions, [49](#)
- list_environment_account_connections, [79](#)

- list_environment_outputs, [79](#)
- list_environment_provisioned_resources, [79](#)

- list_environment_template_versions, [80](#)
- list_environment_templates, [80](#)
- list_environments, [79](#)

- list_event_source_mappings, [68](#)
- list_fargate_profiles, [49](#)
- list_function_event_invoke_configs, [68](#)
- list_function_url_configs, [68](#)
- list_function_versions_by_capacity_provider, [68](#)
- list_functions, [68](#)
- list_functions_by_code_signing_config, [68](#)

- list_identity_provider_configs, [49](#)
- list_image_build_versions, [63](#)
- list_image_packages, [63](#)
- list_image_pipeline_images, [63](#)
- list_image_pipelines, [63](#)
- list_image_recipes, [63](#)
- list_image_referrers, [39](#)
- list_image_scan_finding_aggregations, [63](#)

- list_image_scan_findings, [63](#)
- list_images, [39](#), [63](#)
- list_images_in_recycle_bin, [30](#)
- list_infrastructure_configurations, [63](#)
- list_insights, [49](#)
- list_job_run_attempts, [59](#)
- list_job_runs, [56](#), [59](#)
- list_job_templates, [56](#)
- list_jobs, [9](#)
- list_jobs_by_consumable_resource, [9](#)
- list_layer_versions, [68](#)
- list_layers, [68](#)
- list_lifecycle_execution_resources, [63](#)
- list_lifecycle_executions, [63](#)
- list_lifecycle_policies, [63](#)
- list_managed_endpoints, [56](#)
- list_nodegroups, [49](#)
- list_observability_configurations, [5](#)
- list_operations, [5](#)
- list_platform_branches, [53](#)
- list_platform_versions, [53](#)
- list_pod_identity_associations, [50](#)
- list_provisioned_concurrency_configs, [68](#)

- list_pull_time_update_exclusions, [39](#)
- list_quota_shares, [9](#)
- list_repositories, [80](#)
- list_repository_sync_definitions, [80](#)
- list_scheduling_policies, [9](#)
- list_security_configurations, [56](#)

- list_service_deployments, [46](#)
- list_service_instance_outputs, [80](#)
- list_service_instance_provisioned_resources, [80](#)
- list_service_instances, [80](#)
- list_service_jobs, [9](#)
- list_service_pipeline_outputs, [80](#)
- list_service_pipeline_provisioned_resources, [80](#)
- list_service_template_versions, [80](#)
- list_service_templates, [80](#)
- list_services, [5](#), [46](#), [80](#)
- list_services_by_namespace, [46](#)
- list_services_for_auto_scaling_configuration, [5](#)
- list_sessions, [59](#)
- list_snapshots_in_recycle_bin, [30](#)
- list_tags, [68](#)
- list_tags_for_resource, [5](#), [9](#), [12](#), [39](#), [42](#), [46](#), [50](#), [53](#), [56](#), [59](#), [63](#), [80](#)
- list_task_definition_families, [46](#)
- list_task_definitions, [46](#)
- list_tasks, [46](#)
- list_updates, [50](#)
- list_versions_by_function, [68](#)
- list_virtual_clusters, [56](#)
- list_volumes_in_recycle_bin, [30](#)
- list_vpc_connectors, [5](#)
- list_vpc_ingress_connections, [5](#)
- list_waiting_workflow_steps, [63](#)
- list_workflow_build_versions, [63](#)
- list_workflow_executions, [63](#)
- list_workflow_step_executions, [63](#)
- list_workflows, [63](#)
- lock_snapshot, [30](#)

- modify_address_attribute, [30](#)
- modify_availability_zone_group, [30](#)
- modify_capacity_reservation, [30](#)
- modify_capacity_reservation_fleet, [30](#)
- modify_client_vpn_endpoint, [30](#)
- modify_default_credit_specification, [30](#)
- modify_ebs_default_kms_key_id, [30](#)
- modify_fleet, [30](#)
- modify_fpga_image_attribute, [30](#)
- modify_hosts, [30](#)
- modify_id_format, [30](#)
- modify_identity_id_format, [30](#)
- modify_image_attribute, [30](#)
- modify_instance_attribute, [30](#)
- modify_instance_capacity_reservation_attributes, [30](#)
- modify_instance_connect_endpoint, [30](#)
- modify_instance_cpu_options, [30](#)
- modify_instance_credit_specification, [30](#)
- modify_instance_event_start_time, [30](#)
- modify_instance_event_window, [30](#)
- modify_instance_maintenance_options, [30](#)
- modify_instance_metadata_defaults, [30](#)
- modify_instance_metadata_options, [30](#)
- modify_instance_network_performance_options, [30](#)
- modify_instance_placement, [30](#)
- modify_ipam, [30](#)
- modify_ipam_policy_allocation_rules, [31](#)
- modify_ipam_pool, [31](#)
- modify_ipam_pool_allocation, [31](#)
- modify_ipam_prefix_list_resolver, [31](#)
- modify_ipam_prefix_list_resolver_target, [31](#)
- modify_ipam_resource_cidr, [31](#)
- modify_ipam_resource_discovery, [31](#)
- modify_ipam_scope, [31](#)
- modify_launch_template, [31](#)
- modify_local_gateway_route, [31](#)
- modify_managed_prefix_list, [31](#)
- modify_managed_resource_visibility, [31](#)
- modify_network_interface_attribute, [31](#)
- modify_private_dns_name_options, [31](#)
- modify_public_ip_dns_name_options, [31](#)
- modify_reserved_instances, [31](#)
- modify_route_server, [31](#)
- modify_security_group_rules, [31](#)
- modify_snapshot_attribute, [31](#)
- modify_snapshot_tier, [31](#)
- modify_spot_fleet_request, [31](#)
- modify_subnet_attribute, [31](#)
- modify_traffic_mirror_filter_network_services, [31](#)
- modify_traffic_mirror_filter_rule, [31](#)
- modify_traffic_mirror_session, [31](#)
- modify_transit_gateway, [31](#)
- modify_transit_gateway_metering_policy,

- [31](#)
- [modify_transit_gateway_prefix_list_reference,](#)
[31](#)
- [modify_transit_gateway_vpc_attachment,](#)
[31](#)
- [modify_verified_access_endpoint,](#) [31](#)
- [modify_verified_access_endpoint_policy,](#)
[31](#)
- [modify_verified_access_group,](#) [31](#)
- [modify_verified_access_group_policy,](#)
[31](#)
- [modify_verified_access_instance,](#) [31](#)
- [modify_verified_access_instance_logging_configuration,](#)
[31](#)
- [modify_verified_access_trust_provider,](#)
[31](#)
- [modify_volume,](#) [31](#)
- [modify_volume_attribute,](#) [31](#)
- [modify_vpc_attribute,](#) [31](#)
- [modify_vpc_block_public_access_exclusion,](#)
[31](#)
- [modify_vpc_block_public_access_options,](#)
[31](#)
- [modify_vpc_encryption_control,](#) [31](#)
- [modify_vpc_endpoint,](#) [31](#)
- [modify_vpc_endpoint_connection_notification,](#)
[31](#)
- [modify_vpc_endpoint_service_configuration,](#)
[31](#)
- [modify_vpc_endpoint_service_payer_responsibility,](#)
[31](#)
- [modify_vpc_endpoint_service_permissions,](#)
[31](#)
- [modify_vpc_peering_connection_options,](#)
[31](#)
- [modify_vpc_tenancy,](#) [32](#)
- [modify_vpn_connection,](#) [32](#)
- [modify_vpn_connection_options,](#) [32](#)
- [modify_vpn_tunnel_certificate,](#) [32](#)
- [modify_vpn_tunnel_options,](#) [32](#)
- [monitor_instances,](#) [32](#)
- [move_address_to_vpc,](#) [32](#)
- [move_byoip_cidr_to_ipam,](#) [32](#)
- [move_capacity_reservation_instances,](#)
[32](#)
- [notify_resource_deployment_status_change,](#)
[80](#)
- [open_instance_public_ports,](#) [74](#)
- [pause_service,](#) [5](#)
- [peer_vpc,](#) [74](#)
- [proton,](#) [75](#)
- [provision_byoip_cidr,](#) [32](#)
- [provision_ipam_byoasn,](#) [32](#)
- [provision_ipam_pool_cidr,](#) [32](#)
- [provision_public_ipv4_pool_cidr,](#) [32](#)
- [publish_layer_version,](#) [68](#)
- [publish_version,](#) [68](#)
- [purchase_capacity_block,](#) [32](#)
- [purchase_capacity_block_extension,](#) [32](#)
- [purchase_host_reservation,](#) [32](#)
- [purchase_reserved_instances_offering,](#)
[32](#)
- [purchase_scheduled_instances,](#) [32](#)
- [put_account_setting,](#) [39, 46](#)
- [put_account_setting_default,](#) [46](#)
- [put_alarm,](#) [74](#)
- [put_application_policy,](#) [83](#)
- [put_attributes,](#) [46](#)
- [put_cluster_capacity_providers,](#) [46](#)
- [put_component_policy,](#) [63](#)
- [put_container_recipe_policy,](#) [63](#)
- [put_function_code_signing_config,](#) [68](#)
- [put_function_concurrency,](#) [68](#)
- [put_function_event_invoke_config,](#) [68](#)
- [put_function_recursion_config,](#) [68](#)
- [put_function_scaling_config,](#) [68](#)
- [put_image,](#) [39, 42](#)
- [put_image_policy,](#) [63](#)
- [put_image_recipe_policy,](#) [63](#)
- [put_image_scanning_configuration,](#) [39](#)
- [put_image_tag_mutability,](#) [39](#)
- [put_instance_public_ports,](#) [74](#)
- [put_lifecycle_policy,](#) [39](#)
- [put_provisioned_concurrency_config,](#) [68](#)
- [put_recommendation_preferences,](#) [15](#)
- [put_registry_catalog_data,](#) [42](#)
- [put_registry_policy,](#) [39](#)
- [put_registry_scanning_configuration,](#)
[39](#)
- [put_replication_configuration,](#) [39](#)
- [put_repository_catalog_data,](#) [42](#)
- [put_runtime_management_config,](#) [68](#)
- [put_signing_configuration,](#) [39](#)
- [reboot_instance,](#) [74](#)

- reboot_instances, [32](#)
- reboot_relational_database, [74](#)
- rebuild_environment, [53](#)
- register_cluster, [50](#)
- register_container_image, [74](#)
- register_container_instance, [46](#)
- register_daemon_task_definition, [46](#)
- register_image, [32](#)
- register_instance_event_notification_attributes, [32](#)
- register_job_definition, [9](#)
- register_pull_time_update_exclusion, [39](#)
- register_task_definition, [46](#)
- register_transit_gateway_multicast_group_members, [32](#)
- register_transit_gateway_multicast_group_sources, [32](#)
- reject_capacity_reservation_billing_ownership, [32](#)
- reject_environment_account_connection, [80](#)
- reject_transit_gateway_client_vpn_attachment, [32](#)
- reject_transit_gateway_multicast_domain_associations, [32](#)
- reject_transit_gateway_peering_attachment, [32](#)
- reject_transit_gateway_vpc_attachment, [32](#)
- reject_vpc_endpoint_connections, [32](#)
- reject_vpc_peering_connection, [32](#)
- release_address, [32](#)
- release_hosts, [32](#)
- release_ipam_pool_allocation, [32](#)
- release_static_ip, [74](#)
- remove_layer_version_permission, [68](#)
- remove_permission, [68](#)
- replace_iam_instance_profile_association, [32](#)
- replace_image_criteria_in_allowed_images_settings, [32](#)
- replace_network_acl_association, [32](#)
- replace_network_acl_entry, [32](#)
- replace_route, [32](#)
- replace_route_table_association, [32](#)
- replace_transit_gateway_route, [32](#)
- replace_vpn_tunnel, [32](#)
- report_instance_status, [32](#)
- request_environment_info, [53](#)
- request_spot_fleet, [32](#)
- request_spot_instances, [32](#)
- reset_address_attribute, [32](#)
- reset_distribution_cache, [74](#)
- reset_ebs_default_kms_key_id, [32](#)
- reset_fpga_image_attribute, [32](#)
- reset_image_attribute, [32](#)
- reset_instance_attribute, [33](#)
- reset_network_interface_attribute, [33](#)
- reset_snapshot_attribute, [33](#)
- restart_app_server, [53](#)
- restore_address_to_classic, [33](#)
- restore_image_from_recycle_bin, [33](#)
- restore_managed_prefix_list_version, [33](#)
- restore_snapshot_from_recycle_bin, [33](#)
- restore_snapshot_tier, [33](#)
- restore_volume_from_recycle_bin, [33](#)
- resume_service, [5](#)
- retrieve_environment_info, [53](#)
- retry_image, [63](#)
- revoke_client_vpn_ingress, [33](#)
- revoke_security_group_egress, [33](#)
- revoke_security_group_ingress, [33](#)
- run_instances, [33](#)
- run_scheduled_instances, [33](#)
- run_task, [46](#)
- search_devices, [12](#)
- search_jobs, [12](#)
- search_local_gateway_routes, [33](#)
- search_quantum_tasks, [12](#)
- search_spending_limits, [12](#)
- search_transit_gateway_multicast_groups, [33](#)
- search_transit_gateway_routes, [33](#)
- send_contact_method_verification, [74](#)
- send_diagnostic_interrupt, [33](#)
- send_durable_execution_callback_failure, [68](#)
- send_durable_execution_callback_heartbeat, [68](#)
- send_durable_execution_callback_success, [68](#)
- send_serial_console_ssh_public_key, [36](#)
- send_ssh_public_key, [36](#)
- send_workflow_step_action, [63](#)

- serverlessapplicationrepository, 81
- set_ip_address_type, 74
- set_repository_policy, 39, 42
- set_resource_access_for_bucket, 74
- setup_instance_https, 74
- start_application, 59
- start_declarative_policies_report, 33
- start_deployment, 5
- start_gui_session, 74
- start_image_pipeline_execution, 63
- start_image_scan, 39
- start_insights_refresh, 50
- start_instance, 74
- start_instances, 33
- start_job_run, 57, 59
- start_lifecycle_policy_preview, 39
- start_network_insights_access_scope_analysis, 33
- start_network_insights_analysis, 33
- start_relational_database, 74
- start_resource_state_update, 63
- start_session, 59
- start_task, 46
- start_vpc_endpoint_service_private_dns_verification, 33
- stop_application, 59
- stop_durable_execution, 68
- stop_gui_session, 74
- stop_instance, 74
- stop_instances, 33
- stop_relational_database, 74
- stop_service_deployment, 46
- stop_task, 46
- submit_attachment_state_changes, 46
- submit_container_state_change, 46
- submit_job, 9
- submit_service_job, 9
- submit_task_state_change, 46
- swap_environment_cnams, 53
- tag_resource, 5, 9, 12, 39, 42, 46, 50, 57, 59, 63, 68, 74, 80
- terminate_client_vpn_connections, 33
- terminate_environment, 53
- terminate_instances, 33
- terminate_job, 9
- terminate_service_job, 9
- terminate_session, 59
- test_alarm, 74
- unassign_ipv6_addresses, 33
- unassign_private_ip_addresses, 33
- unassign_private_nat_gateway_address, 33
- unlock_snapshot, 33
- unmonitor_instances, 33
- unpeer_vpc, 74
- unshare_application, 83
- untag_resource, 6, 9, 12, 39, 42, 46, 50, 57, 60, 63, 68, 74, 80
- update_access_entry, 50
- update_account_settings, 80
- update_addon, 50
- update_alias, 68
- update_application, 53, 60, 83
- update_application_resource_lifecycle, 53
- update_application_version, 53
- update_bucket, 74
- update_bucket_bundle, 74
- update_capability, 50
- update_capacity_manager_monitored_tag_keys, 33
- update_capacity_manager_organizations_access, 33
- update_capacity_provider, 46, 68
- update_cluster, 46
- update_cluster_config, 50
- update_cluster_settings, 46
- update_cluster_version, 50
- update_code_signing_config, 68
- update_component, 80
- update_compute_environment, 9
- update_configuration_template, 53
- update_consumable_resource, 9
- update_container_agent, 46
- update_container_instances_state, 46
- update_container_service, 74
- update_daemon, 46
- update_default_auto_scaling_configuration, 6
- update_distribution, 74
- update_distribution_bundle, 74
- update_distribution_configuration, 63
- update_domain_entry, 74
- update_eks_anywhere_subscription, 50
- update_enrollment_status, 15
- update_environment, 53, 80

update_environment_account_connection, 80
update_environment_template, 80
update_environment_template_version, 80
update_event_source_mapping, 68
update_express_gateway_service, 46
update_function_code, 68
update_function_configuration, 68
update_function_event_invoke_config, 68
update_function_url_config, 68
update_image_pipeline, 63
update_image_storage_class, 39
update_infrastructure_configuration, 63
update_instance_metadata_options, 74
update_interruptible_capacity_reservation_allocation, 33
update_job_queue, 9
update_lifecycle_policy, 63
update_load_balancer_attribute, 74
update_nodegroup_config, 50
update_nodegroup_version, 50
update_pod_identity_association, 50
update_pull_through_cache_rule, 39
update_quota_share, 9
update_relational_database, 74
update_relational_database_parameters, 74
update_repository_creation_template, 39
update_scheduling_policy, 9
update_security_group_rule_descriptions_egress, 33
update_security_group_rule_descriptions_ingress, 33
update_service, 6, 46, 80
update_service_environment, 9
update_service_instance, 80
update_service_job, 9
update_service_pipeline, 80
update_service_primary_task_set, 46
update_service_sync_blocker, 80
update_service_sync_config, 80
update_service_template, 80
update_service_template_version, 80
update_spending_limit, 12
update_tags_for_resource, 53
update_task_protection, 46
update_task_set, 46
update_template_sync_config, 80
update_vpc_ingress_connection, 6
upload_layer_part, 39, 42
validate_configuration_settings, 54
validate_pull_through_cache_rule, 39
withdraw_byoip_cidr, 33